

Alternative 2: With Median. SE 9th Ave. Side with parking (looking west)



Alternative 2: With Median. SE 9th Ave. Side without parking (looking west)







Alternative 2: With Median SE 8th to 9th Ave **Shops Alternative 2: With Median** ☑ Sidewalk widened to approximately seven feet (7') (for section with on-street parking, gain of approximately two feet (2')) or approximately fourteen feet (14') (side without on-street parking, gain of approximately nine feet (9')) within the ROW with varying private setbacks; and Raised midblockunglass Curb extension ✓ Alternating on-street parking with thirty-seven (37) on-street parking Hut spaces, with a loss of forty-nine (49) on-street parking spaces crosswalk with RRFB compared to the current conditions. | 1111 + 1111 + | | | | | | | | | + | | | | | φ-**Curb** extension Permanent on-street Canopy and parking on High emphasis flowering trees alternative side of crosswalk the block Quiet Storm Surf á Shop æ SE Exhibit 7 Page 8 of 11

Livability Improvements

SIDEWALK

Entire corridor




SEATING (precast concrete)

Entire corridor



LIGHTING

Downtown



Pole height 13'

<u>Shops,</u> Colee Hammock



Pole height 15'

Entire corridor (Vehicle Lighting)



COST: \$

DURABILITY: ++++

MAINTENANCE: Minimal

COMMENTS: Custom colors,

permeable

\$\$

++++

Minimal

Modular and customizable with

handrails

\$\$

+++

Moderate

Modular with different finishes and mounting heights

\$\$\$

+++

Moderate

Modular, various finishes, mounting heights

CAM 25-1214 Exhibit 7 Page 9 of 11









	At Installation Approx. canopy diameter	At Maturity Approx. canopy diameter
Large trees	35'	40'
Medium trees	20'	25'
Small trees	15'	18'







