





SITE PLAN

SCALE: 1/16" = 1'-0"



3-PILE DOLPHIN CLUSTER

SCALE: 1/4" = 1'-0"

- General Notes:**
1. All pilings to be driven a minimum of 8' into strata. If hard strata is encountered, a minimum 2' penetration is required.
 2. Approved contractor to verify all methods, means, sequences and procedures of work.
 3. Any deviation &/or substitution from the approved plans herein shall be submitted to the Engineer for approval prior to commencement of work.
 4. Elevations shown are based on the national geodetic vertical datum of 1929.
 5. Design in accordance with 2014 Florida Building Code.

<p>DOLPHIN CLUSTER RELOCATION FOR: KIRWIN RESIDENCE 811 SW 6TH STREET FORT LAUDERDALE, FL</p>		<p>PREPARED FOR: B&M MARINE CONSTRUCTION, INC. 6276 MADRAS CIRCLE BOYNTON BEACH, FL 33437 954-421-1700 CGC052820</p>		<p>16-0144 Exhibit 4</p>	
<p>DATE: _____</p> <p>NOTES/REVISIONS:</p>		<p>DATE: _____</p> <p>NOTES/REVISIONS:</p>		<p>DATE: _____</p> <p>NOTES/REVISIONS:</p>	