

600 St. Road 66 • Sebring, Florida 33875 Tel 863-382-2166 • FAX 863-382-1206 www.tradewindspower.com • www.perkinspower.com Filters Pump Sets Power Units Generator Sets Automatic Engine Controls

Tradewinds Power Corp Bid No. FSA16-VEH14.0 Specification No. #71 150KW MOBILE GENERATOR PACKAGE



BID AWARD ANNOUNCEMENT

FSA16-VEH14.0

Effective Dates:

October 1, 2016 - September 30, 2017

Cab & Chassis Trucks and Other Fleet Equiqment

Cooperative Bid Program

Coordinated By

The
Florida Sheriffs Association
&
Florida Association of Counties









FROM:

DA SHERIFFS ASSOCIATIO

2617 Mahan Drive, Tallahassee, Florida 32308 P.O. Box 12519 • Tallahassee, Florida 32317-2519

p: (850) 877-2165 f: (850) 878-8665 www.flsheriffs.org & E

Annette Grissom,

Cooperative Bid

October 1, 2016 DATE:

TO: ALL PROSPECTIVE PARTICIPANTS

Steve Casey,

Peggy Goff, Drew Terpak, **Executive Director** Deputy Executive **Business Operations**

Coordinator Director Manager

RE: Bid Number: FSA16-VEH14.0 Cab & Chassis Trucks & Other Fleet Equipment

We are pleased to announce that the Florida Sheriffs Association and the Florida Association of Counties has successfully conducted its 14th statewide competitive bid for vehicles and heavy equipment which includes trucks, backhoes, motorgraders, agriculture type tractors, steer loaders, street sweepers, generators, and light towers. This contract is effective beginning October 1, 2016 through September 30, 2017, as long as vehicles are available through fleet.

Bids will be extended and guaranteed to any and all units of local governments/political subdivisions including but not limited to county, local county board of public instruction, municipalities and/or police agencies, other local public or public safety agencies or authorities within the State of Florida, and the state universities and colleges. In addition, bids will be extended and guaranteed to any other entities approved by manufacturers to participate in this contract. The participating agencies cannot guarantee any order other than those ordered through each individual agency.

All agencies are bound by their local governing purchasing ordinances, rules and regulations and shall apply to purchases made under this contract. All awarded Vendors/Dealers are governed by their manufacturer's agreement.

Out of State Sales are permitted under this contract however, again ALL agencies are bound by their local governing purchasing ordinances, rules and regulations and shall apply to purchases made under this contract. All contractor/dealers are governed by their manufacturer's agreement. All contractor/dealers referencing this contract for the purpose of facilitating sales (purchase authority) outside the State of Florida must accept the terms and conditions of this contract.

In order to ensure quality service for our user agencies, we are requesting each of you to notify the Florida Sheriffs Association regarding any problems encountered in working with the awarded dealers. Any issues, including but not limited to, receipt of confirmation of order, delivery problems and communication problems, should be reported to us by e-mail at fleet@flsheriffs.org. This information will be considered in future bid awards in order to ensure that agencies are receiving the level of service required of dealers who wish to participate in this program.

CONTRACT ORDERING INSTRUCTIONS

All interested parties who wish to purchase from this contract may do so by following these simple procedures:

1. Contact the awarded dealership listed in the zone from which you wish to purchase and advise them of your interest to purchase from **Bid No. FSA16-VEH14.0**. They will assist you with the placement of your order and answer any questions you may have regarding the vehicles purchased through this program. You can only purchase from a dealer who is listed as a winner of one of the four zones for the vehicle you wish to purchase. However, you may purchase from any awarded dealer within any zone (additional delivery fees may apply).

Agencies ordering a Ford, General Motors, Chysler, or Toyota product, please be advised that you must use the appropriate FIN Code/FAN Code for the Florida Sheriffs Association in order to obtain the manufacturer's concessions. Also, you must use your FIN Code/FAN Code as a secondary number. For further assistance call the Fleet Customer Information Center for your appropriate manufacturer.

Manufacturer	Type Code	FSA Code	Fleet Center Contact Numbers	
Ford	FIN Code	QE065	1-800-34-FLEET	(1-800-343-5338)
General Motors	FAN Code	917872	1-800-FLEET OP	(1-800-353-3867)
Chrysler	FAN Code	48830	1-800-999-FLEET	(1-800-999-3533)
Toyota	FIN Code	GE159	1-800-732-2798	

2. Basic information required on all purchase orders is listed in this Bid Award Announcement. Purchase orders lacking the required basic information listed may result in the delay of placement and/or confirmation of orders. NOTE: The agency is responsible for obtaining a "Confirmation of Order" from the respective dealership. Dealers are required to complete a "Confirmation of Order" and send it to the purchaser within fourteen (14) calendar days after receipt of purchase order. Purchasers are encouraged to contact the dealer if a "Confirmation of Order" has not been received within a reasonable time.

Purchasers are reminded that the issuance of a purchase order does not in itself guarantee the placement of an order.

The purchase order should include FSA's Contract Number FSA16-VEH14.0 as well as the specification number, make and model of each item purchased. Please attach the dealer quote when available.

3. Purchasers must send a copy of the original purchase order sent to the participating dealer in pdf format to: COOP@flsheriffs.org.

4. Dealers have already included a three-quarter of one percent (.0075) administrative fee in their base pricing and all add options that are listed. Dealers' quotes to purchasers should not include the FSA administrative fee indicated as a separate line item on any purchase order.

No other administrative fee(s) will be applicable to any transaction relative to the contract.

- 5. In order to ensure quality service for our user agencies, we are requesting that you notify the Florida Sheriffs Association, in writing, regarding any problems encountered in working with the awarded dealers. Any issues, including but not limited to, receipt of confirmation of order, delivery problems and communication problems, should be reported to us by e-mail at fleet@flsheriffs.org. This information will be considered in future bid awards in order to ensure that agencies are receiving the level of service required of dealers who wish to participate in this program.
- 6. Add/delete options might include a superscript listed by the Order Code. The purpose of the superscript is to identify which options correlate to a specific zone. Superscripts will be numbered between 1 and 4, and will correspond as follows:


1 = Western zone dealer 2 = Northern zone dealer

3 = Central zone dealer 4 = Southern zone dealer

If a dealer has been awarded more than one zone, they will only have one superscript number assigned, and it will be the lowest numeric number that applies to their awarded zones. For example: If a dealer is awarded the northern and southern zones, their add/delete options for both zones will be represented by a "2" superscript.

FSA CONTRACT ZONE MAP

WESTERN







FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

150KW MOBILE GENERATOR PACKAGE SPECIFICATION #71

2017 AKSA AT150

2017 Blue Star Power Systems JD150-01 Trailer

2017 Doosan G190 WCU-34-T4F

2017 Generac/Magnum MMG175

2017 Hipower HRJW-175-T6

2017 Multiquip DCA 220SSJU4F

2017 Tradewinds TP150

2017 Wacker G180

Listed above you will find the model numbers of the vehicles that will be included in this year's contract. All items factory installed unless otherwise noted.

THE TRAILER MUST HAVE A VIN AND A CERTIFICATE OF ORIGIN

1. GENERATOR REQUIREMENTS:

- a. Standby duty rated at 150kwe, 187kva, 8 power factor.
- b. Prime power duty rating 135kwe, 168kva, 0.8 power factor.
- c. Main Breaker shall be equipped with shunt trip.
- d. Generator end shall be Direct coupled to the engine flywheel with a flexible coupling.
- e. Generator shall meet performance class G3 of IEC.
- f. Jacket water heater.

2. ENGINE:

- a. 6 cylinder, water cooled, 1800rpm, diesel engine.
- b. Current emission compliant diesel engine.
- c. Spin on fuel and oil filters.

3. VOLTAGE CHANGE OVER SWITCH & DISTRIBUTION:

- a. Manual 3 position voltage change over switch to select each voltage as specified when the unit is not running.
- b. 1ph 120/240, 3ph 120/240, 3ph 120/208, and 3ph 277/480.
- c. A five point connection shall be provided for ease of connection of load leads.
- d. One 50amp, 120/240vac, 1 ph, twist lock receptacle.
- e. One 30amp, 120/240vac, 1 ph, RV type receptacle.
- f. Two 20amp, 120/240vac, 1 ph, duplex receptacle.
- g. Two 20amp, 120/240vac, 1ph, duplex GFI receptacle.
- h. Each receptacle shall be protected by a individual circuit breaker.
- i. A receptacle shall be provided to power both the jacket water heater and on board battery charger.
- j. Two thumb screw type connection points shall be provided for remote auto start.

4. CONTROLS:

a. Solid state, microprocessor based generator controls.

- b. Controls shall provide all operating, monitoring and control functions for the generator set. Controls shall provide for auto start/stop functions.
- c. A emergency stop push button will be installed.
- d. A voltage adjustment shall be provided in the panel to adjust voltage in all voltage positions.
- e. A switch shall be provided in the panel to turn all power off in the panel if not being used.

5. ENCLOSURE:

- a. Complete diesel engine generator set including control panel, engine starting batteries and fuel tank shall be enclosed in a factory assembled weather protective, sound attenuated enclosure. The sound attenuated enclosure noise level is not to exceed 73 75dba @ 21 feet.
- b. Oil and water drain lines shall be provided and extend to the enclosure wall with valves for easy service.
- c. Critical grade silencer.
- d. Companion flanges.
- e. Flexible exhaust-flex.
- f. Keyed alike lockable doors.

6. IN BASE FUEL TANK TRAILER:

- a. Trailer shall be DOT approved with proper serial number data plate indicating weight capacity minimum of 10,000lbs.
- b. Trailer will have dual axles with torque springs to reduce overall height of package.
- c. Standard 7 or 5 pin vehicle hitch receiver to be supplied.
- d. Trailer will have two rear level jacks with sand shoes and front leveling jack.
- e. Trailer will have hydraulic brakes.
- f. Trailer will have all necessary safety equipment to include but not be limited to an adjustable and removable pintle hitch, 30 inch safety chains, fenders, lights per DOT, and break away cable.
- g. Tires will be minimum load range type "D" (8 ply rating) with matching steel rims. Rims are to be finish painted.
- h. Minimum 8 hour capacity at 75% load rating to determine single wall tank size.
- i. A mechanical fuel gauge will be provided.
- j. Locking fuel cap.
- k. Low fuel level alarm.
- 1. All necessary vents and caps will be provided along with suction, return, and drain points.

7. BATTERY CHARGER:

- a. Battery will be installed in holding container with battery cables.
- b. Current limiting battery charger to automatically charge batteries.
- c. Charger shall be dual charge rate with automatic switching to boost rate when required.
- d. Charger mounted inside generator set package.
- e. Fully charged battery will be provided at time of delivery and start-up.

8. START UP & COMMISSIONING:

a. One (1) day start-up including operational test of equipment showing proper connection of cables with safety issues performed by a factory trained technician. The start up technician will instruct personnel how to operate and maintain the equipment in accordance with the manufacturer's requirements.

9. CONDITIONS:

- a. In addition to equipment specified, each generator shall be equipped with all standard equipment as specified by the manufacturer for this model and shall include but not be limited to the following items:
- b. All product shall be new and of current design.
- c. Initial filling of oil and antifreeze. (diesel fuel by others)
- d. During start-up, the technician shall record the following information and provide to owner for his records:
- e. Operating Voltage, Hertz, Phase, and connected load (Amperage). [if any]
- f. Package information consisting of Make of generator (Cat, Wacker, or Tradewinds), Model (TJ125 TP20, DP125, etc.), Serial number of complete package, and Start-up date.
- g. Written Information consisting of make, model, serial number, and start-up date.
- h. Record Engine and Generator Serial numbers.
- i. One complete set of operation and maintenance manuals.
- j. Two (2) year or 1500 hour standard mobile generator warranty will apply. Generator to be transported to authorized servicing dealer for warranty repair during normal business hours.





FLORIDA SHERIFFS ASSOCIATION & FLORIDA ASSOCIATION OF COUNTIES

150KW MOBILE GENERATOR PACKAGE SPECIFICATION #71

2017 Tradewinds TP150

The Tradewinds TP150 purchased through this contract comes with all the standard equipment as specified by the manufacturer for this model and FSA's base vehicle specification(s) requirements which are included and made a part of this contract's vehicle base price as awarded by specification by zone.

ZONE: Western Northern Central Southern BASE PRICE: \$58,850.00 \$58,850.00 \$58,850.00 \$58,850.00

While the Florida Sheriffs Association and Florida Association of Counties have attempted to identify and include those equipment items most often requested by participating agencies for full size vehicles, we realize equipment needs and preferences are going to vary from agency to agency. In an effort to incorporate flexibility into our program, we have created specific add/delete options which allow the purchaser to tailor the vehicle to their particular wants or needs.

The following equipment delete and add options and their related cost are provided here to assist you in approximating the total cost of the type vehicle(s) you wish to order through this program. Simply deduct the cost of any of the following equipment items you wish deleted from the base unit cost and/or add the cost of any equipment items you wish added to the base unit cost to determine the approximate cost of the type vehicle(s) you wish to order.

NOTE: An official listing of all add/delete options and their prices should be obtained from the appropriate dealer in your zone when preparing your order. Additional add/delete options other than those listed here may be available through the dealers, however, those listed here must be honored by the dealers in your zone at the stated prices.

DEALER: Tradewinds Power Corp. Tradewinds Power Corp. Tradewinds Power Corp.

Order Code	Delete Options	All Zones
T20-M-FS ¹	Downgrade generator package - 20KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 100amp main breaker, 75 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary.	(\$22,390.00) ¹
T65-M-FS ¹	Downgrade generator package - 60KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 300amp main breaker, 200 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary. 1	(\$6,291.00) ¹
T80-M-FS ¹	Downgrade generator package - 80KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 400amp main breaker, 200 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary. 1	(\$4,588.00) ¹
TP100-M-FS ¹	Downgrade generator package - 100KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 500amp main breaker, 200 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary.	(\$4,064.00) ¹
T125-M-FS ¹	Downgrade generator package - 125KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 600amp main breaker, 200 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary. 1	(\$192.00) ¹
T30-M-FS ¹	Downgrade generator package - specify 30kwe, TIER compliant, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 150amp main breaker, 80 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary.	(\$21,325.00) ¹
T40-M-FS ¹	Downgrade generator package - specify 40kwe, TIER compliant, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 150amp main breaker, 80 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary.	(\$20,365.00) ¹
TP56-M-FS ¹	Downgrade generator package - specify 56kwe, TIER compliant, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 250amp main breaker, 200 gal inbase street legal trailer with hydraulic brakes, 2 inch ball. Unit non-proprietary.	(\$9,278.00) ¹
TLED-60-FS ¹	Downgrade generator package - specify Net cost adjustment by removing the trailer under the 60kwe and mounting on new aluminum street legal trailer that supports one (1) removable light box that has forklift pockets and the 60kwe generator. This Emergency response trailer light box holds 32 FoxFury Nomad lights Models: Now, Prime, 360, and Transformer. (See TLED32-60-FS below) Each light consist of a 12 - 24v rechargeable battery which uses factory supplied step down transformer that is prewired into a 32 circuit load center. In addition a standard spider box is provided with a 100 foot cord to plug into the generator set connection points. Final price is determine by add 60kwe to this price. \(\frac{1}{2} \)	(\$34,663.00) ¹
TLED-30-FS ¹	Downgrade generator package - specify Net cost adjustment by removing the trailer under the 30kwe and mounting on new aluminum street legal trailer that supports one (1) removable light box that has forklift pockets and the 30kwe generator. This Emergency response trailer light box holds 17 FoxFury Nomad lights Models: Now, Prime, 360, and Transformer.(See TLED17-30-FS below) Each light consist of a 12 - 24v rechargeable battery which uses factory supplied step down transformer that is prewired into a 32 circuit load center. In addition a standard spider box is provided with a 50 foot cord to plug into the generator set connection points. Final price is determine by add 30kwe to this price.	(\$40,163.00) ¹
TLED32-60-FS ¹	Downgrade generator package - specify 32 FoxFury Nomad LED lights to fit above TLED-60-FS Emergency Response Trailer with 60kwe generator. All lights are rugged, cordless, portable and designed to meet the demands of the first responder. The combination of lights are: 10 of the NOW, 12 of the PRIME, 8 of the 360, and 2 of the TRANSFORMER. 1	(\$12,950.00) ¹

DEALER: Tradewinds Power Corp. Tradewinds Power Corp. Tradewinds Power Corp.

ZONE: Western Northern Central Southern **BASE PRICE:** \$58,850.00 \$58,850.00 \$58,850.00

TLED17-30-FS ¹	Downgrade generator package - specify 17 FoxFury Nomad LED lights to fit above TLED-30-FS Emergency Response Trailer with 30kwe generator. All lights are rugged, cordless, portable and designed to meet the demands of the first responder. The combination of lights are: 5 of the NOW, 6 of the PRIME, 4 of the 360, and 2 of the TRANSFORMER.	(\$30,500.00) ¹
T-200CFM-open-FS ¹	Downgrade generator package - specify Net cost deduct to bid price for removing engine/generator and providing engine/compressor package. A street legal trailer will be provided that supports the engine driven compressor of 200cfm @ 120psi with a water separator, 80 gallon diesel fuel tank, 100 gallon water tank and pump, 4 portable LED service lights, 2 3/4 100ft air hose with reel, 2 1/2 100ft air hose with reel, 100ft water reel, 1/2 3/4 assorted bolt ben, 1 roll up doors keyed alike service doors, a 48" aluminum tool storage box to service steel pipe and different types of plastic pipe.	(\$9,000.00) ¹
	Downgrade generator package - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA
	Delete option - specify	NA

Order Code Add Options All Zones

Vendor must demonstrate a discount percentage off of the MSRP or Published Price for non-scheduled options and any optional models bid. This discount only applies to a downgrade/upgrade to the model listed within the specification.

T175-M-FS ¹	Upgrade generator package - 175KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 700amp main breaker, 300 gal inbase street legal trailer with hydraulic brakes, Lunette hitch. Unit non-proprietary.	\$7,950.00 ¹
T200-M-FS ¹	Upgrade generator package - 200KW TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 800amp main breaker, 300 gal inbase street legal trailer with hydraulic brakes, Lunette hitch. Unit non-proprietary.	\$10,605.00 ¹
T300-M-FS ¹	Upgrade generator package - 300KW TIER compliant diesel engine, 120/240-120/208-277/480 3ph, 3 position change over switch, dual camlock connection box, 1000amp main breaker, 500 gal inbase street legal trailer with hydraulic brakes, Lunette hitch. Unit non-proprietary.	\$53,760.00 ¹
T250-M-FS ¹	Upgrade generator package - specify TIER compliant diesel engine, 120/240 1ph, 120/240-120/208-277/480 3ph, 3 position change over switch, single camlock connection box, 1000amp main breaker, 300 gal inbase street legal trailer with hydraulic brakes, Lunette hitch. Unit non-proprietary.	\$45,974.00 ¹
CL40FB-OPP-FS ¹	Upgrade generator package - specify Single Female Connector, 2/0 to 4/0 Camlock Panel Mount, 400Amp/600V Double Set Screw. Price per connector.	\$43.00 ¹

DEALER: Tradewinds Power Corp. Tradewinds Power Corp. Tradewinds Power Corp.

CL40MB-OPP-FS ¹	Upgrade generator package - specify Single Male Connector, 2/0 to 4/0 Camlock Panel Mount, 400Amp/600V Double Set Screw. Price per connector. 1	\$57.00 ¹
T100PLUG-FS ¹	Upgrade generator package - specify 100amp, 3ph, power connector with 30' 600v, SO cable and matching generator connection. 1	\$3,680.00 ¹
T200PLUG-FS ¹	Upgrade generator package - specify 200amp, 3ph, power connector with 30' 600v, SO cable and matching generator connection. 1	\$4,950.00 ¹
T400PLUG-FS ¹	Upgrade generator package - specify 400amp, 3ph, power connector with 10' 600v, SO cable and matching generator connection. 1	\$9,130.00 ¹
T200CORD-FS ¹	Upgrade generator package - specify 200amp, single power cord, 30 feet in length rated for 600v, SO type cable with generator connection (cam lock connector) at one end and bare wire at other end. 1	\$1,982.00 ¹
T400CORD-FS ¹	Upgrade generator package - specify 400amp, single power cord, 30 feet in length rated for 600v, SO type cable with generator connection (cam lock connector) at one end and bare wire at other end. 1	\$2,480.00 ¹
TLIT-FS ¹	Upgrade generator package - specify Qty. 1, 1500 watt, Halogen telescoping aluminum light mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$971.00 ¹
TILT-1-FS ¹	Upgrade generator package - specify Qty. 2, 1500 watt, Halogen telescoping aluminum light mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$1,934.00 ¹
TILT-2-FS ¹	Optional equipment - specify Qty. 4, 1500 watt, Halogen telescoping aluminum light mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$3,733.00 ¹
TILT-5-FS ¹	Optional equipment - specify Qty. 1, 150 watt, HID on one telescoping aluminum light mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$1,990.00 ¹
TILT-6-FS ¹	Optional equipment - specify Qty. 2, 150 watt with at total of 300 watts, HID on one telescoping aluminum light mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$2,880.001
TILT-7-FS ¹	Optional equipment - specify Qty. 2, 150 watt with a total of 300 watt per pole, HID lighting on a telescoping pole mounted to side of portable generator and prewired to load center mounted inside with breaker 1	\$11,800.00 ¹
TILT-3-FS ¹	Optional equipment - specify Qty. 2, 12vdc, internally mounted service lights wired to generator set control panel with 0 - 60 min timer 1	\$480.00 ¹
TTRAIL-AUL-FS ¹	Optional equipment - specify Aluminum street legal trailer for "Type B" units with 180 gallon removable diesel fuel tank, dual tongue spring axles, hydraulic disk brakes with reverse brake disconnect 1	\$6,480.00 ¹
THREEL100-FS ¹	Optional equipment - specify 12 volt, power rewind cable reel for 5 conductor, 100 amp, 600 Volt, TYPE W cable, 75 foot length. Reel to be used with any above package and includes mounting, wiring of DC motor, and all required accessories. Does not include cable.	\$5,894.00 ¹
T80POL-FS ¹	Optional equipment - specify 80 gallons per hour, 12vdc, fuel polishing system with automatic, 7 day, programmable timer mounted in generator enclosure	\$2,658.00 ¹
TTRAY-FS ¹	Optional equipment - specify Aluminum Cable storage tray to include to lockable doors and room to hold up to 100 feet of 200amp S/o cord with connector ends. 1	\$8,069.00 ¹

DEALER: Tradewinds Power Corp. Tradewinds Power Corp. Tradewinds Power Corp.

THREEL200-FS ¹	Optional equipment - specify 12 volt, power rewind cable reel for 5 conductor, 200 amp, 600 Volt, TYPE W cable, 75 foot length. Reel to be used with any above package and includes mounting, wiring of DC motor, and all required accessories. Does not include cable.	\$9,840.001
TILT-4-FS ¹	Optional equipment - specify Perimeter service flood light, halogen 55w, 12vdc, kit of 4 with 60 min shut-off timer. 1	\$1,476.00 ¹
ALU-33-FS ¹	Optional equipment - specify Aluminum storage box 33"L with key lock and shock lift assists. 1	\$513.00 ¹
ALU-48-FS ¹	Optional equipment - specify Aluminum storage box 48"L with key lock and shock lift assists. 1	\$762.00 ¹
ALU-OVER-FS ¹	Optional equipment - specify Oversized (gold wing) aluminum cable storage box. 1	\$2,949.00 ¹
COMP-400-FS ¹	Optional equipment - specify Compression lug connection box, 400amp phenolic board, latched door with snap action shut off switch. 1	\$4,889.00 ¹
COMP-800-FS ¹	Optional equipment - specify Compression lug connection box, 800amp phenolic board, latched door with snap action shut off switch. 1	\$7,304.00 ¹
COMP-1200-FS ¹	Optional equipment - specify Compression lug connection box, 1200amp phenolic board, latched door with snap action shut off switch. 1	\$9,437.00 ¹
COV-FS ¹	Optional equipment - specify Aluminum cover for power connectors. Gas spring lid with snap action limit switch to shut unit off if open, rodent prevention brush, with a lockable latch. 1	\$3,507.00 ¹
W-4001-OPP-FS ¹	Optional equipment - specify Flexible Power Cable, 4/0, 1 Conductor, 600/2000V, 90 C, 400amp. Price Per Foot 1	\$22.00 ¹
TIER4 - 100-FS ¹	Optional equipment - specify Net cost adder to change diesel engine from current emission certification engine to TIER 4. Range covers 56kwe - 100kwe.	\$13,838.00 ¹
TIER4 - 101-FS ¹	Optional equipment - specify Net cost adder to change diesel engine from current emission certification engine to TIER 4. Range covers 101kwe - 200kwe.	\$17,485.00 ¹
T-200CFM-FS ¹	Optional equipment - specify Net cost adder to bid price for 12,000lb street legal trailer with 200cfm @ 120psi compressor with water separator, 60kw generator, 150 gallon diesel fuel tank, 150 gallon water tank and pump for wet saw, 400 gallon capacity air tanks, 4 portable LED service lights, 2 1500watt area service lights, 4 3/4 100ft air hose with reel, 100ft water reel, 1/2 3/4 assorted bolt ben, 5 roll up doors keyed alike service doors, tool storage locations for 7 different air tools required to service steel pipe and different types of plastic pipe. \frac{1}{2}	\$49,610.00 ¹
T-TOOL-AIR-FS ¹	Optional equipment - specify 10" Pipe Clamp, FSB-150 Walk Behind air saw, ACH-16 Heavy Duty Chain Saw, US60278 8" to 24" Belly Saw, HSB-14 Chop Saw, two (2) MX90-SD Spike Drivers with 2 paving breaker tool bits, and 1/2 drive air impact gun. 1	\$21,955.00 ¹
TMAIN - 1 ¹	Maintenance Plan - specify One (1) maintenance trip for 20kw - 200kwe packages to change oil, oil filter, and fuel filters. Inspect/check operation 1	\$764.00 ¹
TMAIN - 2 ¹	Maintenance Plan - specify One (1) maintenance trip for 201kw - 600kwe packages to change oil, oil filter, and fuel filters. Inspect/check operation 1	\$1,184.00 ¹

DEALER: Tradewinds Power Corp. Tradewinds Power Corp. Tradewinds Power Corp.

5YR-FS ¹	Warranty - specify 5 year, 2500 hour standby extended warranty to include engine, alternator, breaker, control panel, jacket water heater, battery charger, trailer, but excludes fuel tank. Prices are 4% of total purchase price. 1	Std ¹
	Warranty - specify	NA
	Warranty - specify	NA