City of Fort Lauderdale, Florida

Fire Rescue Updated Assessment Program Memorandum

JUNE 2016

Presented by:

Government Services Group, Inc. 1500 Mahan Drive, Suite 250 Tallahassee, FL 32308 (850) 681-3717 (850) 224-7206 (fax)

Table of Contents

INTRODUCTION	1
SERVICE DELIVERY DESCRIPTION AND ASSESSABLE COST CALCULATIONS	2
DETERMINATION OF FIRE RESCUE SERVICES DEMAND	12
COMPUTATION OF FIRE RESCUE ASSESSMENTS	
OUTSTANDING ISSUES	

List of Tables

Table 1—City of Fort Lauderdale Fire Assessment Rates (FY 2015-16)	1
Table 2—Fire Rescue Department Stations	
Table 3—Fire Rescue Department Apparatus Inventory	3
Table 4—Fire Rescue Department Organizational Chart	4
Table 5—Fire Rescue Department Apparatus Minimum Staffing Requirements	4
Table 6—Fire Rescue Department Apparatus Fire Flow	5
Table 7—Fire Rescue Assessable Cost Calculations (FY 2016-17)	8
Table 8—Fire Rescue Assessable Cost Calculations Proforma (FY 2017-18 thru FY 2020-21)	11
Table 9—Fire Calls by Category (Calendar Years 2014 and 2015)	13
Table 10—Cost Apportionment (FY 2016-17)	14
Table 11—Parcel Apportionment within Property Use Categories	15
Table 12— Parcel Apportionment Residential Property Use Category	15
Table 13— Parcel Apportionment Non-Residential Property Use Categories	17
Table 14—Preliminary Fire Rescue Assessment Rates (FY 2016-17) (100% Funding)	18
Table 15—Estimated Impact of Exemptions (FY 2016-17) (100% Funding)	18

Appendices

Appendix A—Proforma Rates FY 2017-18 through FY 2020-21 & 5-Year Average Appendix B—Situation Found Codes & Descriptions

Appendix C-Fixed Property Use Codes & Descriptions

Introduction

The City of Fort Lauderdale (City) has engaged the professional services and specialized assistance of Government Services Group, Inc. (GSG) to assist with updating the existing fire rescue assessment program for Fiscal Year 2016-17. GSG is a consulting firm that specializes in addressing and resolving local government finance and taxation issues by working with cities, counties, special districts, and state agencies to develop uniquely tailored funding and service delivery solutions for critical infrastructure and service needs.

This document is the City of Fort Lauderdale Fire Assessment Memorandum (Assessment Memorandum), which is one of the project deliverables specified by the agreed-to Scope of Services.

BACKGROUND

In Fiscal Year 2015-16, the assessment program funded approximately \$34 million of the City's total fire rescue costs. Table 1 lists the City's current special assessment rates as implemented for Fiscal Year 2015-16.

Table 1 City of Fort Lauderdale Fire Assessment Rates (FY 2015-16)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$225			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$346	\$61	\$488
	2,000 - 3,499	\$691	\$122	\$976
	3,500 - 4,999	\$1,209	\$214	\$1,708
	5,000 - 9,999	\$1,726	\$305	\$2,440
	10,000 - 19,999	\$3,452	\$610	\$4,880
	20,000 - 29,999	\$6,903	\$1,220	\$9,756
	30,000 - 39,999	\$10,355	\$1,829	\$14,638
	40,000 - 49,999	\$13,806	\$2,439	\$19,517
	50,000 - 59,999	\$17,258	\$3,049	\$24,396
	60,000 - 69,999	\$20,709	\$3,658	\$29,275
	70,000 - 79,999	\$24,161	\$4,268	\$34,154
	80,000 - 89,999	\$27,612	\$4,877	\$39,033
	90,000 - 99,999	\$31,064	\$5,487	\$43,912
	≥ 100,000	\$34,515	\$6,097	\$48,791

Source: City of Fort Lauderdale

Service Delivery Description and Assessable Cost Calculations

SERVICE DELIVERY DESCRIPTION

The Fire Rescue Department provides standard fire suppression, emergency medical services (EMS), state disaster response, hazmat response, dive rescue, emergency management and disaster preparedness, fire prevention and safety education. The Fire Rescue Department's rescue service component is certified at an Advanced Life Support (ALS) level of service.

The Fire Rescue Department also provides fire and EMS services to the City of Wilton Manors through an interlocal agreement between the City of Fort Lauderdale and the City of Wilton Manors. The fire and EMS services are provided by Station 16 located within the municipal boundaries of Wilton Manors.

The Fire Rescue Department operates eleven fire rescue stations. Table 2 identifies the Fire Rescue Department stations, as well as the corresponding physical location address.

Fire Rescue Department Stations

Station	Address
Station 2	528 NW 2 nd Street
Station 2	Fort Lauderdale, FL
Station 3	2801 SW 4 th Avenue
Station 5	Fort Lauderdale, FL
Station 13	2871 E Sunrise Boulevard
Station 13	Fort Lauderdale, FL
Station 16	533 NE 22 nd Street
(serves Wilton Manors)	Wilton Manors, FL
Station 29	2002 NE 16th Street
Station 29	Fort Lauderdale, FL
Station 35	1969 E Commercial Boulevard
Station 33	Fort Lauderdale, FL
Station 46	1515 NW 19 th Street
Station 40	Fort Lauderdale, FL
Station 47	1000 SW 27 th Avenue
Gtation 47	Fort Lauderdale, FL
Station 49	1015 Seabreeze Boulevard
(Water related emergencies)	Fort Lauderdale, FL
Station 53	2200 Executive Airport Way
(53 serves Executive Airport and serves as	Fort Lauderdale, FL
Training Facility)	<u> </u>
Station 54	3200 NE 32 nd Street
	Fort Lauderdale, FL

Source: City of Fort Lauderdale

Table 3 identifies the Fire Rescue Department's active response, as well as the corresponding station allocation for each identified vehicle.

Table 3 **Fire Rescue Department Apparatus Inventory**

Station	Apparatus
	Engine 2
	Engine 8
	Tower 2
Station 2	Rescue 2
	Rescue 8
	Battalion 2
	Division 2
Station 3	Engine 3
Station S	Rescue 3
	Engine 13
Station 13	Ladder 13
Station 13	Rescue 13
	Battalion 13
	Engine 16
Station 16	Rescue 16
	Battalion 16
Otation 00	Engine 29
Station 29	Rescue 29
	Engine 35
Station 35	Ladder 35
	Rescue 35
	Engine 46
Station 46	Rescue 46
	Rescue 246
	Engine 47
Station 47	Rescue 47
Station 47	Rescue 247
	Squad 47
Station 49	Engine 49
3(4(6)) 49	Rescue 49
	Engine 88
Station 53	Truck 53
	Rescue 53
Station 54	Engine 54
	Rescue 54

Source: City of Fort Lauderdale

Tables 4 through 6 outline the Fire Rescue Department's current service operations and service components. Table 4 outlines the Fire Rescue Department's organizational structure.

Table 4 **Fire Rescue Department Organizational Chart**




Table 5 describes the minimum staffing for each apparatus. This information is used with the development of the Administrative Factor, as further discussed in the "Development of Factors" section of this Updated Assessment Memorandum.

Table 5 Fire Rescue Department Apparatus Minimum Staffing Requirements

Apparatus	Apparatus Minimum Staffing
Engine	3 personnel
Rescue	2 personnel
Ladder	3 personnel
Truck	2 personnel
Battalion Vehicle	1 personnel

Source: City of Fort Lauderdale

The current pumping capacity is defined as the combined amount of water that all apparatus in the Fire Rescue Department can pump to a first alarm, non-residential fire. As outlined by Table 6, the pumping capacity of the Fire Rescue Department is 22,500 gallons per minute for all active apparatus. Accordingly, based on National Fire Protection Association firefighting standards for fire-flow, the Fire Rescue Department currently has sufficient fire-flow capacity to provide service coverage in the event of a fire involving significant to unlimited square footage.

Table 6 **Fire Rescue Department Apparatus Fire Flow**

Station	Apparatus	Fire Flow
Station 2	Engine 2 Engine 8	1,500 1,500
	Tower 2	1,500
Station 3	Engine 3	1,500
Station 13	Engine 13 Ladder 13	1,500 1,500
Station 16	Engine 16	1,500
Station 29	Engine 29	1,500
Station 35	Engine 35 Ladder 35	1,500 1,500
Station 46	Engine 46	1,500
Station 47	Engine 47	1,500
Station 49	Engine 49	1,500
Station 53	Engine 88	1,500
Station 54	Engine 54	1,500
Total		22,500

Source: City of Fort Lauderdale

DEVELOPMENT OF FACTORS

FIRE RESCUE V. EMERGENCY MEDICAL SERVICES

In June 2000, litigation over the City of North Lauderdale fire rescue assessment program resulted in a decision by the Fourth District Court of Appeals in the case of SMM Properties, Inc. v. City of North Lauderdale, (the "North Lauderdale" case). The Fourth District Court of Appeals concluded that Emergency Medical Services (EMS) did not provide a special benefit to property. The Court, however, reaffirmed that fire suppression, fire prevention, fire/building inspections and first responder medical services do provide a special benefit to property.

To address these concerns, GSG developed a revised methodology that removed the costs associated with emergency medical services. The revised apportionment methodology only utilized fire incident report data related to non-EMS calls. This change in the type of incident data that could be used in the apportionment methodology resulted in a change to the call incident profile. In August 2002, the Florida Supreme Court upheld the decision of the Fourth District Court of Appeals.

GSG used the projected Fiscal Year 2016-17 departmental costs to allocate the costs between fire rescue and emergency medical services; this analysis was performed because of the Florida Supreme Court's opinion in City of North Lauderdale v. SMM Properties that emergency medical services (above the level of first response) does not provide a special benefit to property. Accordingly, the fire rescue costs were split from emergency medical service costs based on the following general guidelines.

DIRECT ALLOCATIONS

To the extent that certain line items could be allocated directly between fire and EMS, direct allocations were made. For example, all costs associated with the following Divisions were allocated entirely to Fire except for the line item "Assignment Pay": Fire Prevention, Fire Safety Inspections, Fire Plans Review, High Rise Sprinklers and ARFF/Crash Fire Divisions. Similarly, all costs associated with the EMS Administration and Ocean Rescue Divisions were allocated entirely to EMS.

ADMINISTRATIVE FACTOR

Certain line items were allocated between fire and EMS based on an Administrative Factor. This Administrative Factor is derived by creating a ratio between non-EMS or fire personnel and total combat personnel. On average, under normal staffing, the City has 52 non-EMS personnel and 28 EMS personnel, for a total of 80 combat personnel. This normal staffing therefore yields a 65.0 percent non-EMS Administrative Factor.

This percentage was then applied to all applicable line items to allocate the costs that could not be directly allocated as fire costs or EMS costs, and that could not be operationally allocated. For example, the personnel expenditures for salaries and benefits for the following Divisions were allocated based on the Administrative Factor except for the line item "Assignment Pay": Fire Rescue Administration, Domestic Preparedness, Financial Management, EMS & Training Special Operations, Support Services and Fire Rescue Support. Similarly, the Administrative Factor was applied to operating expenditures line items such as "Electricity" and "Office Supplies" to determine the fire service costs of these line items.

OPERATIONAL FACTOR

Other assessable cost line items may also be allocated between fire and EMS based on an Operational Factor. The Operational Factor is derived by creating a ratio between non-EMS (i.e. fire) calls and EMS calls, and this ratio, which is based on the Fire Rescue Department's operations, was applied to certain budget line items such as "Gasoline" and "Servchg-Fleet O&M".

To develop the Operational Factor for the City, GSG obtained fire rescue incident data identifying the number of fire rescue calls made to property categories within the City over a two-year period (Calendar Years 2014 and 2015). The City fire rescue incident data was used to determine the demand for fire rescue services.

The State Fire Marshal's office uses the Florida Fire Incident Reporting System (FFIRS). This system is a tool for fire rescue departments to report and maintain computerized records of fire rescue incidents and other department activities in a uniform manner. Under this system, a series of basic phrases with code numbers are used to describe fire rescue incidents. Appendix B provides a codes list for the "type of situation found" as recorded on the fire rescue incident reports used to identify EMS and non-EMS calls.

The ratio between non-EMS (i.e. fire) calls and EMS calls is then applied to all applicable line items to allocate the costs that could not be directly allocated as fire costs or EMS costs, and that could not be administratively allocated. For the 2014 and 2015 calendar years, the City reported 102,752 total fire rescue incidents to FFIRS, of which 25,473 were non-EMS (i.e. fire) calls and 77,279 were EMS calls. This information results in a 24.79 percent non-EMS Operational Factor.

ASSESSABLE COST CALCULATIONS

The fire rescue assessable cost calculations for Fiscal Year 2016-17 are based on the following assumptions for the purpose of this Fire Rescue Assessment Report.

- The City provided the projected Fiscal Year 2016-17 Fire Rescue Department budget. The Fire Rescue Department budget is divided into several divisions; each division was analyzed separately and then aggregated to a summary budget.
- The line items comprising "Revenues" are shown as a reduction of the total projected expenditures for each fiscal year, thereby reducing the total assessable costs for each respective year. "Revenues" are comprised of revenue directly received from or for the delivery of fire rescue services. Most revenues were able to be allocated between fire and EMS based on a Direct Factor allocation. No annual increase was applied across "Revenues".
- Pursuant to section 197.3632, Florida Statutes, the tax collector and property appraiser may each enter into an agreement with the local government for reimbursement of necessary administrative costs incurred from the collection of the non-ad valorem assessment. Accordingly, if any such fee(s) is charged, the fee may be recouped as an add-on to the total assessable costs for the year.
- The line item "Collection Costs @ 2% (Tax Collector)" under "Additional Costs" reflects reimbursement for the collection costs associated with the non-ad valorem assessment incurred by the Tax Collector. Pursuant to section 197.3632, Florida Statues, a municipal or county government shall only compensate the tax collector for the actual costs of collecting the non-ad valorem assessment. Accordingly, the Tax Collector's collection costs are estimated to be 2% of the total assessable costs. The applied collection charge is estimated to be adequate to cover the Tax Collector's actual collection costs.
 - However, reimbursement for the costs incurred by the Property Appraiser associated with the non-ad valorem assessment roll are already included as a line-item within the Fire Rescue budget.
- The line item "Statutory Discount @ 5% (4% Early Payment/1% Non-Collection)" under "Additional Costs" reflects a 95% collection of the Fire Rescue Assessment to cover the 4% statutory discount allowed by the Uniform Method and 1% reserve for under collection. Accordingly, the statutory discount is budgeted at 5% of the total assessable costs.

Table 7 provides a calculation of the assessable costs for Fiscal Year 2016-17 based on an application of the above factors to the projected Fiscal Year 2016-17 budget as provided by the City. The calculation yields an assessable cost of \$44,528,050 for Fiscal Year 2016-17.

Table 7 Fire Rescue Assessable Cost Calculations (FY 2016-17)

	ost Calculations (FY 2016-17)	FY 16 - 17 Projected Budget	FY 16 - 17 Assessable Budget
EXPENDITURES			
10 SALARIES & WAGES			
1101	PERMANENT SALARIES	\$33,244,940	\$20,607,041
1104	TEMPORARY SALARIES	\$290,165	\$0
1107	PART TIME SALARIES	\$398,935	\$0
1110	SICK CONV TO CASH	\$59,750	\$37,313
1113	VAC MGMT CONV	\$60,500	\$39,125
1201	LONGEVITY PAY	\$628,950	\$389,761
1304	ASSIGNMENT PAY	\$3,775,433	\$8,580
1307	P&F INCENTIVE PAY	\$168,720	\$110,472
1313	STANDBY PAY	\$9,000	\$9,000
1316	UPGRADE PAY	\$874,000	\$568,274
1401	CAR ALLOWANCES	\$87,000	\$57,078
1404	CLOTHING ALLOWANCES	\$34,500	\$22,780
1407	EXPENSE ALLOWANCES	\$10,080	\$624
1413	CELLPHONE ALLOWANCE	\$23,040	\$14,730
1501	OVERTIME 1.5X PAY	\$1,354,500	\$622,000
1504	OVERTIME 1X PAY	\$28,250	\$12,935
1701	RETIREMENT GIFTS	\$2,000	\$1,300
1799	OTHER TERM PAY	\$85,468	\$67,469
1801	CORE ADJUSTMENTS	\$899,291	\$643,315
Character 10 Totals		\$42,034,522	\$23,211,796
20 FRINGE BENEFITS			
2104	MILEAGE REIMBURSE	\$100	\$65
2119	WELLNESS INCENTIVES	\$5,500	\$3,100
2204	PENSION - GENERAL EMP	\$609,924	\$155,618
2207	PENSION - POLICE & FIRE	\$7,792,361	\$5,118,740
2299	PENSION - DEF CONT	\$108,828	\$4,508
2301	SOC SEC/MEDICARE	\$2,868,820	\$1,783,643
2304	SUPPLEMENTAL FICA	\$254,056	\$139,491
2404	HEALTH INSURANCE	\$3,042,945	\$1,828,993
2410	WORKERS' COMP	\$1,761,845	\$1,090,025
Character 20 Totals		\$16,444,379	\$10,124,183
30 SERVICES/MATERIALS			
3113	FIN & BANK SERV	\$432,000	\$2,000
3125	MEDICAL SERVICES	\$85,000	\$0
3199	OTHER PROF SERV	\$113,740	\$22,750
3201	AD/MARKETING	\$250	\$163
3207	LAUNDRY SERVICES	\$500	\$325
		\$51.050	
3216	COSTS/FEES/PERMITS	\$51,950	\$51,513

		FY 16 - 17 Projected Budget	FY 16 - 17 Assessable Budget
3231	FOOD SERVICES	\$3,000	\$1,950
3237	LAWN & TREE SERVICE	\$15,000	\$9,750
3243	PRIZES & AWARDS	\$1,000	\$325
3249	SECURITY SERVICES	\$6,800	\$4,525
3255	SOLID WASTE COLLECTIONS	\$2,150	\$1,450
3299	OTHER SERVICES	\$76,750	\$53,463
3304	OFFICE EQUIP RENT	\$19,800	\$13,505
3310	OTHER EQUIP RENT	\$2,000	\$1,138
3322	OTHER FACIL RENT	\$7,500	\$4,875
3401	COMPUTER MAINT	\$27,500	\$17,875
3404	COMPONENTS/PARTS	\$10,000	\$6,350
3407	EQUIP REP & MAINT	\$244,600	\$61,633
3425	BLDG REP MATERIALS	\$0	\$0
3428	BLDG REP & MAINT	\$52,000	\$32,500
3516	PRINTING SERV - EXT	\$100	\$65
3601	ELECTRICITY	\$310,000	\$222,500
3607	NAT/PROPANE GAS	\$18,000	\$12,050
3613	SPECIAL DELIVERY	\$1,100	\$623
3628	TELEPHONE/CABLE TV	\$61,940	\$40,566
3634	WATER/SEW/STORM	\$119,500	\$86,162
3799	OTHER CHEMICALS	\$16,000	\$10,400
3801	GASOLINE	\$81,351	\$47,762
3804	DIESEL FUEL	\$328,851	\$82,380
3904	BOOKS & MANUALS	\$4,500	\$3,638
3907	DATA PROC SUPPLIES	\$29,500	\$18,525
3910	ELECTRICAL SUPPLIES	\$1,500	\$975
3916	JANITORIAL SUPPLIES	\$42,800	\$27,625
3922	MEDICAL SUPPLIES	\$400,250	\$0
3925	OFFICE EQUIP < \$5000	\$10,500	\$6,538
3928	OFFICE SUPPLIES	\$32,500	\$22,038
3931	PERIODICALS & MAG	\$250	\$250
3937	SAFETY/TRAIN MAT	\$250	\$163
3940	SAFETY SHOES	\$15,350	\$15,228
3946	TOOLS/EQUIP < \$5000	\$68,000	\$39,700
3949	UNIFORMS	\$259,100	\$149,802
3999	OTHER SUPPLIES	\$130,000	\$80,873
Character 30 Totals		\$3,105,882	\$1,168,903
40 OTHER OPER EXP			
4101	CERTIFICATION TRAIN	\$12,000	\$8,225
4104	CONFERENCES	\$30,500	\$18,875
4110	MEETINGS	\$4,750	\$3,175
4113	MEMBERSHIPS/DUES	\$5,300	\$4,430
4116	SCH00LS	\$750	\$488

		FY 16 - 17 Projected Budget	FY 16 - 17 Assessable Budget
4299	OTHER CONTRIBUTIONS	\$4,000,000	\$4,000,000
4304	INDIRECT ADMIN SERVICES CHARGES	\$4,994,849	\$3,024,291
4308	OVERHEAD-FLEET	\$553,179	\$152,061
4334	SERVCHG-AIRPORT	\$29,016	\$18,860
4343	SERVCHG-ITS	\$3,544,852	\$2,256,454
4355	SERVCHG-PRINT SHOP	\$8,750	\$7,275
4361	SERVCHG-PUB WORKS	\$6,250	\$4,063
4372	SERVCHG-FLEET REPLACEMENT	\$2,140,668	\$1,371,839
4373	SERVCHG-FLEET O&M	\$1,401,420	\$396,253
4374	SERVCHG-NON FLEET	\$16,100	\$4,786
4401	AUTO LIABILITY	\$155,477	\$104,153
4404	FIDELITY BONDS	\$1,473	\$957
4407	EMP PROCEEDINGS	\$85,487	\$50,641
4410	GENERAL LIABILITY	\$78,150	\$46,294
4422	POL/FIRE AD&D	\$12,810	\$8,519
4431	PUB OFFICIALS LIAB	\$11,735	\$7,393
Character 40 Totals		\$17,093,516	\$11,489,032
60 CAPITAL OUTLAY			
6499	OTHER EQUIPMENT	\$45,000	\$0
Character 60 Totals		\$45,000	\$0
90 OTHER USES			
9237	DEBT SERVICE - POB'S - 2204	\$398,088	\$101,569
9237A	DEBT SERVICE - POB'S - 2207	\$7,511,917	\$4,934,519
Character 90 Totals		\$7,910,005	\$5,036,088
TOTAL EXPENDITURES		\$86,633,304	\$51,030,002
REVENUES			
	FIREFIGHTERS PENSION INSURANCE PREM TAX	\$4,000,000	\$4,000,000
	PHOTOS COPIES & PRINT SALES	\$250	\$163
	ALARM RESPONSE FEES	\$450,000	\$450,000
	FIRE INSPECTION FEES	\$700,000	\$700,000
	FIRE HI-RISE TEST FEES	\$600,000	\$600,000
	FIRE PLAN REVIEW FEES	\$630,000	\$630,000
	FIRE REINSPECTION FEES	\$30,000	\$30,000
	SPECIAL FIRE TEST FEES	\$100,000	\$100,000
	HAZARDOUS MATERIALS FEES	\$10,000	\$10,000
	WILTON MANORS - FIRE/EMS	\$2,321,253	\$1,508,814
	MISCELLANEOUS FIRE FEES	\$1,250	\$813
	EMS SERVICE FEES	\$284,000	\$0
	LAZY LAKES - FIRE/EMS	\$3,560	\$2,314
	FIRE/RESCUE TRANSPORT FEE	\$6,650,000	\$2,314 \$0
	FIRE/RESCUE INTERFACILITY TRANSPORT FEES	\$50,000	\$0
	FIRE TRAINING SURCHARGE	\$750	\$750

		FY 16 - 17 Projected Budget	FY 16 - 17 Assessable Budget
	HAZ MAT DONATIONS	\$454,211	\$454,210
	FIRE/AIRPORT-INTERFUND SVC CHG	\$1,110,700	\$1,110,700
	CHGS TO OTHER FDS	\$1,179,204	\$0
	MISCELLANEOUS INCOME	\$25,450	\$0
	MISC GRANT REIMBURSEMENTS	\$25,000	\$16,250
	TRI-COUNTY PAV REIMBURSEMENTS	\$7,540	\$4,901
TOTAL REVENUES		\$18,633,168	\$9,618,915
TOTAL NET EXPENDITUR	ES	\$68,000,136	\$41,411,087
ADDITIONAL COSTS			
COLLECTION COSTS @ 29	% (TAX COLLECTOR)		\$890,561
STATUTORY DISCOUNT @	5% (4% EARLY PAYMENT/1% NON-COLLECTION)		\$2,226,403
TOTAL ADDITIONAL COST	rs		\$3,116,964
TOTAL ASSESSABLE COS	ers		\$44,528,050
Source: City of Fort Lauderdale			

Source: City of Fort Lauderdale

The fire rescue assessable cost calculations for Fiscal Years 2017-18 through 2020-21 are based on the following assumptions for the purpose of this Fire Rescue Assessment Report.

- A three percent annual increase was applied across all "Personnel Expenses" and "Operating Expenses".
- No annual increase was applied to "Capital/Debt Service Expenses" because these costs represent either "One Time" annually budgeted expenditures or annual debt service payments set by amortization schedules developed when funds were borrowed.

Table 8 shows the calculation of the full cost of the Fire Rescue Assessment Program for Fiscal Year 2017-18 through Fiscal Year 2020-21 as well as the five-year average budget for Fiscal Years 2016-17 through 2020-21.

Table 8
Fire Rescue Assessable Cost Calculations Proforma (FY 2017-18 thru FY 2020-21)

	Fiscal Year 17-18 Assessable Budget	Fiscal Year 18-19 Assessable Budget	Fiscal Year 19-20 Assessable Budget	Fiscal Year 20-21 Assessable Budget	Five Year Average Assessable Budget
EXPENDITURES					
Character 10 - Salaries & Wages	\$23,908,150	\$24,625,394	\$25,364,156	\$26,125,082	\$24,646,915
Character 20 - Fringe Benefits	\$10,427,909	\$10,740,746	\$11,062,969	\$11,394,857	\$10,750,133
Character 30 - Service/Materials	\$1,203,970	\$1,240,089	\$1,277,291	\$1,315,610	\$1,241,173
Character 40 – Other Operating	\$11,713,703	\$11,945,114	\$12,183,467	\$12,428,971	\$11,952,057
Character 60 - Capital Outlay	\$0	\$0	\$0	\$0	\$0
Character 90 - Other Uses	\$5,036,088	\$5,036,088	\$5,036,088	\$5,036,088	\$5,036,088
TOTAL EXPENDITURES	\$52,289,820	\$53,587,432	\$54,923,972	\$56,300,608	\$53,626,367
TOTAL REVENUES	\$9,618,915	\$9,618,915	\$9,618,915	\$9,618,915	\$9,618,915
TOTAL ADDITIONAL COSTS	\$3,211,788	\$3,309,458	\$3,410,058	\$3,513,676	\$2,609,654
TOTAL ASSESSABLE COSTS	\$45,882,693	\$47,277,974	\$48,715,114	\$50,195,369	\$46,617,105

Source: City of Fort Lauderdale

Determination of Fire Rescue Services Demand

INCIDENT DATA

GSG obtained information from the City in an electronic format, identifying the number and type of fire rescue incident responses by City fire rescue vehicles for the calendar years 2014 and 2015.

The City uses the Florida Fire Incident Reporting System (FFIRS) to record its fire rescue incidents. The FFIRS is a tool for fire rescue departments to report and maintain computerized records of fire rescue incidents and other department activities in a uniform manner.

Under this system, a series of basic phrases with code numbers are used to describe fire rescue incidents. A data field in the FFIRS, "type of situation found," identifies the incident as an EMS or non-EMS type of call for each incident. Appendix B provides a codes list for the "type of situation found" as recorded on the fire rescue incident reports used to identify EMS and non-EMS calls.

Another data field in the FFIRS, "fixed property use," identifies the type of property that fire rescue departments respond to for each fire rescue incident. The fixed property uses correlate to property uses determined by the Broward County Property Appraiser on the ad valorem tax roll. Appendix C provides a codes list for the "fixed property use" as recorded on the fire rescue incident reports.

GSG analyzed the 2014 and 2015 calendar years' fire rescue incident data from the FFIRS files to evaluate trends and determine if aberrations were present. City fire rescue incident data for the 2014 and 2015 calendar years represents 102,752 total fire rescue incidents.

Of the 102,752 fire rescue incidents, there were 77,279 incidents classified as EMS type incidents based on the type of situation found indicated on the incident report. The 77,297 EMS type incidents were not included in the analysis.

There are certain fire rescue incidents that could not be assigned to a specific property or parcel. These calls represent non-specific type incidents, which are incidents that either could not be correlated to a specific parcel or calls that involved auto accidents and other types of incidents along roads and highways.

Of the 25,473 remaining fire type incidents, 18,101 were calls to specific property uses. Accordingly, 7,372 incidents were considered non-specific type incidents. Because of the inability to correlate these non-specific type incidents to specific property categories, the call analysis does not include these 7,372 incidents.

Because of the urbanized character of the City, the suppression of fires on vacant land and agricultural property primarily benefits adjacent property by containing the spread of fire rather than preserving the integrity of the vacant parcel. Thus, incidents to vacant and agricultural property were not included in the final analysis of the fire call database. The 190 calls to these properties were removed.

Using the fixed property use codes, the remaining 17,911 fire type incidents corresponding to specific properties were assigned to the following property use categories: residential, commercial, industrial/warehouse, and institutional.

Table 9 outlines the property use category assignment of fire type incidents based on the analysis conducted.

Table 9 Fire Calls by Category (Calendar Years 2014 and 2015)

Property Category	Number of Calls	Percentage of Calls
Residential	9,827	54.87%
Commercial	5,375	30.01%
Industrial/Warehouse	493	2.75%
Institutional	2,216	12.37%
Total	17,911	100.00%

Source: City of Fort Lauderdale

PROPERTY DATA

The City provided GSG with information from the special assessment roll maintained by the Broward County Property Appraiser's office. For parcels assigned to the residential property use category, the City provided GSG with a listing of the total number of dwelling units. For parcels within the non-residential property use categories of commercial, industrial/warehouse, and institutional, the City provided the amount of square footage of the non-residential structures from the building files on the ad valorem tax roll with a cap of 100,000 square feet per building.

Computation of Fire Rescue Assessments

SPECIAL BENEFIT ASSUMPTIONS

The following assumptions support a finding that the fire rescue services, facilities, and programs provided by the City provide a special benefit to the assessed parcels.

- Fire rescue services, facilities, and programs possess a logical relationship to the use and enjoyment of property by: (i) protecting the value and integrity of improvements, structures and land through the availability and provision of comprehensive fire rescue services; (ii) protecting the life and safety of intended occupants in the use and enjoyment of property; and (iii) lowering the cost of fire insurance by the presence of a professional and comprehensive fire rescue program.
- The availability and provision of comprehensive fire rescue services enhance and strengthen the relationship of such services to the use and enjoyment of the parcels of property, the market perception of the area and, ultimately, the property values within the assessable area.

APPORTIONMENT METHODOLOGY

The following section describes the assessment apportionment methodology for fire rescue services based on: (i) the fire rescue assessable cost calculations; (ii) the ad valorem tax roll maintained by the property appraiser; and (iii) the fire rescue incident data.

COST APPORTIONMENT

The Fiscal Year 2016-17 assessable costs were apportioned among property use categories based upon the historical demand for fire rescue services reflected by the fire incident data for calendar year 2014 and 2015. This apportionment is illustrated in Table 10.

Table 10 **Cost Apportionment (FY 2016-17)**

Property Category	Number of Calls	Percentage of Calls	Portion of Budget
Residential	9,827	54.87%	\$24,430,637
Commercial	5,375	30.01%	\$13,362,641
Industrial/Warehouse	493	2.75%	\$1,225,634
Institutional	2,216	12.37%	\$5,509,137
Total	17,911	100.00%	\$44,528,050

Source: City of Fort Lauderdale

PARCEL APPORTIONMENT

The share of the assessable costs apportioned to each property use category was further apportioned among the individual buildings of property within each property use category in the manner described in Table 11.

Table 11 **Parcel Apportionment within Property Use Categories**

Category	Parcel Apportionment
Residential	Per Dwelling Unit
Non-Residential	
Commercial	Improvement Area Per Building Within Square Footage Ranges
Industrial/Warehouse	Within Square Footage Ranges
Institutional	

RESIDENTIAL PARCEL APPORTIONMENT ASSUMPTIONS

The following assumptions support findings that the parcel apportionment applied in the Residential Property Use Category is fair and reasonable. The Residential Property Use Category includes such properties as single-family dwelling units, multi-family dwelling units, and mobile homes.

- The size or the value of the residential parcel does not determine the scope of the required fire services. The potential demand for fire services is driven by the existence of a dwelling unit and the anticipated average occupant population.
- Apportioning the assessed costs for fire services attributable to the residential property use category on a per dwelling unit basis is required to avoid cost inefficiency and unnecessary administration, and is a fair and reasonable method of parcel apportionment based upon historical fire call data.

RESIDENTIAL PARCEL APPORTIONMENT CALCULATION

Based upon the historical demand for fire services, the percentage of assessable costs attributable to each residential property use category was calculated. The amount of the assessable costs allocable to each residential property use category was divided by the number of dwelling units in each category in the City to compute the fire assessment to be imposed against each dwelling unit. For each residential parcel, the actual number of dwelling units located on the parcel will be multiplied by the residential dwelling unit rate to compute the residential fire assessment amount for the parcel.

Table 12 illustrates the assignment of dwelling units under this apportionment methodology to the Residential Property Use Category.

Table 12 **Parcel Apportionment Residential Property Use Category**

Property Use Category	Number of Dwelling Units
Residential	95,546
0 0. (F	

Source: City of Fort Lauderdale

NON-RESIDENTIAL PARCEL APPORTIONMENT ASSUMPTIONS

The parcel apportionment for each Non-Residential Property Use Classification includes both minimum building classifications and an additional classification of all other improved buildings based upon the assumed square footage of structures and improvements within the improved parcel. The Non-Residential Property Use Classifications include Commercial, Industrial/Warehouse and Institutional property uses. The following describes the Non-Residential Property parcel apportionment calculation and the classification for Commercial, Industrial/Warehouse and Institutional categories.

The following assumptions support findings that the parcel apportionment applied in the Non-Residential Property Use Classification is fair and reasonable.

- The risk of loss and demand for fire rescue service availability is substantially the same for structures below a certain minimum size. Because the value and anticipated occupancy of structures below a certain minimum size is less, it is fair, reasonable, and equitable to provide a lesser assessment burden on such structures by the creation of specific property parcel classifications for those parcels.
- The separation of non-residential buildings into square footage classifications is fair and reasonable for the purposes of parcel apportionment because: (i) the absence of a need for precise square footage data within the ad valorem tax records maintained by the property appraiser undermines the use of actual square footage of structures and improvements within each improved building as a basis for parcel apportionment; (ii) the administrative expense and complexity created by an onsite inspection to determine the actual square footage of structures and improvements within each improved building assessed is impractical; (iii) the demand for fire rescue availability is not precisely determined or measured by the actual square footage of structures and improvements within benefited parcels; and (iv) the classification of buildings within square footage ranges is a fair and reasonable method to classify benefited buildings and to apportion costs among benefited buildings that create similar demand for the availability of fire rescue services.
- The demand for the availability of fire rescue services diminishes at the outer limit of structure size since a fire occurring in a structure greater than a certain size is not capable of being suppressed under expected conditions and the fire control activities under such circumstances are directed to avoid the spread of the fire event to adjacent structures. Therefore, it is fair and reasonable to place a cap on the square footage classification of benefited buildings within the non-residential property use categories based on the current pumping capacity. As outlined by Table 6, the pumping capacity of the Fire Rescue Department is 22,500 gallons per minute for all active apparatus. Accordingly, based on National Fire Protection Association firefighting standards for fire-flow, the Fire Rescue Department currently has sufficient fire-flow capacity to provide service coverage in the event of a fire involving significant to unlimited square footage. However, the City has made the policy decision to limit the cap on non-residential square footage at 100,000 square feet.

NON-RESIDENTIAL PROPERTY PARCEL APPORTIONMENT CALCULATION AND **CLASSIFICATION**

Based upon the historical demand for fire rescue services, property in the Non-Residential Property Use Classification will be responsible for funding a percentage of the City's total fire rescue assessable costs segregated by Commercial, Industrial/Warehouse and Institutional categories. The amount of the assessable costs allocable to buildings within each of the Non-Residential Property Use Classification was calculated based upon the following classifications:

Buildings with square footage of non-residential improvements less than 1,999 square feet were assigned an improvement area of 1,000 square feet per building. Buildings with square footage of nonresidential improvements between 2,000 square feet and 3,499 square feet were assigned an improvement area of 2,000 square feet per building. Buildings with non-residential improvements between 3,500 square feet and 4,999 square feet were assigned an improvement area of 3,500 square feet per building. Buildings with non-residential improvement areas between 5,000 square feet and 9,999 square feet were assigned an improvement area of 5,000 square feet per building. For parcels containing non-residential improvements greater than 10,000 square feet and less than 100,000 square feet, assignments of improvement area were made in 10,000 square foot increments. Buildings with non-residential improvements equal to or greater than 100,000 square feet were assigned an improvement area of 100,000 square feet.

Table 13 illustrates the assignment of buildings under this apportionment methodology in the Non-Residential Property Use Category.

Table 13 **Parcel Apportionment Non-Residential Property Use Category**

Property Category	Square Foot Tier	Number of Buildings
Commercial	≤ 1,999	1,438
Commercial	2,000 - 3,499	850
Commercial	3,500 - 4,999	439
Commercial	5,000 - 9,999	583
Commercial	10,000 - 19,999	320
Commercial	20,000 - 29,999	112
Commercial	30,000 - 39,999	75
Commercial	40,000 - 49,999	43
Commercial	50,000 - 59,999	47
Commercial	60,000 - 69,999	25
Commercial	70,000 - 79,999	16
Commercial	80,000 - 89,999	16
Commercial	90,000 - 99,999	Ş
Commercial	≥ 100,000	83
ndustrial/Warehouse	≤ 1,999	356
ndustrial/Warehouse	2,000 - 3,499	272
ndustrial/Warehouse	3,500 - 4,999	234
ndustrial/Warehouse	5,000 - 9,999	362
ndustrial/Warehouse	10,000 - 19,999	260
ndustrial/Warehouse	20,000 - 29,999	86
ndustrial/Warehouse	30,000 - 39,999	52
ndustrial/Warehouse	40,000 - 49,999	38
ndustrial/Warehouse	50,000 - 59,999	20
ndustrial/Warehouse	60,000 - 69,999	14
ndustrial/Warehouse	70,000 - 79,999	14
ndustrial/Warehouse	80,000 - 89,999	10
ndustrial/Warehouse	90,000 - 99,999	8
ndustrial/Warehouse	≥ 100,000	48
nstitutional	≤ 1,999	90
nstitutional	2,000 - 3,499	99
nstitutional	3,500 - 4,999	44
nstitutional	5,000 - 9,999	72
nstitutional	10,000 - 19,999	85
nstitutional	20,000 - 29,999	29
nstitutional	30,000 - 39,999	15
nstitutional	40,000 - 49,999	12
nstitutional	50,000 - 59,999	2
Institutional	60,000 - 69,999	2
nstitutional	70,000 - 79,999	12
Institutional	80,000 - 89,999	7
Institutional	90,000 - 99,999	6
Institutional	≥ 100,000	38

Source: City of Fort Lauderdale

COMPUTATION OF FIRE RESCUE ASSESSMENT RATES

Applying the parcel apportionment methodology, fire rescue assessment rates were computed for each specified property use category. Based on the assessable costs of providing fire rescue services, the number of fire calls apportioned to specific property categories and the number of billing units within the specified property categories. Table 14 illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for Fiscal Year 2016-17 with the current square footage cap of 100,000 square feet.

Table 14 Preliminary Fire Rescue Assessment Rates (FY 2016-17) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$256			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$413	\$62	\$596
	2,000 - 3,499	\$826	\$123	\$1,192
	3,500 - 4,999	\$1,446	\$214	\$2,085
	5,000 - 9,999	\$2,065	\$306	\$2,979
	10,000 - 19,999	\$4,130	\$611	\$5,958
	20,000 - 29,999	\$8,259	\$1,222	\$11,915
	30,000 - 39,999	\$12,389	\$1,833	\$17,872
	40,000 - 49,999	\$16,518	\$2,443	\$23,829
	50,000 - 59,999	\$20,648	\$3,054	\$29,786
	60,000 - 69,999	\$24,777	\$3,665	\$35,743
	70,000 - 79,999	\$28,907	\$4,275	\$41,700
	80,000 - 89,999	\$33,036	\$4,886	\$47,657
	90,000 - 99,999	\$37,165	\$5,497	\$53,615
	≥ 100,000	\$41,295	\$6,108	\$59,572

^{*}Estimated Gross Revenue: \$44,528,050; Estimated Exempt Buy-down: \$5,186,474; Estimated Net Revenue: \$39,341,576.

EXEMPTIONS AND IMPACT OF EXEMPTIONS

GSG has identified the aggregate cost for the fire services that are available to institutional tax-exempt and governmental parcels within the City. If the City decides to exempt institutional tax-exempt and governmental properties, they must fund the proportional assessed costs allocated to such exemptions from the other legally available sources because the financial burden of such exemptions cannot be apportioned to non-exempt parcels. Table 15 summarizes the estimated impact for Fiscal Year 2016-17 of exempting institutional, wholly tax-exempt and governmental, wholly tax-exempt property.

Table 15 Estimated Impact of Exemptions (FY 2016-17) (100% Funding)

Financial Classification	Amount
Estimated Assessable Costs	\$44,528,050
Estimated Buy-down for Institutional, Tax-Exempt and Government	\$5,186,474
Estimated Revenue Generated	\$39,341,576

Dutstanding Issues

EXEMPTION OF INSTITUTIONAL, TAX-EXEMPT PARCELS (NON-GOVERNMENTAL)

The aggregate cost for the fire rescue services that are available to institutional, wholly tax-exempt properties was estimated as part of the Institutional Property Use Category based on an analysis of each parcel's use. The fair apportionment concepts in the methodology provided within this Assessment Report require an identification of the calls for service to these properties and, therefore, their respective costs. In the event that a policy decision is made to exempt institutional, tax-exempt property, the proportional assessed costs allocated to such exemptions must be funded from other legally available sources because the financial burden of such exemption cannot be apportioned to non-exempt parcels. With any exemption, care should be taken to craft and ensure a non-discriminatory exemption class based upon valid public purpose concepts.

EXEMPTION OF GOVERNMENTAL PARCELS

In addition to the institutional, wholly tax-exempt properties, the aggregate cost for fire rescue services provided to schools and governmental properties (municipalities, county, state, federal and any sovereign state or nation) was also estimated as part of the Institutional Property Use Category based on an analysis of each parcel's use. The fair apportionment concepts in the methodology provided within this Assessment Report require an identification of the calls for service to these properties and, therefore, their respective costs. In the event that a policy decision is made to exempt governmental property, the proportional assessed costs allocated to such exemptions must be funded from other legally available sources because the financial burden of such exemption cannot be apportioned to non-exempt parcels.

NON-SPECIFIC CALLS

In the fire call analysis, certain fire related calls were classified as non-property specific, because of the location of occurrence in the incident report. These calls represent non-specific incidents that either could not be correlated to a specific parcel or involved auto accidents or other types of incidents along roads and highways. These calls are excluded from the analysis that determines the percentage of calls for service to respective property types and therefore, are not considered in the determination of the extent of budget required to fund the department. Because the budget is established based on the ability of the department to adequately protect structures, no adjustment has been made to the budget due to non-property specific calls. Further, even if such calls did affect the cost of the department's operations, there are sufficient non-assessment revenues available to offset any impact upon the budget.

EXTENSION OF RATES

To accurately calculate the rates for this fiscal year, GSG apportioned the assessable cost amongst properties using a particular methodology as detailed in this Updated Assessment Memorandum. In order to ensure that the special assessment program is not compromised, the person/persons that prepare the assessment roll and extend the rates to particular properties should do so in the same manner as the rates were calculated in this Updated Assessment Memorandum. Failure to do so may result in inconsistencies between the methodology used to calculate rates for a specific property and the rates that a specific property is billed and may also result in an overall revenue shortfall.

Appendix A

PROFORMA RATES FY 2017-18 THROUGH FY 2020-21 & 5-Year Average

The following table illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for Fiscal Year 2017-18 with the current square footage cap of 100,000 square feet.

Preliminary Fire Rescue Assessment Rates (FY 2017-18) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$264			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$426	\$63	\$614
	2,000 - 3,499	\$852	\$126	\$1,228
	3,500 - 4,999	\$1,490	\$221	\$2,149
	5,000 - 9,999	\$2,128	\$315	\$3,070
	10,000 - 19,999	\$4,256	\$630	\$6,139
	20,000 - 29,999	\$8,511	\$1,259	\$12,277
	30,000 - 39,999	\$12,766	\$1,888	\$18,416
	40,000 - 49,999	\$17,021	\$2,518	\$24,554
	50,000 - 59,999	\$21,276	\$3,147	\$30,692
	60,000 - 69,999	\$25,531	\$3,776	\$36,831
	70,000 - 79,999	\$29,786	\$4,406	\$42,969
	80,000 - 89,999	\$34,041	\$5,035	\$49,107
	90,000 - 99,999	\$38,296	\$5,664	\$55,246
	≥ 100,000	\$42,551	\$6,293	\$61,384

^{*}Estimated Gross Revenue: \$45,882,693; Estimated Exempt Buy-down: \$5,344,258; Estimated Net Revenue: \$40,538,435.

The following table illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for Fiscal Year 2018-19 with the current square footage cap of 100,000 square feet.

Preliminary Fire Rescue Assessment Rates (FY 2018-19) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$272			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$439	\$65	\$633
	2,000 - 3,499	\$877	\$130	\$1,266
	3,500 - 4,999	\$1,535	\$227	\$2,214
	5,000 - 9,999	\$2,193	\$325	\$3,163
	10,000 - 19,999	\$4,385	\$649	\$6,326
	20,000 - 29,999	\$8,769	\$1,297	\$12,651
	30,000 - 39,999	\$13,154	\$1,946	\$18,976
	40,000 - 49,999	\$17,538	\$2,594	\$25,301
	50,000 - 59,999	\$21,923	\$3,243	\$31,626
	60,000 - 69,999	\$26,307	\$3,891	\$37,951
	70,000 - 79,999	\$30,692	\$4,539	\$44,276
	80,000 - 89,999	\$35,076	\$5,188	\$50,601
	90,000 - 99,999	\$39,461	\$5,836	\$56,926
	≥ 100,000	\$43,845	\$6,485	\$63,251

^{*}Estimated Gross Revenue: \$47,277,974; Estimated Exempt Buy-down: \$5,506,776; Estimated Net Revenue: \$41,771,198.

The following table illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for Fiscal Year 2019-20 with the current square footage cap of 100,000 square feet.

Preliminary Fire Rescue Assessment Rates (FY 2019-20) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$280			_
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$452	\$67	\$652
	2,000 - 3,499	\$904	\$134	\$1,304
	3,500 - 4,999	\$1,582	\$234	\$2,282
	5,000 - 9,999	\$2,259	\$335	\$3,259
	10,000 - 19,999	\$4,518	\$669	\$6,518
	20,000 - 29,999	\$9,036	\$1,337	\$13,035
	30,000 - 39,999	\$13,554	\$2,005	\$19,552
	40,000 - 49,999	\$18,071	\$2,673	\$26,070
	50,000 - 59,999	\$22,589	\$3,341	\$32,587
	60,000 - 69,999	\$27,107	\$4,009	\$39,104
	70,000 - 79,999	\$31,625	\$4,677	\$45,621
	80,000 - 89,999	\$36,142	\$5,346	\$52,139
	90,000 - 99,999	\$40,660	\$6,014	\$58,656
	≥ 100,000	\$45,178	\$6,682	\$65,173

^{*}Estimated Gross Revenue: \$48,715,114; Estimated Exempt Buy-down: \$5,674,169; Estimated Net Revenue: \$43,040,945.

The following table illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for Fiscal Year 2020-21 with the current square footage cap of 100,000 square feet.

Preliminary Fire Rescue Assessment Rates (FY 2020-21) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$289			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$466	\$69	\$672
	2,000 - 3,499	\$932	\$138	\$1,344
	3,500 - 4,999	\$1,630	\$241	\$2,351
	5,000 - 9,999	\$2,328	\$345	\$3,358
	10,000 - 19,999	\$4,656	\$689	\$6,716
	20,000 - 29,999	\$9,311	\$1,377	\$13,431
	30,000 - 39,999	\$13,966	\$2,066	\$20,146
	40,000 - 49,999	\$18,621	\$2,754	\$26,862
	50,000 - 59,999	\$23,276	\$3,443	\$33,577
	60,000 - 69,999	\$27,931	\$4,131	\$40,292
	70,000 - 79,999	\$32,586	\$4,820	\$47,008
	80,000 - 89,999	\$37,241	\$5,508	\$53,723
	90,000 - 99,999	\$41,896	\$6,196	\$60,438
	≥ 100,000	\$46,551	\$6,885	\$67,154

^{*}Estimated Gross Revenue: \$50,195,369; Estimated Exempt Buy-down: \$5,846,369; Estimated Net Revenue: \$44,348,785.

The following table illustrates the preliminary assessment rates after application of the assessment methodology based on 100 percent funding of the total assessable costs for the Five-Year Average Budget with the current square footage cap of 100,000 square feet.

Preliminary Fire Rescue Assessment Rates (5-Year Average Budget) (100% Funding)

Residential Property Use Categories	Rate Per Dwelling Unit			
Dwelling Unit	\$268			
Non-Residential Property Use Categories	Building Classification (in square foot ranges)	Commercial	Industrial/ Warehouse	Institutional
	≤ 1,999	\$433	\$64	\$624
	2,000 - 3,499	\$865	\$128	\$1,248
	3,500 - 4,999	\$1,514	\$224	\$2,183
	5,000 - 9,999	\$2,162	\$320	\$3,119
	10,000 - 19,999	\$4,324	\$640	\$6,237
	20,000 - 29,999	\$8,647	\$1,279	\$12,474
	30,000 - 39,999	\$12,970	\$1,919	\$18,710
	40,000 - 49,999	\$17,293	\$2,558	\$24,947
	50,000 - 59,999	\$21,616	\$3,197	\$31,183
	60,000 - 69,999	\$25,940	\$3,837	\$37,420
	70,000 - 79,999	\$30,263	\$4,476	\$43,657
	80,000 - 89,999	\$34,586	\$5,115	\$49,893
	90,000 - 99,999	\$38,909	\$5,755	\$56,130
	≥ 100,000	\$43,232	\$6,394	\$62,366

^{*}Estimated Gross Revenue: \$46,617,105; Estimated Exempt Buy-down: \$5,429,800; Estimated Net Revenue: \$41,187,305.

Appendix B

SITUATION FOUND CODES & DESCRIPTIONS

Situation Found	Description	EMS/Non-EMS
100	Fire, Other	Non-EMS
1000	Fire Call O No Hazards Found	Non-EMS
111	Building Fire	Non-EMS
112	Fires in structures other than in a building	Non-EMS
113	Cooking fire, confined to a container	Non-EMS
1131	Cooking Fire/"Confined to Oven"	Non-EMS
114	Chimney or flue fire, confined to chimney or flue	Non-EMS
115	Incinerator overload or malfunction, fire confined	Non-EMS
116	Fuel burner/boiler malfunction, fire confined	Non-EMS
117	Commercial compactor fire, confined to rubbish	Non-EMS
118	Trash or rubbish fire, contained	Non-EMS
123	Fire in portable building, fixed location	Non-EMS
130	Mobile property (vehicle) fire, other	Non-EMS
131	Passenger vehicle fire	Non-EMS
132	Road freight or transport vehicle fire	Non-EMS
134	Water vehicle fire	Non-EMS
135	Aircraft fire	Non-EMS
137	Camper or RV fire	Non-EMS
140	Natural vegetation fire	Non-EMS
141	Forest, woods or wildland fire	Non-EMS
142	Brush, or brush and grass mixture fire	Non-EMS
143	Grass fire	Non-EMS
150	Outside rubbish fire, other	Non-EMS
151	Outside rubbish, trash or waste fire	Non-EMS
152	Garbage dump or sanitary landfill fire	Non-EMS
153	Construction or demolition landfill fire	Non-EMS
154	Dumpster or other outside trash receptacle fire	Non-EMS
155	Outside stationary compactor/compacted trash fire	Non-EMS
160	Special outside fire, other	Non-EMS
161	Outside storage fire	Non-EMS
162	Outside equipment fire	Non-EMS
163	Outside gas or vapor combustion explosion	Non-EMS
173	Cultivated trees or nursery stock fire	Non-EMS
200	Overpressure rupture, explosion, overheat, other	Non-EMS
210	Overpressure rupture from steam, other	Non-EMS
211	Overpressure rupture of steam pipe or pipeline	Non-EMS
220	Overpressure rupture from air or gas, other	Non-EMS
240	Explosion (no fire), other	Non-EMS
243	Fireworks explosion (no fire)	Non-EMS
251	Excessive heat, scorch burns with no ignition	Non-EMS
300	Rescue, EMS call, other	EMS
3000	EMS Call - No Patient Contact	EMS
3001	Inter-Facility Transports	EMS
300S	EMS Call - Sentinel Event	EMS
311	Medical assist, assist EMS crew	EMS

311M Medical = MedUSA report EMS 320 Allergic reaction EMS 321 EMS call, excluding vehicle accident with injury EMS 321 EMS call, excluding vehicle accident with injury EMS 322 Vehicle accident with injuries EMS 323 Motor Vehicle/Picycle EMS 324 Motor Vehicle Accident, No Injuries Non-EMS 341 Lock-in (if lock out, use 511) Non-EMS 340 Search, other Non-EMS 341 Search for person in water Non-EMS 342 Search for person in water Non-EMS 350 Extrication, rescue, other Non-EMS 351 Extrication of victim(s) from building/structure Non-EMS 352 Extrication of victim(s) from vehicle Non-EMS 353 Removal of victim(s) from stalled elevator Non-EMS 354 Trench/below grade rescue Non-EMS 355 Confined space rescue Non-EMS 356 High angle rescue Non-EMS 357 <t< th=""><th>Situation Found</th><th>Description</th><th>EMS/Non-EMS</th></t<>	Situation Found	Description	EMS/Non-EMS
BMS call, excluding vehicle accident with injury 22 Vehicle accident with injuries 323 Motor vehicle/pedestrian accident (MV Ped) 328 Motor Vehicle/pedestrian accident (MV Ped) 329 Motor Vehicle/pedestrian accident (MV Ped) 321 Motor Vehicle/pedestrian accident (MV Ped) 322 Motor Vehicle/pedestrian accident (MV Ped) 323 Motor Vehicle/pedestrian accident (MV Ped) 324 Motor Vehicle Accident, No Injuries 331 Lock-in (if lock out, use 511) 331 Non-EMS 342 Search, other 341 Search for person on land 342 Search for person in water 343 Search for person in water 344 Search for person in water 350 Extrication, rescue, other 351 Extrication of victim(s) from building/structure 352 Extrication of victim(s) from building/structure 353 Removal of victim(s) from stalled elevator 354 Trench/below grade rescue 355 Non-EMS 355 Confined space rescue 356 High angle rescue 357 Extrication of victim(s) from machinery 360 Water & ice related rescue, other 361 Swimming/recreational water areas rescue 362 Non-EMS 363 Watercraft rescue 364 Surf rescue 365 Watercraft rescue 366 Watercraft rescue 371 Electrocution or potential electrocution 372 Trapped by power lines 371 Electrocution or potential electrocution 372 Trapped by power lines 373 Trapped by cover lines 374 Gas leak 375 Non-EMS 376 All Gasoline or other flammable liquid spill 377 Non-EMS 378 Qas leak 379 Non-EMS 371 Gas leak 370 Orion condition, other 371 Gas leak 372 Trapped by cover lines 373 Trapped by cover lines 374 Trapped by cover lines 375 Non-EMS 376 All Gasoline or other flammable liquid spill 377 Non-EMS 378 All Gasoline or other flammable liquid spill 379 Non-EMS 370 Refrigeration leak 371 Chemical hazard (no spill or leak) 372 Non-EMS 373 Refrigeration leak 374 Chemical hazard (no spill or leak) 375 Non-EMS 376 Non-EMS 377 Chemical spill or leak 378 Refrigeration leak 379 Refrigeration leak 370 Redriacactive condition, other 371 Non-EMS 372 Refrigeration leak 373 Refrigeration leak 374 Refrig	311M	Medical = MedUSA report	EMS
322 Vehicle accident with injuries EMS 323 Motor vehicle/pedestrian accident (MV Ped) EMS 323B Motor Vehicle/Bicycle EMS 324 Motor Vehicle Accident, No Injuries Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 340 Search, other Non-EMS 341 Search for person on land Non-EMS 342 Search for person in water Non-EMS 343 Extrication, rescue, other Non-EMS 350 Extrication, rescue, other Non-EMS 351 Extrication of victim(s) from building/structure Non-EMS 352 Extrication of victim(s) from vehicle Non-EMS 353 Removal of victim(s) from stalled elevator Non-EMS 354 Trench/below grade rescue Non-EMS 355 Confined space rescue Non-EMS 356 High angle rescue Non-EMS 357 Extrication of victim(s) from machinery Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Swimming/recreational water areas rescue Non-EMS 362 Water & ice related rescue, other Non-EMS 363 Water & ice related rescue, other Non-EMS 364 Surf rescue Non-EMS 365 Watercraft rescue Non-EMS 365 Watercraft rescue Non-EMS 366 Water & ice related rescue, other Non-EMS 367 Electrocution or potential electrocution Non-EMS 368 Watercraft rescue Non-EMS 369 Watercraft rescue Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Secue or EMS standby EMS 362 Watercraft rescue Non-EMS 363 Watercraft rescue Non-EMS 364 Surf rescue Non-EMS 365 Watercraft rescue Non-EMS 366 Watercraft rescue Non-EMS 367 Electrocution or potential electrocution Non-EMS 368 Watercraft rescue Non-EMS 369 Watercraft rescue Non-EMS 360 Water Roccue or EMS standby EMS 361 Rescue or EMS standby Non-EMS 362 Case leak Non-EMS 363 Removal of iquid condition, other Non-EMS 364 Rescue or EMS standby Non-EMS 365 Watercraft rescue Non-EMS 366 Watercraft rescue Non-EMS 367 Eack Non-EMS 368 Rescue or EMS standby Non-EMS 369 Refrigeration leak Non-EMS 360 Radioactive condition, other Non-EMS 361 Refrigeration leak Non-EMS 362 Refrigeration leak Non-EMS 363 Refrigeration leak Non-EMS 364 Refrigeration leak Non-EMS 365 Refrigeration leak Non-EMS 366 Refrigeration leak Non-EMS 367 Refrigeration leak Non	320	Allergic reaction	EMS
Motor vehicle/pedestrian accident (MV Ped) EMS 323B Motor Vehicle/Bicycle EMS 324 Motor Vehicle Accident, No Injuries Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 340 Search, other Non-EMS 341 Search for person on land Non-EMS 342 Search for person in water Non-EMS 350 Extrication, rescue, other Non-EMS 351 Extrication of victim(s) from building/structure Non-EMS 352 Extrication of victim(s) from building/structure Non-EMS 353 Removal of victim(s) from stalled elevator Non-EMS 354 Trench/below grade rescue Non-EMS 355 Confined space rescue Non-EMS 356 High angle rescue Non-EMS 357 Extrication of victim(s) from machinery Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Swimming/recreational water areas rescue Non-EMS 362 Watercraft rescue Non-EMS 363 Watercraft rescue Non-EMS 364 Surf rescue Non-EMS 365 Watercraft rescue Non-EMS 366 Watercraft rescue Non-EMS 367 Electrocution or potential electrocution Non-EMS 368 Watercraft rescue Non-EMS 369 Watercraft rescue Non-EMS 370 Electrocution or potential electrocution Non-EMS 371 Electrocution or potential electrocution Non-EMS 372 Trapped by power lines Non-EMS 381 Rescue or EMS standby EMS 400 Hazardous condition, other Non-EMS 410 Flammable gas or liquid condition, other Non-EMS 411 Gasoline or other flammable liquid spill Non-EMS 412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical spill or leak Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 432 Refrigeration leak 433 Refrigeration leak 444 Carbon monoxide incident Non-EMS 445 Watercraft rescue waterial Non-EMS 446 Delectrical wiring/equipment problem, other Non-EMS 447 Overheated motor Non-EMS 448 Light ballast breakdown Non-EMS 444 Power line down Non-EMS	321	EMS call, excluding vehicle accident with injury	EMS
Motor Vehicle/Bicycle EMS 324 Motor Vehicle/Bicycle S. Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 340 Search, other Non-EMS 341 Search for person on land Non-EMS 342 Search for person in water Non-EMS 350 Extrication, rescue, other Non-EMS 351 Extrication of victim(s) from building/structure Non-EMS 352 Extrication of victim(s) from vehicle Non-EMS 353 Removal of victim(s) from stalled elevator Non-EMS 354 Trench/below grade rescue Non-EMS 355 Confined space rescue Non-EMS 356 High angle rescue Non-EMS 357 Extrication of victim(s) from machinery Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Swimming/recreational water areas rescue Non-EMS 362 Watercraft rescue Non-EMS 363 Removal of victim(s) from machinery Non-EMS 364 Surf rescue Non-EMS 365 Watercraft rescue Non-EMS 366 Watercraft rescue Non-EMS 371 Electrocution or potential electrocution Non-EMS 372 Trapped by power lines Non-EMS 374 Rescue or EMS standby EMS 375 EMS 376 Rescue or EMS standby EMS 377 Electrocution or potential electrocution Non-EMS 378 Rescue or EMS standby EMS 379 Trapped by condition, other Non-EMS 370 Flammable gas or liquid condition, other Non-EMS 371 Rescue or EMS standby EMS 372 Trapped by condition, other Non-EMS 373 Rescue or EMS standby EMS 374 Rescue or EMS standby EMS 375 Rescue or EMS standby EMS 376 Rescue or EMS standby EMS 377 Rescue Ordical spill Non-EMS 378 Rescue or EMS standby EMS 379 Rescue or EMS standby EMS 381 Rescue or EMS s	322	Vehicle accident with injuries	EMS
324 Motor Vehicle Accident, No Injuries Non-EMS 331 Lock-in (if lock out, use 511) Non-EMS 340 Search, other Non-EMS 341 Search for person on land Non-EMS 342 Search for person in water Non-EMS 350 Extrication, rescue, other Non-EMS 351 Extrication of victim(s) from building/structure Non-EMS 352 Extrication of victim(s) from vehicle Non-EMS 353 Removal of victim(s) from stalled elevator Non-EMS 354 Trench/below grade rescue Non-EMS 355 Confined space rescue Non-EMS 356 High angle rescue Non-EMS 357 Extrication of victim(s) from machinery Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Swimming/recreational water areas rescue Non-EMS 362 Watercraft rescue Non-EMS 363 Non-EMS 364 Surf rescue Non-EMS 365 Watercraft rescue Non-EMS 366 Water & ice related rescue, other Non-EMS 367 Extrication of victim(s) from machinery Non-EMS 368 Watercraft rescue Non-EMS 369 Water & ice related rescue, other Non-EMS 360 Water & ice related rescue, other Non-EMS 361 Swimming/recreational water areas rescue Non-EMS 362 Trapped by power lines Non-EMS 371 Electrocution or potential electrocution Non-EMS 372 Trapped by power lines Non-EMS 372 Trapped by power lines Non-EMS 410 Flammable gas or liquid condition, other Non-EMS 411 Gasoline or other flammable liquid spill Non-EMS 412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical hazard (no spill or leak) Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 432 Refrigeration leak 433 Radioactive condition, other Non-EMS 444 Carbon monoxide incident Non-EMS 445 Light ballast breakdown Non-EMS 446 Devertined down Non-EMS 447 Arcing, shorted electrical equipment Non-EMS	323	Motor vehicle/pedestrian accident (MV Ped)	EMS
331Lock-in (if lock out, use 511)Non-EMS340Search, otherNon-EMS341Search for person on landNon-EMS342Search for person in waterNon-EMS350Extrication, rescue, otherNon-EMS351Extrication of victim(s) from building/structureNon-EMS352Extrication of victim(s) from vehicleNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS362Surf rescueNon-EMS363Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical spill or leakNon-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon	323B	Motor Vehicle/Bicycle	EMS
340Search, otherNon-EMS341Search for person on landNon-EMS342Search for person in waterNon-EMS350Extrication, rescue, otherNon-EMS351Extrication of victim(s) from building/structureNon-EMS352Extrication of victim(s) from vehicleNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS362Watercraft rescueNon-EMS363Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incident	324	Motor Vehicle Accident, No Injuries	Non-EMS
341Search for person on landNon-EMS342Search for person in waterNon-EMS350Extrication, rescue, otherNon-EMS351Extrication of victim(s) from building/structureNon-EMS352Extrication of victim(s) from stalled elevatorNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS363Watercraft rescueNon-EMS364Surf rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactiv	331	Lock-in (if lock out, use 511)	Non-EMS
Search for person in water Non-EMS Extrication, rescue, other Non-EMS Extrication of victim(s) from building/structure Non-EMS Extrication of victim(s) from vehicle Non-EMS Extrication of victim(s) from vehicle Non-EMS Extrication of victim(s) from stalled elevator Non-EMS Extrication of victim(s) from stalled elevator Non-EMS Confined space rescue Non-EMS Confined space rescue Non-EMS Extrication of victim(s) from machinery Non-EMS Extrication leak Non-EMS E	340	Search, other	Non-EMS
350Extrication, rescue, otherNon-EMS351Extrication of victim(s) from building/structureNon-EMS352Extrication of victim(s) from vehicleNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS362Surf rescueNon-EMS363Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electri	341	Search for person on land	Non-EMS
351Extrication of victim(s) from building/structureNon-EMS352Extrication of victim(s) from vehicleNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS364Surf rescueNon-EMS365Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radiactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441<	342	Search for person in water	Non-EMS
352Extrication of victim(s) from vehicleNon-EMS353Removal of victim(s) from stalled elevatorNon-EMS354Trench/below grade rescueNon-EMS355Confined space rescueNon-EMS356High angle rescueNon-EMS357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS362Waterraft rescueNon-EMS363Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radioactive condition, otherNon-EMS432Refrigeration leakNon-EMS433Refrigeration leak, radioactive materialNon-EMS444Carbon monoxide incident<	350	Extrication, rescue, other	Non-EMS
Removal of victim(s) from stalled elevator Non-EMS Trench/below grade rescue Non-EMS Confined space rescue Non-EMS Confined space rescue Non-EMS Retrication of victim(s) from machinery Non-EMS Retrication leak Non-EMS Retrication leak Non-EMS Retrication leak Non-EMS Redioactive condition, other Non-EMS Redioactive condition,	351	Extrication of victim(s) from building/structure	Non-EMS
Trench/below grade rescue Non-EMS Confined space rescue Non-EMS High angle rescue Non-EMS Extrication of victim(s) from machinery Non-EMS Combined space rescue, other Non-EMS Non-EMS Combined space rescue, other Non-EMS Combined space rescue, other Non-EMS Combined space rescue, other Non-EMS Combined space rescue space spa	352	Extrication of victim(s) from vehicle	Non-EMS
See Confined space rescue Non-EMS See High angle rescue Non-EMS Sextrication of victim(s) from machinery Non-EMS Water & ice related rescue, other Non-EMS Sewimming/recreational water areas rescue Non-EMS Water rescue Non-EMS Watercraft rescue Non-EMS Watercraft rescue Non-EMS Trapped by power lines Non-EMS Rescue or EMS standby EMS Rescue or EMS standby EMS See Inquired Capsoline or other flammable liquid spill Non-EMS Capsoline or other flammable liquid spill Non-EMS Capsoline or other combustible liquid spill Non-EMS Chemical spill or leak Non-EMS Refrigeration leak Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Capsoline or other flammable liquid spill Non-EMS Chemical spill or leak Non-EMS Refrigeration leak Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Capsoline or other Capsoline or leak Non-EMS Capsoline or other Capsoline or leak Non-EMS Capsoline or other combustible liquid spill Non-EMS Chemical spill or leak Non-EMS Refrigeration leak Non-EMS Refrigeration leak Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Add Radioactive condition, other Non-EMS Light ballast breakdown Non-EMS Add Light ballast breakdown Non-EMS Add Power line down Non-EMS Add Power line down Non-EMS Add Power line down Non-EMS	353	Removal of victim(s) from stalled elevator	Non-EMS
High angle rescue Strication of victim(s) from machinery Non-EMS Water & ice related rescue, other Non-EMS Swimming/recreational water areas rescue Non-EMS Swimming/recreational water areas rescue Non-EMS Watercraft rescue Non-EMS Watercraft rescue Non-EMS Trapped by power lines Non-EMS Rescue or EMS standby EMS Hazardous condition, other Non-EMS Audo Flammable gas or liquid condition, other Non-EMS Gas leak Non-EMS Ji Gas leak Non-EMS Ji Gas leak Non-EMS Chemical hazard (no spill or leak) Chemical spill or leak Non-EMS Redigaration leak Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Audo Radioactive condition, other Non-EMS Radioactive condition, other Non-EMS Audo Radioactive reactive condition, other Non-	354	Trench/below grade rescue	Non-EMS
357Extrication of victim(s) from machineryNon-EMS360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS364Surf rescueNon-EMS365Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radioactive condition, otherNon-EMS432Refrigeration leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	355	Confined space rescue	Non-EMS
360Water & ice related rescue, otherNon-EMS361Swimming/recreational water areas rescueNon-EMS364Surf rescueNon-EMS365Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	356	High angle rescue	Non-EMS
361Swimming/recreational water areas rescueNon-EMS364Surf rescueNon-EMS365Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radiactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	357	Extrication of victim(s) from machinery	Non-EMS
364Surf rescueNon-EMS365Watercraft rescueNon-EMS371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	360	Water & ice related rescue, other	Non-EMS
365 Watercraft rescue Non-EMS 371 Electrocution or potential electrocution Non-EMS 372 Trapped by power lines Non-EMS 381 Rescue or EMS standby EMS 400 Hazardous condition, other Non-EMS 410 Flammable gas or liquid condition, other Non-EMS 411 Gasoline or other flammable liquid spill Non-EMS 412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical hazard (no spill or leak) Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment	361	Swimming/recreational water areas rescue	Non-EMS
371Electrocution or potential electrocutionNon-EMS372Trapped by power linesNon-EMS381Rescue or EMS standbyEMS400Hazardous condition, otherNon-EMS410Flammable gas or liquid condition, otherNon-EMS411Gasoline or other flammable liquid spillNon-EMS412Gas leakNon-EMS413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	364	Surf rescue	Non-EMS
Trapped by power lines Rescue or EMS standby EMS Rescue or EMS standby EMS Hazardous condition, other Non-EMS Hatardous condition, other Non-EMS Hatardous condition, other Rescue or EMS standby EMS Hatardous condition, other Non-EMS Hatardous condition, other Non-EMS Hatardous condition, other Rescue or other flammable liquid spill Non-EMS Hatardous Condition Spill Non-EMS Hatardous Condition, other Chemical hazard (no spill or leak) Non-EMS Hatardous Chemical spill or leak Refrigeration leak Refrigeration leak Radioactive condition, other Radioactive condition, other Radioactive condition, other Radioactive condition, other Radioactive material Rediatin leak, radioactive material Rediatin leak, radioactive material Non-EMS Hatardous Carbon Non-EMS Hatardous Carbon Non-EMS Hatardous Carbon Non-EMS Radioactive condition, other Non-EMS Hatardous Carbon Non-EMS Radioactive material Non-EM	365	Watercraft rescue	Non-EMS
Rescue or EMS standby Hazardous condition, other Non-EMS Hazardous condition, other Non-EMS Rescue or EMS standby Flammable gas or liquid condition, other Non-EMS Hazardous condition, other Non-EMS Refalse as leak Non-EMS Refrigeration leak Carbon monoxide incident Radiactive condition, other Radiatin leak, radioactive material Reat from short circuit (wiring), defective/worn Non-EMS Non-EMS Refrigeration dends Refrigerated motor Non-EMS Refrigerated motor Non-EMS Refrigeration dends Refrigeration leak Non-EMS Refrigeration leak Non-EMS Refrigeration leak Non-EMS Refrigeration leak Non-EMS Non-EMS Refrigeration leak Non-EMS Non-EMS Refrigeration leak Non-EMS Refrigeration leak Non-EMS Non-EMS Non-EMS Non-EMS Refrigeration leak Non-EMS	371	Electrocution or potential electrocution	Non-EMS
400 Hazardous condition, other A10 Flammable gas or liquid condition, other Non-EMS A11 Gasoline or other flammable liquid spill Non-EMS A12 Gas leak Non-EMS A13 Oil or other combustible liquid spill Non-EMS A20 Toxic condition, other Non-EMS A21 Chemical hazard (no spill or leak) Non-EMS A22 Chemical spill or leak Non-EMS A23 Refrigeration leak Non-EMS A24 Carbon monoxide incident Non-EMS A30 Radioactive condition, other Non-EMS A31 Radiatin leak, radioactive material Non-EMS A40 Electrical wiring/equipment problem, other Non-EMS A41 Heat from short circuit (wiring), defective/worn Non-EMS A42 Overheated motor Non-EMS A43 Light ballast breakdown Non-EMS A44 Power line down Arcing, shorted electrical equipment Non-EMS Arcing, shorted electrical equipment	372	Trapped by power lines	Non-EMS
410 Flammable gas or liquid condition, other Non-EMS 411 Gasoline or other flammable liquid spill Non-EMS 412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical hazard (no spill or leak) Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment	381	Rescue or EMS standby	EMS
411 Gasoline or other flammable liquid spill Non-EMS 412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical hazard (no spill or leak) Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment	400	Hazardous condition, other	Non-EMS
412 Gas leak Non-EMS 413 Oil or other combustible liquid spill Non-EMS 420 Toxic condition, other Non-EMS 421 Chemical hazard (no spill or leak) Non-EMS 422 Chemical spill or leak Non-EMS 423 Refrigeration leak Non-EMS 424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment	410	Flammable gas or liquid condition, other	Non-EMS
413Oil or other combustible liquid spillNon-EMS420Toxic condition, otherNon-EMS421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	411	Gasoline or other flammable liquid spill	Non-EMS
Toxic condition, other Chemical hazard (no spill or leak) Chemical spill or leak) Non-EMS Chemical spill or leak) Refrigeration leak Non-EMS Carbon monoxide incident Non-EMS Radioactive condition, other Non-EMS Radiatin leak, radioactive material Non-EMS Radiatin leak, radioactive material Non-EMS Heat from short circuit (wiring), defective/worn Non-EMS Heat from short circuit (wiring), defective/worn Non-EMS Light ballast breakdown Non-EMS Arcing, shorted electrical equipment Non-EMS Arcing, shorted electrical equipment Non-EMS	412	Gas leak	Non-EMS
421Chemical hazard (no spill or leak)Non-EMS422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	413	Oil or other combustible liquid spill	Non-EMS
422Chemical spill or leakNon-EMS423Refrigeration leakNon-EMS424Carbon monoxide incidentNon-EMS430Radioactive condition, otherNon-EMS431Radiatin leak, radioactive materialNon-EMS440Electrical wiring/equipment problem, otherNon-EMS441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	420	Toxic condition, other	Non-EMS
Refrigeration leak A24 Carbon monoxide incident Non-EMS Radioactive condition, other Radioactive condition, other Non-EMS Radiatin leak, radioactive material Non-EMS Radiatin leak, radioactive material Non-EMS Heat from short circuit (wiring), defective/worn Non-EMS Vorheated motor Non-EMS Light ballast breakdown Non-EMS Arcing, shorted electrical equipment Non-EMS	421	Chemical hazard (no spill or leak)	Non-EMS
424 Carbon monoxide incident Non-EMS 430 Radioactive condition, other Non-EMS 431 Radiatin leak, radioactive material Non-EMS 440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment Non-EMS	422	Chemical spill or leak	Non-EMS
A30 Radioactive condition, other Non-EMS A31 Radiatin leak, radioactive material Non-EMS A40 Electrical wiring/equipment problem, other Non-EMS A41 Heat from short circuit (wiring), defective/worn Non-EMS A42 Overheated motor Non-EMS A43 Light ballast breakdown Non-EMS A44 Power line down Non-EMS Arcing, shorted electrical equipment Non-EMS	423	Refrigeration leak	Non-EMS
Radiatin leak, radioactive material Radiatin leak, radioactive material Radiatin leak, radioactive material Ron-EMS Radiatin leak, radioactive material Non-EMS Heat from short circuit (wiring), defective/worn Non-EMS Vorheated motor Non-EMS Light ballast breakdown Non-EMS Power line down Arcing, shorted electrical equipment Non-EMS	424	Carbon monoxide incident	Non-EMS
440 Electrical wiring/equipment problem, other Non-EMS 441 Heat from short circuit (wiring), defective/worn Non-EMS 442 Overheated motor Non-EMS 443 Light ballast breakdown Non-EMS 444 Power line down Non-EMS 445 Arcing, shorted electrical equipment Non-EMS	430	Radioactive condition, other	Non-EMS
441Heat from short circuit (wiring), defective/wornNon-EMS442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	431	Radiatin leak, radioactive material	Non-EMS
442Overheated motorNon-EMS443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	440	Electrical wiring/equipment problem, other	Non-EMS
443Light ballast breakdownNon-EMS444Power line downNon-EMS445Arcing, shorted electrical equipmentNon-EMS	441	Heat from short circuit (wiring), defective/worn	Non-EMS
444 Power line down Non-EMS 445 Arcing, shorted electrical equipment Non-EMS	442	Overheated motor	Non-EMS
445 Arcing, shorted electrical equipment Non-EMS	443	Light ballast breakdown	Non-EMS
	444	Power line down	Non-EMS
451 Police Assist Non-EMS	445	Arcing, shorted electrical equipment	Non-EMS
	451	Police Assist	Non-EMS

Situation Found	Description	EMS/Non-EMS
460	Accident, potential accident, other	Non-EMS
461	Building or structure weakened or collapsed	Non-EMS
462	Aircraft standby	Non-EMS
4621	Aircraft standby (ARFF) Alert 1	Non-EMS
4622	Aircraft standby (ARFF) Alert 2	Non-EMS
4623	Aircraft standby (ARFF) Alert 3	EMS
4624	Aircraft standby (ARFF) Refueling	EMS
463	Vehicle accident, general cleanup	Non-EMS
4631	Vehicle accident Assisting other Jurisdiction	Non-EMS
471	Explosive, bomb removal (for bomb scare, use 721)	Non-EMS
480	Attempted burning, illegal action, other	Non-EMS
481	Attempt to burn	Non-EMS
482	Threat to burn	Non-EMS
500	Service call, other	Non-EMS
510	Person in distress, other	Non-EMS
511	Lock-out	Non-EMS
5110	Lock-In no medical need	Non-EMS
512	Ring or jewelry removal	Non-EMS
520	Water problem, other	Non-EMS
521	Water evacuation	Non-EMS
522	Water or steam leak	Non-EMS
531	Smoke or odor removal	Non-EMS
540	Animal problem, other	Non-EMS
541	Animal problem	Non-EMS
542	Animal rescue	Non-EMS
550	Public service assistance, other	Non-EMS
551	Assist police or other governmental agency	Non-EMS
552	Police matter	Non-EMS
553	Public service	Non-EMS
554	Assist invalid	Non-EMS
555	Defective elevator	Non-EMS
561	Unauthorized burning	Non-EMS
571	Cover assignment, standby, moveup	Non-EMS
6001E	Good Intent EMS	EMS
611E	Cancelled En Route EMS	EMS
621	Wrong location	Non-EMS
622	No incident found upon arrival	Non-EMS
631	Authorized controlled burning	Non-EMS
632	Prescribed fire	Non-EMS
641	Vicinity alarm (incident in other location)	Non-EMS
650	Steam, other gas mistaken for smoke, other	Non-EMS
651	Smoke scare, odor of smoke	Non-EMS
652	Steam, vapor, fog or dust thought to be smoke	Non-EMS
653	Barbecue, tar kettle	Non-EMS
661	EMS call, party transported by non-fire agency	EMS

Situation Found	Description	EMS/Non-EMS
671	Hazmat release investigation w/no hazmat	Non-EMS
672	Biological hazard investigation, none found	Non-EMS
700	False alarm or false call, other	Non-EMS
7005	Single Unit Alarm Response	Non-EMS
710	Malicious, mischievous false call, other	Non-EMS
711	Municipal alarm system, malicious false alarm	Non-EMS
712	Direct tie to FD, malicious/false alarm	Non-EMS
713	Telephone, malicious false alarm	Non-EMS
714	Central station, malicious false alarm	Non-EMS
715	Local alarm system, malicious false alarm	Non-EMS
721	Bomb scare - no bomb	Non-EMS
730	System malfunction	Non-EMS
731	Sprinkler activation due to malfunction	Non-EMS
732	Extinguishing system activation due to malfunction	Non-EMS
733	Smoke detector activation due to malfunction	Non-EMS
734	Heat detector activation due to malfunction	Non-EMS
735	Alarm system sounded due to malfunction	Non-EMS
736	CO detector activation due to malfunction	Non-EMS
740	Unintentional transmission of alarm, other	Non-EMS
741	Sprinkler activation, no fire - unintentional	Non-EMS
742	Extinguishing system activation	Non-EMS
743	Smoke detector activation, no fire - unintentional	Non-EMS
744	Detector activation, no fire - unintentional	Non-EMS
745	Alarm system sounded, no fire - unintentional	Non-EMS
746	Carbon monoxide detector activation, no CO	Non-EMS
812	Flood assessment	Non-EMS
814	Lightning strike (no fire)	Non-EMS
900	Special type of incident, other, Dumpster fire	Non-EMS
9001	No call - Incident created by mistake	Non-EMS
9002	Community Outreach	Non-EMS
9003	Demo	Non-EMS
9004	Assist Fire Prevention	Non-EMS
9005	Special Detail	EMS
9006	Baby Sleep Safe	EMS
9007	Tactical Survey	Non-EMS
911	Citizen complaint	Non-EMS

Appendix C

FIXED PROPERTY USE CODES & DESCRIPTIONS

Fixed Property Use	Description	Category Assigned
000	FIXED PROP USE UNDETERMINED	NON-SPECIFIC
100	UNKNOWN OTHER	NON-SPECIFIC
110	FIXED USE RECREATION, OTHER	COMMERCIAL
111	BOWLING ESTABLISHMENT	COMMERCIAL
115	ROLLER RINK	COMMERCIAL
116	SWIMMING FACILITY	COMMERCIAL
120	VARIABLE USE AMUSEMENT/RECREATION	COMMERCIAL
121	BALLROOM,GYMNASIUM	COMMERCIAL
122	EXHIBITION HALL	COMMERCIAL
123	ARENA/STADIUM	COMMERCIAL
124	PLAYGROUND	COMMERCIAL
129	AMUSEMENT CENTER INDOOR/OUTDOOR	COMMERCIAL
130	PLACES OF WORSHIP, CHURCH, FUNERAL PARLOR	INSTITUTIONAL
131	CHURCH/CHAPEL	INSTITUTIONAL
134	FUNERAL PARLOR/CHAPEL	INSTITUTIONAL
140	CLUBS, OTHER	COMMERCIAL
141	ATHLETIC CLUB/YMCA	INSTITUTIONAL
142	CLUB HOUSE	COMMERCIAL
143	YACHT CLUB	COMMERCIAL
144	CASINO, GAMBLING CLUBS	COMMERCIAL
150	PUBLIC, GOVT, OTHER	INSTITUTIONAL
151	LIBRARY	INSTITUTIONAL
152	MUSEUM, ART GALLERY	INSTITUTIONAL
154	MEMORIAL STRUCTURE, MONUMENT	INSTITUTIONAL
155	COURT ROOM	INSTITUTIONAL
160	EATING/DRINKING PLACES	COMMERCIAL
161	RESTAURANT	COMMERCIAL
162	NIGHTCLUB	COMMERCIAL
170	TERMINALS OTHER	COMMERCIAL
171	AIRPORT TERMINAL	COMMERCIAL
173	BUS TERMINAL	COMMERCIAL
174	STREET LEVEL RAIL TERMINAL	COMMERCIAL
180	THEATER, STUDIO OTHER	COMMERCIAL
181	PERFORMANCE THEATER	COMMERCIAL
182	AUDITORIUM, CONCERT HALL	COMMERCIAL
183	MOVIE THEATER	COMMERCIAL
200	EDUCATIONAL PROPERTY OTHER	INSTITUTIONAL
210	SCHOOLS NON-ADULT OTHER	INSTITUTIONAL
211	PRE-SCH00L	INSTITUTIONAL
213	ELEMENTARY SCHOOL	INSTITUTIONAL
215	HIGH SCHOOL/JR HIGH/MIDDLE SCHOOL	INSTITUTIONAL
241	COLLEGE/UNIVERSITY	INSTITUTIONAL
254	DAY CARE-IN COMMERCIAL PROPERTY	COMMERCIAL
255	DAY CARE-IN RESIDENCE-LICENSED	COMMERCIAL
300	HEALTHCARE/DETENTION OTHER	INSTITUTIONAL

Fixed Property Use	Description	Category Assigned
311	CARE OF THE AGED/NURSING STAFF	INSTITUTIONAL
321	MENTAL RETARDATION/DEVELOPMENT DISABILITY FACILITY	INSTITUTIONAL
322	ALCOHOL/SUBSTANCE ABUSE RECOVERY CENTER	INSTITUTIONAL
323	ASYLUM/MENTAL INSTITUTION	INSTITUTIONAL
331	HOSPITAL-MEDICAL/PSYCHIATRIC	INSTITUTIONAL
332	HOSPICES	INSTITUTIONAL
340	CLINICS, OTHER	INSTITUTIONAL
341	CLINIC, CLINIC-TYPE INFIRMARY	INSTITUTIONAL
342	DOCTOR/DENTIST/SURGEONS OFFICE	COMMERCIAL
343	HEMODIALYSIS UNIT	INSTITUTIONAL
361	JAIL/PRISON - NOT JUVENILE	INSTITUTIONAL
363	REFORMATORY, JUVENILE DETENTION CENTER	INSTITUTIONAL
365	POLICE STATION	INSTITUTIONAL
400	RESIDENTIAL OTHER	RESIDENTIAL
419	ONE- AND TWO-FAMILY DWELLING	RESIDENTIAL
429	MULTI-FAMILY DWELLINGS	RESIDENTIAL
439	ROOMING, BOARDING, RESIDENTIAL HOTELS	RESIDENTIAL
449	HOTELS, MOTELS, INNS, LODGES	COMMERCIAL
459	RESIDENTIAL BOARD AND CARE	INSTITUTIONAL
460	DORMITORIES OTHER	INSTITUTIONAL
462	FRATERNITY, SORORITY HOUSE	INSTITUTIONAL
464	MILITARY BARRACKS/DORMITORY	RESIDENTIAL
500	MERCANTILE PROPERTIES OTHER	COMMERCIAL
511	CONVENIENCE STORE	COMMERCIAL
519	FOOD, BEVERAGE SALES, GROCERY STORE	COMMERCIAL
529	TEXTILE, WEARING APPAREL SALES	COMMERCIAL
539	HOUSEHOLD GOODS SALES, REPAIRS	COMMERCIAL
549	SPECIALTY SHOPS	COMMERCIAL
557	BARBER, BEAUTY SHOP, PERSONAL SERVICES	COMMERCIAL
559	RECREATIONAL, HOBBY, HOME SALES, PET STORE	COMMERCIAL
564	SELF-SERVICE LAUNDRY/DRY CLEANING	COMMERCIAL
569	PROFESSIONAL SUPPLIES	COMMERCIAL
571	SERVICE STATION	COMMERCIAL
579	MOTOR VEHICLE, BOAT SALES/SERVICE/REPAIRS	COMMERCIAL
580	GENERAL ITEM STORES, OTHER	COMMERCIAL
581	DEPARTMENT STORE	COMMERCIAL
592	BANK W/FIRST STORY BANKING FACILITY	COMMERCIAL
593	MEDICAL, RESEARCH, SCIENTIFIC OFFICE	COMMERCIAL
596	POST OFFICE OR MAILING FORMS	INSTITUTIONAL
599	BUSINESS OFFICES	COMMERCIAL
600	BASIC INDUSTRY, UTILITY, DEFENSE OTHER	INDUSTRIAL/WAREHOUSE
615	ELECTRIC GENERATING PLANT	INDUSTRIAL/WAREHOUSE
629	LABORATORIES	INDUSTRIAL/WAREHOUSE
631	NATIONAL DEFENSE SITE/MILITARY SITE	INSTITUTIONAL
632	RADIO, RADAR SITE	INDUSTRIAL/WAREHOUSE

Fixed Property Use	Description	Category Assigned
635	COMPUTER, DATA PROCESSING CNTR	INDUSTRIAL/WAREHOUSE
639	COMMUNICATIONS CENTER	INDUSTRIAL/WAREHOUSE
640	UTILITY, ENERGY DISTRIBUTION CNTR OTHER	INDUSTRIAL/WAREHOUSE
642	ELECTRIC TRANSMISSION DISTIB. SYSTEM	INDUSTRIAL/WAREHOUSE
644	GAS DISTRIBUTION SYSTEM, PIPELINE	INDUSTRIAL/WAREHOUSE
645	FLAMMABLE LIQUID SYSTEM, PIPELINE	INDUSTRIAL/WAREHOUSE
647	WATER UTILITY	INDUSTRIAL/WAREHOUSE
648	SANITARY SERVICE	INDUSTRIAL/WAREHOUSE
669	FOREST, TIMBERLAND	LAND
700	MANUFACTURING PROPERTY, PROCESSING	INDUSTRIAL/WAREHOUSE
800	STORAGE PROPERTY OTHER	INDUSTRIAL/WAREHOUSE
807	OUTSIDE MATERIAL STORAGE AREA	NON-SPECIFIC
808	SHED	NON-SPECIFIC
839	REFRIGERATED STORAGE	INDUSTRIAL/WAREHOUSE
880	VEHICLE STORAGE; OTHER	INDUSTRIAL/WAREHOUSE
881	RESIDENTIAL PARKING STORAGE	INDUSTRIAL/WAREHOUSE
882	GENERAL VEHICLE PARKING GARAGE	INDUSTRIAL/WAREHOUSE
888	FIRE STATIONS	, INSTITUTIONAL
891	GENERAL WAREHOUSE	INDUSTRIAL/WAREHOUSE
898	WHARF, PIER	INDUSTRIAL/WAREHOUSE
899	RESIDENTIAL OR SELF STORAGE UNITS	, INDUSTRIAL/WAREHOUSE
900	OUTSIDE, SPECIAL PROPERTIES; OTHER	NON-SPECIFIC
919	DUMP SANITARY LANDFILL	NON-SPECIFIC
921	BRIDGE, TRESTLE	NON-SPECIFIC
922	TUNNEL	NON-SPECIFIC
926	OUTBUILDING, EXCLUDING GARAGE	NON-SPECIFIC
931	OPEN LAND, FIELD	LAND
935	CAMPSITE WITH UTILITIES	COMMERCIAL
936	VACANT LOT	LAND
937	BEACH	NON-SPECIFIC
938	GRADED AND CARED FOR PLOTS OF LAND	LAND
940	WATER AREAS, OTHER	NON-SPECIFIC
941	IN OPEN SEA, TIDAL WATERS	NON-SPECIFIC
946	LAKE/RIVER/STREAM	NON-SPECIFIC
951	RAILROAD RIGHT OF WAY	NON-SPECIFIC
952	SWITCH YARD, MARSHALLING YARD	NON-SPECIFIC
960	STREET, OTHER	NON-SPECIFIC
961	DIVIDED HIGHWAY, HIGHWAY	NON-SPECIFIC
962	PAVED PUBLIC STREET, RESIDENTIAL	NON-SPECIFIC
963	PAVED POBLIC STREET, RESIDENTIAL PAVED PRIVATE STREET, COMMERCIAL	NON-SPECIFIC
965	UNCOVERED PARKING AREA	NON-SPECIFIC
972	AIRCRAFT RUNWAY	COMMERCIAL
973	TAXIWAY/UNCOV PARK/MAINT AREA	COMMERCIAL
974	AIRCRAFT LOADING AREA	COMMERCIAL
981	CONSTRUCTION SITE	NON-SPECIFIC

Fixed Property Use	Description	Category Assigned
982	OIL, GAS FIELD	NON-SPECIFIC
983	PIPELINE, POWER LINE RIGHT OF WAY	NON-SPECIFIC
984	INDUSTRIAL PLANT YARD	INDUSTRIAL/WAREHOUSE
NNN	NONE	NON-SPECIFIC
UUU	UNDETERMINED	NON-SPECIFIC