



#### What is Blue-Green Algae?

- A naturally occurring aquatic microorganism that depends on sunlight to grow, similar to plants.
- Found in freshwater environments throughout the world.
- Quickly multiply in water bodies with high nutrients.
- Certain types of algae may contains toxins



#### What Causes Algae Blooms?



Photo credit: www.tcpalm.com

- Warm temperatures and calm water conditions
- Common in South Florida during summer and early fall
- Blooms are often associated with significant rainstorms or freshwater releases from inland canals which discharges nutrient laden water into coastal estuaries
- Major Blue-Green Algae Bloom on Treasure Coast in 2016

#### What Are the Environmental Impacts?

- Under normal conditions:
  - Sunlight penetrates the water and promotes growth of aquatic plants
  - Plants produce oxygen
  - Fish thrive
- During an algae bloom:
  - Sunlight is blocked by algae
  - Excessive nutrients in water are consumed
  - Decomposing algae uses up oxygen
  - Lack of oxygen causes fish kills
  - Addl impacts if algae contains toxins





Photo credit: www.tcnalm.con




#### 2017 Algal Bloom

- Aug 22 -First complaint received,
   South Fork of New River
- Aug 27 Las Olas Isles and Lauderdale Isles
- Aug 29 Citrus Isles
- Aug 28 City inspects waterways and sends water sample to a private lab

#### **City Sample Results**

- Private lab identifies various algae including a potentially toxic algae: Microcystic spp
- Private lab recommends toxins analysis of original sample
- Private lab reports toxins present in the single sample submitted
- FDEP contacted but no specific action is recommended






Microcystis spp. at 40X






#### What Is Being Done about Algal Blooms?

- City inspectors continued to visually monitor the waterways
- FDEP inspected and sampled
- Broward County conducted water quality testing
- Strategic Communication provided outreach to neighbors







#### ArcGIS ♥ Florida Algal Bloom Sample Collection View



## CITY OF FORT LAUDERDALE PUBLIC WORKS DEPARTMENT

• 9 of 18 sites inspected also sampled

- Only one tested positive for microcystin toxin on 9/25/2017
- Last recorded sample taken 10/30
- No algae blooms detected by City staff since early November 21

#### Algae Blooms have Dissipated





Algal blooms had substantially dissipated by Nov 1.





Pictures are from Nov 15 City inspections.





#### Algal Bloom Water Quality Sampling



#### **Five Sites**

- 1) East of Royal Plaza
- East Las Olas (Background) 2)
- East of Bontona 3)
- 4) East of Lido
- **East of Coral Way** 5)

#### **Four Dates**

9/5\*

9/20\*

9/27

10/2

DNA Bacteria Source Sampling

Page 11 of 21



#### Algal Bloom Water Quality Sampling

Nutrients (NH<sub>4</sub>, NO<sub>2</sub>, NO<sub>3</sub>, oPO<sub>4</sub>, TKN)



- Nutrient concentrations relatively low
  - May be due to active uptake by algae



## Algal Bloom Water Quality Sampling CHLOROPHYLL a (FDEP Std -12 µg/l)



| SAMPLING SITES                 | Times Std Exceeded                   |
|--------------------------------|--------------------------------------|
| 1 - East of Royal Plaza        | 2 of 4 (10.6-186 μg/l)               |
| 2 - East Las Olas (Background) | 0 of 4 (1.98-4.45 μg/l)              |
| 3 - East of Bontona            | 2 of 3 (8.43-18 μg/l)                |
| 4 - East of Lido               | 2 of 3 (6.41-48.3 μg/l)              |
| 5 - East of Coral Way          | 2 of 2 (19.9-35.6 <sub>κ</sub> μg/1) |

#### SITE 49 - estuarine


Sospiro Canal, Hendricks Isle, at Las Olas Isle Bridge Water Body ID (WBID) # 3226G4





**Chlorophyll** is an indicator of algae and other plant materials in the water column.

Spikes common in summer and fall sampling.







## Algal Bloom Water Quality Sampling E.coli, Enterococci and Fecal Coliform



| <b>Bacterial Test</b> | Date of Exceedance | Sites Where Std Exceeded            |
|-----------------------|--------------------|-------------------------------------|
| E. coli               |                    | 0 (16 samples)                      |
| Enterococci           | Sep 27             | 1, 3, and 5                         |
|                       | Oct 2              | 3, 4, and 5                         |
| Fecal Coliform        | Sep 20             | 1, 3, 4, and 5                      |
|                       | Oct 2              | CAM 17-1511 Exhibit 1 Page 15 of 21 |




## Algal Bloom Water Quality Sampling DNA Source Tracking HF183



#### Test Indicates human source fecal contamination

- Detected at all sites for both sampling dates
- 7 of 8 samples averaged 344 HF 183 target copies for 100 ml
- One sample, Site 4 = 10,596 on Sep 20



# Bacteria Source Sampling Sites in Broward County and Fort Lauderdale

- Map identifies sources of concern
- 2 rounds of sampling –
   Pre-Irma
- 7 dates collected
- 10 Broward sites sampled
- HF 183 detected in 17 of 18 samples



## What Causes Bacteria in Coastal Waterways?






- Birds, manatees and other wildlife
- Stormwater runoff of pet waste
- Septic tanks and sewage releases
- Live-aboard boat discharges
- Warm temperatures and calm water conditions increase survivability of bacteria

### Historic Concentrations of Fecal Coliform

Water Quality Site 15 = Andrews Avenue and New River. The majority of water bodies in Broward County are impaired for fecal coliform bacteria.



Figure IV.52 (Cont.). Fecal Coliform (FC) Concentrations Observed in the New River Basin over Three Time Periods. Concentrations are categorized in terms of compliance with the Broward County marine FC standards which state the monthly average shall be equal to or less than 200 colonies/100 ml (good rating) and no single reading shall be above 800 colonies/100 ml (poor rating). Values between 201 and 800 colonies per 100 ml are defined as fair.



## Total Maximum Daily Loads (TMDLs)

"A calculation of the maximum amount of a pollutant that a waterbody can receive and still safely meet water quality standards."

The majority of water bodies in Broward County are impaired for fecal coliform bacteria.





