

January 21, 2020
Regular Meeting
PH-2
Revised
EXHIBIT 5

ORDINANCE NO. C-20-

AN ORDINANCE OF THE CITY OF FORT LAUDERDALE, FLORIDA AMENDING THE FUTURE LAND USE ELEMENT AND THE GENERAL SANITARY SEWER, SOLID WASTE, DRAINAGE, POTABLE WATER, AND NATURAL GROUNDWATER AQUIFER RECHARGE ELEMENT AS INCORPORATED IN THE INFRASTRUCTURE ELEMENT OF THE FORT LAUDERDALE COMPREHENSIVE PLAN TO UPDATE THE GOALS, OBJECTIVES AND POLICIES RELATED TO THE CITY OF FORT LAUDERDALE WATER SUPPLY FACILITIES WORK PLAN.

WHEREAS, pursuant to Ordinance No. C-08-18 adopted by the City Commission of the City of Fort Lauderdale on May 6, 2008, the City Commission adopted the 2008 Fort Lauderdale Comprehensive Plan for the City of Fort Lauderdale ("Plan"); and

WHEREAS, the Planning and Zoning Board at its meeting of November 20, 2019, recommended that the City Commission of the City of Fort Lauderdale amend the Future Land Use Element and Infrastructure Element of the 2008 Fort Lauderdale Comprehensive Plan to update the goals, objectives and policies related to the City's Water Supply Facilities Work Plan, General Sanitary Sewer, Solid Waste, Drainage, Potable Water and Natural Groundwater Aquifer Recharge Element; and

WHEREAS, the City of Fort Lauderdale wishes to adopt the proposed amendments to the City of Fort Lauderdale Comprehensive Plan as provided herein and transmit the proposed amendments to the Florida Department of Economic Opportunity and other reviewing agencies; and

WHEREAS, the City Commission of the City of Fort Lauderdale, Florida held a public hearing on January 21 2020, which hearing was advertised in accordance with the provisions of Section 163.3184(11) of the Florida Statutes; and

WHEREAS, the Department of Sustainable Development transmitted the proposed amendments, supporting data and analysis to the applicable reviewing agencies; and

WHEREAS, the City Commission of the City of Fort Lauderdale, Florida held a public hearing on _____, which hearing was advertised in accordance with the provisions of Section 163.3184(11) of the Florida Statutes;

January 11, 2020
Regular Meeting
S-4-5
Revised
2020-01-11

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COMMISSION OF THE CITY OF FORT LAUDERDALE, FLORIDA:

SECTION 1. That the Infrastructure and Future Land Use Elements of the 2008 Fort Lauderdale Comprehensive Plan shall be amended as described in the Exhibit attached hereto.

SECTION 2. That if any clause, section or other part of this Ordinance shall be held invalid or unconstitutional by any court of competent jurisdiction, the remainder of this Ordinance shall not be affected thereby, but shall remain in full force and effect.

SECTION 3. That all ordinances or parts of ordinances in conflict herewith, be and the same are hereby repealed.

SECTION 4. That the Department of Sustainable Development is hereby authorized to transmit the proposed amendments, supporting data and analyses to the applicable reviewing agencies.

SECTION 5. That this Ordinance shall be in full force and effect upon the date when the compliance review requirements as provided in Chapter 163, Florida Statutes, have been met.

PASSED FIRST READING this the _____ day of _____, 2020.

PASSED SECOND READING this the _____ day of _____, 2020.

Mayor
DEAN J. TRANTALIS

ATTEST:

City Clerk
JEFFREY A. MODARELLI



Amendments to Comprehensive Goals, Objectives, and Policies Related to the 10-Year Water Supply Facilities Work Plan 2020 Update

Future Land Use Element

POLICY 1.1.6: Provide for approximately ~~170~~¹⁹⁷ gallons per capita per day of water service. Actual gallon per day figures shall be adjusted based upon the type of use.

Policy 1.1.7: Coordinate water supply planning and land use planning activities of the City with municipalities receiving water from the City and providing water to the City to ensure that water needs of the City's residents are met.

EVALUATION MEASURE FLU 1.1.7: Implementation of water supply projects described in the 10-Year Water Supply Facilities Work Plan.

Policy 1.1.7a: The City shall maintain a 10-Year Water Supply Plan and update this plan within eighteen (18) months of any update to the regional plan adopted by the South Florida Water Management District.

Policy 1.1.7b: Maintain consistency between the demand calculations in the Water Supply Facilities Work Plan and the population projections contained in the Future Land Use Element.

Policy 1.1.7c: Monitor water demand needs and land use planning in municipalities receiving water from the City and providing water to the City.

Policy 1.1.7d: Assess the Water Supply Facilities Work Plan as part of the Evaluation and Appraisal Report analysis.

Policy 1.1.7e: Work with Broward County and other municipalities to update the Broward County Population Forecasting Model. Wholesale user agreement shall meet the demand projected by the Broward County Population Forecasting Model. Monitoring of population projections for retail customers outside the City limits will be accomplished through the Broward County Population forecasting Model and annual confirmation of those projections with each City.

~~POLICY 1.1.7: Provide for the following levels of service for sanitary sewer: single family detached housing units; 350 gallons per day per housing unit; other residential buildings; 250 gallons per day per housing unit; hotel/motel; 150 gallons per day per bedroom; office, retail and warehouse uses; 1 gallon per square foot per day; institutional uses; 200 gallons per day per bed; restaurant; 30 gallons per seat per day.~~

Infrastructure Element

OBJECTIVE 2.3: Meet Level of Service Demand in an Efficient, Economical and Environmentally Sensitive Manner ~~The City shall, through the coordination of land use planning with water supply planning and management, provide potable water service to meet the demands of the service area in an efficient, economical and environmentally sensitive manner. The City shall provide potable water service to meet the demands of the service area in an efficient, economical and environmentally sensitive manner through 2025. The City shall coordinate land use planning with the management of water source and supply plans~~



~~through the Comprehensive Plan, local water supply initiatives and the 2013 Lower East Coast (LEC) Water Supply Plan Update (adopted September 12, 2013). The City's 10-Year Water Supply Facilities Work Plan (adopted April 7, 2015) shall be incorporated wholly into the Infrastructure Element of the Comprehensive Plan.~~

POLICY 2.3.1: The level of service for potable water shall be 170 ~~197~~ gallons per capita per day.

POLICY 2.3.5: Implement the City's 10-Year Water Supply Facilities Work Plan.

POLICY: 2.3.6: Maintain a Water Supply Facilities Work Plan for at least a 10-year planning period addressing water supply facilities necessary to serve existing and future development within the County's water service areas and support other local and regional water supply plans. The Work Plan shall be incorporated wholly into the Infrastructure Element of the Comprehensive Plan and be supported by data and analysis contained in Volume II of the Comprehensive Plan.

POLICY: 2.3.7: Coordinate and be consistent with the South Florida Water Management Districts LEC Plan when proposing or amending the Water Supply Facilities Work Plan. Update the City's Work Plan within 18 months following an update to the LEC Plan and be documented in the text of the Work Plan. Where appropriate and feasible, the Work Plan shall include collaborative approaches with other local governments for water supply source use and water treatment technology.

Policy 2.3.8: The City shall continue to evaluate alternative potable water supply sources including reverse osmosis techniques and desalinization.

Policy 2.3.9 The City shall continuously evaluate techniques and technologies for water capture and reuse, including rainwater harvesting, and revise its land development regulations as necessary to allow for these options with local building design.

~~POLICY 2.3.8: Reduce water demand to 170 gallons per capita per day through conservation strategies by the year 2028.~~

Conservation Element

POLICY 1.4.1: Continue source-water (wellfield) monitoring and protection programs and proactively address potential impacts on the coastal aquifer from increased chlorides due to flooding of coastal and tidally influenced bodies of water that may occur with more intense storms, rising sea levels, increased drought and other impacts of climate change.

Capital Improvements Element

OBJECTIVE 1.6: The Capital Improvements Element will be reviewed annually as a function of the Community Investment Plan preparation process to provide for the capital needs of the City to accommodate projected growth and redevelopment/ revitalization efforts, to maintain existing facilities and to replace obsolete or deteriorated facilities.

Evaluation Measure: Record of annual update and adoption of the Community Investment Plan by ordinance.



POLICY 1.6.1: The five-year capital improvement schedule of the Capital Improvement Element shall incorporate by reference the Community Investment Plan as adopted and as amended annually by the City Commission.

POLICY 1.6.2: Top priority will be given to appropriate levels and schedules of recapitalization including quantity, replacement cost, life cycle and annual depreciation/recapitalization needs when developing budget recommendations for the Community Investment Plan.

POLICY 1.6.3: Top priority will be given to appropriate levels and schedules of recapitalization when developing budget recommendations for the CIP.

POLICY 1.6.4: A high priority is to be placed on replacement of capital improvements when such improvements have deteriorated to the point of becoming hazardous, incur high maintenance costs, are negatively affecting property values, and are no longer functionally serving their intended purposes. The nature of use will determine whether the funding will be from general revenues or enterprise fund activities.

POLICY 1.6.5: Utilize existing intergovernmental coordination mechanisms to coordinate planning for City improvements with plans of state agencies, the South Florida Water Management District, the County and adjacent municipalities.