FLORIDA DEPARTMENT OF TRANSPORTATION - DISTRICT FOUR MAINTENANCE MEMORANDUM OF AGREEMENT

This **AGREEMENT**, made and entered into this _____day of _____, 2020, by and between the **STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION**, a component agency of the State of Florida, hereinafter called the **DEPARTMENT**, and **City of Fort Lauderdale**, a municipal corporation existing under the Laws of Florida, hereinafter called the **AGENCY**.

WITNESSETH:

WHEREAS, the **DEPARTMENT** has jurisdiction over State Road A1A at Terramar Street (M.P.) 2.862; and

WHEREAS, the **DEPARTMENT** seeks to install and have maintained by the **AGENCY** certain highway improvements; and

WHEREAS, as part of the continual updating of the State of Florida Highway System, the **DEPARTMENT**, for the purpose of safety, protection of the investment and other reasons, has constructed and does maintain State Road A1A at Terramar Street (M.P.) 2.862 (within the limits of the AGENCY); and

WHEREAS, it is the intent of the AGENCY and the DEPARTMENT that the AGENCY shall maintain the powder black color coated painted mast arm assemblies (includes upright pole and arm), within the project limits under Project Number 436219-3-72-01 at the intersection of State Road A1A at Terramar Street (M.P.) 2.862; hereinafter called IMPROVEMENTS; and

WHEREAS, the Project involves the scope of work as described within Exhibit A (Project Location and Location Map) and Exhibit B (Signalization Plans), which will benefit the AGENCY; and

WHEREAS, Broward County (the maintaining signal agency), has no objection to this project as indicated in **Exhibit C** (Broward County Acknowledgement Letter); and

WHEREAS, the parties hereto mutually recognize the need for entering into an AGREEMENT designation and setting forth the responsibilities of each party; and

WHEREAS, the AGENCY by Resolution No. ______dated ______, 20____ attached hereto and by this reference made a part hereof, desires to enter into this AGREEMENT and authorizes its officers to do so;

NOW THEREFORE, for and in consideration of the mutual benefits to flow each to the other, the parties covenant and agree as follows:

1. The recitals set forth above are true and correct and are deemed incorporated herein.

2. INSTALLATION OF FACILITIES

The **DEPARTMENT** shall construct under Project Number **436219-3-72-01** the **IMPROVEMENTS** as detailed in **Exhibit A** and **Exhibit B**, which will benefit the **AGENCY**.

- 3. MAINTENANCE OF FACILITIES
 - A. The **AGENCY** agrees to maintain the **IMPROVEMENTS** as provided herein. Maintenance by the **AGENCY** will include repair, restoration, and general maintenance of the solar black color coated painted mast arm assemblies (includes upright pole and arm) within the project limits.
 - The AGENCY shall be solely responsible for the maintenance and preservation of the IMPROVEMENTS within the project limits. The AGENCY shall inspect the painted color coatings on a yearly basis. All Maintenance or restoration activities shall be performed in accordance with a Maintenance Plan, as approved by the DEPARTMENT, as per the requirements in Exhibit D (Maintenance Plan Requirements).
 - 2) The above-named functions to be performed by the AGENCY may be subject to periodic inspections by the DEPARTMENT at the discretion of the DEPARTMENT. Such inspection findings will be shared with the AGENCY and shall be the basis of all decisions regarding, reworking or AGREEMENT termination. The AGENCY shall not change or deviate from the AGENCY's approved Maintenance Plan as referenced in Exhibit D without written approval from the DEPARTMENT.
 - 3) The **AGENCY** shall be solely responsible for any damages to surrounding property, real estate, vehicles, pedestrians, attachments to the light poles, or other assets occurring as a result of maintaining the painted color coating operations and shall repair such damage to the satisfaction of the **DEPARTMENT** at no expense to the **DEPARTMENT**.
 - B. It is understood and agreed by the parties that upon "final acceptance" (as that term is described in the Standard Specifications for Roadway and Bridge Construction, as amended by contract documents section 5-11) by the DEPARTMENT of the Project and Notice thereof to the AGENCY, the AGENCY shall be responsible for maintenance of the Project in accordance with the following Federally and State accepted standards (current editions at the time of execution and all amendments thereafter) of this AGREEMENT and any amendments hereafter) and all costs related thereto: (a) FDOT Design Manual (FDM), (b) FDOT Plans Preparation Manual (PPM), (c) Florida Green Book, (d) Standard Specifications for Roadway and Bridge Construction, (e) FDOT Design Standards, (f) Manual on Uniform Traffic Control Devices (MUTCD) and (g) Maintenance Rating Program (MRP).
 - The AGENCY shall be responsible for the IMPROVEMENTS as referenced in Exhibit A immediately after final acceptance of the construction project by the DEPARTMENT.

- C. Maintenance shall include but not be limited to graffiti removal (Graffiti is defined as painting, writing, and stickers on any part of the mast arm assembly), spot painting and/or repairing of any parts of the painted mast arm assembly.
- D. All IMPROVEMENTS shall at all times have a notification sign posted with the name and phone number of the department within the AGENCY responsible for maintenance of the IMPROVEMENTS so that members of the public may contact AGENCY regarding problems with the IMPROVEMENTS. The AGENCY shall promptly respond and correct all complaints regarding maintenance. The IMPROVEMENTS to be constructed with this project shall not contain advertising. Nor shall advertising be placed upon them by any party in the future.
- D. The above named functions to be performed by the **AGENCY** may be subject to periodic inspections by the **DEPARTMENT** at the discretion of the **DEPARTMENT**. Such inspection findings will be shared with the **AGENCY** and shall be the basis of all decisions regarding, repayment, reworking or **AGREEMENT** termination.
- E. Any work impacting traffic flow on State Road A1A at Terramar Street (M.P.) 2.862 must be coordinated with the **DEPARTMENT**. Lane closures must be submitted for approval in accordance with **DEPARTMENT** procedures and policies and will meet the goals established in the **DEPARTMENT**'s Open Roads Policy.
- 4. NOTICE OF MAINTENANCE DEFICIENCIES
 - A. If, at any time while the terms of this **AGREEMENT** are in effect, it shall come to the attention of the **DEPARTMENT** that the **AGENCY's** responsibility as established herein or a part thereof is not being properly accomplished pursuant to the terms of this **AGREEMENT**, the **DEPARTMENT** may issue a written notice, that a deficiency or deficiencies exist(s), by sending a certified letter to the **AGENCY**, in care of the CITY OF FORT LAUDERDALE, CITY MANAGER, to place the **AGENCY** on notice regarding its maintenance deficiencies. Thereafter, the **AGENCY** shall have a period of sixty (60) days within which to correct the citied deficiency or deficiencies. If said deficiencies are not corrected within the time period, the **DEPARTMENT** may, at its option, proceed under one or more or a combination of the following items:
 - The **DEPARTMENT** may repair any item or a number of items. Corrective actions will be performed with the **DEPARTMENT** and/or its independent contractor's materials, equipment and personnel. The actual cost for such work will be charged to the **AGENCY**.
 - 2) If the AGENCY does not maintain the powder black color coated painted mast arm assemblies (includes upright pole and arm), the DEPARTMENT may remove all the solar black color coated painted mast arm assemblies (includes upright pole and arm) and repair or replace any damaged galvanizing with DEPARTMENT and/or its independent contractor's materials, equipment and personnel. The actual cost for such work will be charged to the AGENCY.
 - 3) The DEPARTMENT may remove or replace any item or number of items with the standard DEPARTMENT item. Corrective actions will be performed with the Page 3 of 32

DEPARTMENT and/or its independent contractor's materials, equipment and personnel. The actual cost for such work will be charged to the **AGENCY**.

- 4) At the discretion of the DEPARTMENT, terminate the AGREEMENT in accordance with Paragraph 7 of this AGREEMENT and remove, by the DEPARTMENT or its Contractor's personnel, all of the IMPROVEMENTS installed under this AGREEMENT and charge the AGENCY the reasonable cost of such removal.
- 5. FUTURE DEPARTMENT IMPROVEMENTS

It is understood between the parties hereto that the **IMPROVEMENTS** covered by this **AGREEMENT** may be removed, relocated or adjusted at any time in the future as determined to be necessary by the **DEPARTMENT** in order that the adjacent state road be widened, altered or otherwise changed to meet with future criteria or planning of the **DEPARTMENT**.

6. FUTURE AGENCY IMPROVEMENTS

The **AGENCY** may construct additional improvements within the limits of the right of ways identified as a result of this document, subject to the following conditions:

- A. Plans for any new improvements shall be subject to approval by the **DEPARTMENT**. The **AGENCY** shall not change or deviate from said plans without written approval by the **DEPARTMENT**.
- B. The **AGENCY** shall procure a permit and/or Construction Agreement from the **DEPARTMENT**, as appropriate.
- C. All improvements shall be developed and implemented in accordance with appropriate state safety and roadway design standards.
- D. The **AGENCY** agrees to comply with the requirements of this **AGREEMENT** with regard to any additional improvements installed at no cost to the **DEPARTMENT**.

7. AGREEMENT TERMINATION

This **AGREEMENT** may be terminated under any one (1) of the following conditions:

- A. By the **DEPARTMENT**, if the **AGENCY** fails to perform its duties under this **AGREEMENT**, following ten (10) days written notice. The **AGENCY** shall reimburse the **DEPARTMENT** for any expenditures for the installation of said improvements and the cost to remove and or replace said improvement with the standard improvement or remove in its entirety.
- B. By the DEPARTMENT, for refusal by the AGENCY to allow public access to all documents, papers, letters, or other material subject to the provisions of Chapter 119, Florida Statutes, and made or received by the AGENCY in conjunction with this Page 4 of 32

AGREEMENT.

C. By the **DEPARTMENT** with a six (6) month written notice.

8. AGREEMENT TERM

The term of this **AGREEMENT** commences upon execution by all parties. The term of this **AGREEMENT** shall remain in effect for as long as the **IMPROVEMENTS** shall exist.

9. LIABILITY AND INSURANCE REQUIREMENTS

- A. With respect to any of the **AGENCY'S** agents, consultants, sub-consultants, contractors, and/or sub-contractors, such party in any contract for the **IMPROVEMENTS** shall agree to indemnify, defend, save and hold harmless the **DEPARTMENT** from all claims, demands, liabilities, and suits of any nature arising out of, because of or due to any intentional and/or negligent act or occurrence, omission or commission of such agents, consultants, sub consultants, contractors and/or subcontractors. The **AGENCY** shall provide to the **DEPARTMENT** written evidence of the foregoing upon the request of the **DEPARTMENT**. It is specifically understood and agreed that this indemnification clause does not cover or indemnify the **DEPARTMENT** for its own negligence.
- B. In the event that **AGENCY** contracts with a third party to provide the services set forth herein, any contract with such third party shall include the following provisions:
 - 1) AGENCY'S contractor shall at all times during the term of this AGREEMENT keep and maintain in full force and effect, at contractor's sole cost and expense, Comprehensive General Liability with minimum limits of \$1,000,000.00 per occurrence combined single limit for Bodily Injury Liability and Property Damage Liability and Worker's Compensation insurance with minimum limits of \$500,000.00 per Liability. Coverage must be afforded on a form no more restrictive that the latest edition of the Comprehensive General Liability and Worker's Compensation policy without restrictive endorsements, as filed by the Insurance Services Office and shall name the **DEPARTMENT** as an additional insured.
 - AGENCY'S contractor shall furnish AGENCY with Certificates of Insurance of Endorsements evidencing the insurance coverages specified herein prior to the beginning performance of work under this AGREEMENT.
 - 3) Coverage is not to cease and is to remain in full force and effect (subject to cancellation notice) until all performance required of AGENCY'S contractor is completed. All policies must be endorsed to provide the DEPARTMENT with at least thirty (30) days notice of cancellation and or/or restriction. If any of the insurance coverages will expire prior to the completion of work, copies of renewal policies shall be furnished at least (30) days prior to the date of expiration.

The **AGENCY** shall:

- A. Utilize the U.S. Department of Homeland Security's E-Verify system to verify the employment eligibility of all new employees hired by the **AGENCY** for the work performed under this **AGREEMENT**; and
- B. Expressly require any contractors performing work or providing services pursuant to the state contract to likewise utilize the U.S. Department of Homeland Security's E-Verify system to verify the employment eligibility of all new employees hired by the subcontractor during the contract term.

11. ENTIRE AGREEMENT

This writing embodies the entire **AGREEMENT** and understanding between the parties hereto and there are no other Agreements and understanding, oral or written, with reference to the subject matter (painting of mast arms) hereof that are not merged herein and superseded hereby.

12. LIABILITY

The **DEPARTMENT**, during any fiscal year, shall not expend money, incur any liability, or enter into any contract which, by its terms, involves the expenditure of money in excess of the amounts budgeted as available for expenditure during such fiscal year. Any contract, verbal or written, made in violation of this subsection is null and void, and no money may be paid on such contract. The **DEPARTMENT** shall require a statement from the Comptroller of the **DEPARTMENT** that funds are available prior to entering into any such contract or other binding commitment of funds. Nothing herein contained shall prevent the making of contracts for periods exceeding one (1) year, but any contract so made shall be executory only for the value of the services to be rendered or agreed to be paid for in succeeding fiscal years; and this paragraph shall be incorporated verbatim in all contracts of the **DEPARTMENT** which are for an amount in excess of TWENTY FIVE THOUSAND DOLLARS (\$25,000.00) and which have a term for a period of more than one year.

13. DISPUTES

The **DEPARTMENT'S** District Secretary shall decide all questions, difficulties and disputes of any nature whatsoever that may arise under or by reason of this **AGREEMENT**, the prosecution or fulfillment of the service hereunder and the character, quality, amount and value thereof. Should the **AGENCY** disagree with the **DEPAERTMENT'S** District Secretary's decision, the **AGENCY** may pursue any and all legal and equitable remedies available under this **AGREEMENT**.

14. ASSIGNMENT

This AGREEMENT may not be assigned or transferred by the AGENCY in whole or part

SECTION NO.: 86050 FM NO..: 436219-3-72-01 COUNTY: Broward S.R. No.: SR A1A@TERRAMAR STREET Agreement #: 20191031-1

without the consent of the **DEPARTMENT**.

15. LAWS GOVERNING

This **AGREEMENT** shall be governed by and construed in accordance with the laws of the State of Florida. In the event of a conflict between any portion of the contract and Florida law, the laws of Florida shall prevail. Venue with respect to judicial proceedings arising out of this AGREEMENT shall be in Broward County, Florida.

16. NOTICES

Any and all notices given or required under this **AGREEMENT** shall be in writing and either personally delivered with receipt acknowledgement or sent by certified mail, return receipt requested. All notices shall be sent to the following addresses.

If to the **DEPARTMENT**:

State of Florida Department of Transportation Attention: District Maintenance Engineer 3400 West Commercial Blvd Ft. Lauderdale, FL 33309-3421

If to the **AGENCY**:

City of Fort Lauderdale Attention: Chris Lagerbloom, City Manager 100 N Andrews Avenue Fort Lauderdale, Florida 33301

- 17. Nothing herein shall constitute a waiver of sovereign immunity by the **AGENCY**.
- 18. LIST OF EXHIBITS

Exhibit A: Project Location and Location Map Exhibit B: Signalization Plans Exhibit C: Broward County Acknowledgement Letter Exhibit D: Maintenance Plan Requirements

SECTION NO.: 86050 FM NO.:436219-3-72-01COUNTY:BrowardS.R. NO.:SR A1A@TERRAMAR STREET Agreement #: 20191031-1

IN WITNESS OF THE FOREGOING, the parties have set their hands and seals the day and year first above written.

AGENCY:

ATTEST:

CITY OF FORT LAUDERDALE

Jeffrey A. Modarelli, City Clerk

By: Christopher J. Lagerbloom, ICMA-CM City Manager

(SEAL)

_____ day of _____, 20____

Approved as to form: Alain E. Boileau, City Attorney

By: _

Kimberly Cunningham Mosley Assistant City Attorney

SECTION NO.: 86050 FM NO..: 436219-3-72-01 COUNTY: Broward S.R. No.: SR A1A@TERRAMAR STREET Agreement #: 20191031-1

IN WITNESS OF THE FOREGOING, the parties have set their hands and seals the day and year first above written.

_	PAR	

ATTEST:

STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION

Executive Secretary (SEAL)

Sign: _____ Howard Webb, Director of Operations

Print Name: _____

Date: _____

Legal Review:

Sign: _____ Dawn Raduano, District General Counsel

Print Name: _____

Date: _____

EXHIBIT A

PROJECT LOCATIONS AND LOCATION MAPS

A. PROJECT LOCATIONS

The **AGENCY** shall maintain the powder black color coated painted mast arm assemblies (includes upright pole and arm), within the project limits under Project Number 436219-3-72-01 at the intersection of State Road A1A at Terramar Street (M.P.) 2.862; and

B. LOCATION MAP



SECTION NO.: 86050 FM NO..: 436219-3-72-01 COUNTY: Broward S.R. No.: SR A1A@TERRAMAR STREET Agreement #: 20191031-1

EXHIBIT B


SIGNALIZATION PLANS

Signalization plans digitally signed and sealed by Christine Dalickas, P.E., DRMP, Inc. dated, October 16, 2019, as approved by the **DEPARTMENT.**

SIGNALIZATION PLANS (attached)

Sheets Included:

121KEY SHEET AND TABULATION OF QUANTITIES132SIGNATURE SHEET153GENERAL NOTES154TEMPOARY TRAFFIC CONTROL NOTES165SIGNALIZATION PLAN176MAST ARM TABULATION SHEET187ULTIMATE LOADING198GUIDE SIGN WORKSHEET	PDF Page Number (#)	Plan Sheet (#)	Sheet Description
209MAST ARM ELEVATION21-2210-11MAST ARM DETAILS2312UTILITY LOCATION PLAN24UTV-1VERIFIED UTIITY LOCATE25CTL-1PROJECT CONTROL26GT-1REPORT OF CORE BORINGS	13 15 15 16 17 18 19 20 21-22 23 24 25	3 4 5 6 7 8 9 10-11 12 UTV-1 CTL-1	SIGNATURE SHEET GENERAL NOTES TEMPOARY TRAFFIC CONTROL NOTES SIGNALIZATION PLAN MAST ARM TABULATION SHEET ULTIMATE LOADING GUIDE SIGN WORKSHEET MAST ARM ELEVATION MAST ARM DETAILS UTILITY LOCATION PLAN VERIFIED UTIITY LOCATE PROJECT CONTROL



LICENSE NUMBER 62423	AIA	BRUWARD	436219-3-72-02
		cdalicka	s

CHRISTINE DALICKAS, P.E.

/2/2019 11:

436219-3-72-01

RROWARD


			GRAND	TOTAL	
		436219-3	3-72-01	436219-	3-72-02
	UNIT	PLAN	FINAL	PLAN	FINAL
	HR	16			
	ED	530			
	ED	945			
	ED	45			
	ED	177			
	SF	44			
	SY	38			
	SY	12			
	SY	38			
	LF	89			
	LF	940			
	PI	1			
	PI	1			
	ΕA	7			
	LF	793			
	LF	793			
EATER	ΕA	2			
	ΕA	1			
1BONE	ΕA	1			
I BONE	ΕA	1			
	LS			2	
	AS	3			
GHT,IWAY	AS	1			
	AS	1			
	ΕA	2			
	ΕA	1			
	ΕA	1			
	AS	1			
3 SF	ΕA	2			
	PL	ANS	5		

SHEET

NO.

KEY SHEET AND TABULATION OF QUANTITIES

11:32:10 AM T:\17-0104_038_SR_A1A_at_Terramar_Street\43621937201\signals\keyssg01.dgn



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL


PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

DRMP, INC. 6853 SW 18TH STREET, SUITE 310 BOCA RATON, FL 33433 CERTIFICATION OF AUTHORIZATION CHRISTINE DALICKAS, P.E. NO 62423

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 61G15-23.004, F.A.C.

SIGNALIZATION PLANS

SHEET DESCRIPTION
KEY SHEET AND TABULATION OF QUANTITIES
SIGNATURE SHEET
GENERAL NOTES
TEMPORARY TRAFFIC CONTROL NOTES
SIGNALIZATION PLAN
MAST ARM TABULATION SHEET
ULTIMATE LOADING
GUIDE SIGN WORKSHEET
UTILITY LOCATION PLAN



THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.


DRMP, INC. 941 LAKE BALDWIN LANE ORLANDO, FL 32814 CERTIFICATION OF AUTHORIZATION JOCELYN M. HAISCH-LINN, P.E. NO 60103

THE ABOVE NAMED PROFESSIONAL ENGINEER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 61G15-23.004, F.A.C.

SIGNALIZATION PLANS

SHEET NO. 2 9 10-11 SHEET DESCRIPTION SIGNATURE SHEET MAST ARM ELEVATION MAST ARM DETAILS

	REVI	SIONS		DRMP. INC.		STATE OF F	STATE OF FLORIDA					
DATE	DESCRIPTION	DATE	DESCRIPTION	6853 SW 18th Street, Ste. 310, Boca Raton, FL 33453	DEPA	ARTMENT OF TRA						
				Phone: (561) 451-8124 Fax: (561) 451-8142 Certificate Of Authorization No. 2648	ROAD NO.	COUNTY	FINANCIAL PROJECT IL	2	SI			
					AIA	BROWARD	436219-3-72-01 436219-3-72-02					
	·		•	•	•	cdalick	as	12/2/2019	11:32:1			



2

GENERAL NOTES:

1.

UTILITY OWNERS:
<u>COMPANY</u>
AT&T DISTRIBUTION
BCTED-COPPER INTERCONNECT CABLE
AND FIBER OPTIC CABLE
CITY OF FORT LAUDERDALE
COMCAST CABLE
CROWN CASTLE FIBER
FPL DISTRIBUTION
MCI
TECO PEOPLES GAS

CONTACT OTIS KEEVE ROBERT BLOUNT KEITH HUTCHISON LEONARD MAXWELL-NEWBOLD DANNY HASKETT

BYRON SAMPLE

DEAN BOYERS

DAVID RIVERA

TELEPHONE NUMBERS 954-309-0753 954-847-2745

954-828-7682 754-221-1254 786-610-7073 954-321-2056 469-886-4238 954-453-0794

- 2. THE CONTRACTOR SHALL CONTACT THE CITY OF FORT LAUDERDALE AND CITY OF FORT LAUDERDALE POLICE DEPARTMENT FOURTEEN (14) DAYS IN ADVANCE OF BEGINNING CONSTRUCTION. CONTACT THE CITY OF FORT LAUDERDALE AT 954-828-5000. CITY OF FORT LAUDERDALE POLICE DEPARTMENT AT 954-828-5700.
- 3. THE AGENCY RESPONSIBLE FOR MAINTENANCE OF THE TRAFFIC SIGNALS AND RELATED ITS COMMUNICATIONS EQUIPMENT IS BROWARD COUNTY TRAFFIC ENGINEERING DIVISION (BCTED). ALL TRAFFIC SIGNAL AND RELATED ITS COMMUNICATION EQUIPMENT WHEN USING PAY ITEM SERIES: 632, 650, 653, AND 670 FOR THIS CONTRACT SHALL BE COMPATIBLE WITH BCTED'S CENTRAL COMPUTER NETWORK SYSTEM. PRIOR TO ANY PURCHASING OF THE ABOVE PRODUCTS, ENSURE THEY HAVE BEEN APPROVED FOR SYSTEM COMPATIBILITY BY THE MAINTAINING AGENCY.
- 4. ALL STANDARD SIGNAL PULL BOXES SHALL BE STAMPED "TRAFFIC SIGNAL" ON THE COVER.
- 5. PROJECT ADMINISTRATOR TO CONTACT THE DISTRICT FOUR STRUCTURES MAINTENANCE OFFICE FOR A STRUCTURAL INSPECTION BEFORE FINAL ACCEPTANCE, THE CONTRACTOR SHALL PROVIDE A 30 DAY ADVANCE NOTICE TO DISTRICT 4 STRUCTURES MAINTENANCE OFFICE FOR PRE-CONSTRUCTION MEETING, PRE-ACTIVITY MEETING AND FINAL INSPECTIONS.
- 6. THE CONTRACTOR SHALL CONTACT THE FDOT PROJECT ADMINISTRATOR FOR ALL SIGNALIZATION INSPECTIONS FROM BROWARD OPERATIONS AT 954-776-4300.
- 7. PRIOR TO BEGINNING CONSTRUCTION, CONTRACTOR SHALL PROVIDE WRITTEN NOTICE OF COMMENCEMENT, VIA E-MAIL, TO TEINSPECTION@BROWARD.ORG. NOTICE SHALL INCLUDE THE DATE OF COMMENCEMENT, LOCATION AND TYPE OF WORK, AND INFORMATION REGARDING ANY MALFUNCTIONING EQUIPMENT.
- 8. CONTRACTOR SHALL NOT STOCKPILE MATERIAL EAST OF SR AIA.
- 9. NO NIGHT TIME LIGHTING CAN BE USED DURING TURTLE NESTING SEASON (MARCH TO OCTOBER) UNLESS SUBMITTED AND APPROVED BY THE ENGINEER AND PERMITTING AGENCY.
- IO. PROJECT ADMINISTRATOR TO CONTACT THE CITY OF FT. LAUDERDALE POLICE DEPARTMENT PRIOR TO FINALIZATION TO REVIEW FOR ANY SPECIAL EVENTS THAT MAY BE SCHEDULED.
- II. DUE TO THE PROJECT'S LOCATION WITHIN THE CITY'S ARCHAEOLOGICAL ZONE, SHPO REQUIRES MONITORING BY A QUALIFIED ARCHAEOLOGIST DURING ANY GROUND DISTURBING ACTIVITIES. THE CONTRACTOR IS REQUIRED TO CONTACT THE DISTRICT'S CULTURAL RESOURCES CONTRACT MANAGER AT 954-777-4334 AT LEAST 30 DAYS PRIOR TO GROUND DISTURBING ACTIVITIES. THE DISTRICT WILL PROVIDE THE MONITOR THROUGH THE DISTRICTWIDE CONTRACT. THE CONTRACTOR IS REQUIRED TO INVITE THE DISTRICT'S CULTURAL RESOURCES CONTRACT MANAGER TO THE PRE-CONSTRUCTION MEETING.


PAY ITEM NOTES:

- 102-60, 102-74-1, 102-76 TCP ITEMS BASED ON ESTIMATED 45 DAYS TO COMPLETE. TIME DOES NOT INCLUDE INSPECTION AND ACCEPTANCE.
- 2. 102-99 TCP ITEMS BASED ON ESTIMATED 59 DAYS TO COMPLETE. TIME DOES NOT INCLUDE INSPECTION AND ACCEPTANCE.
- 3. 110-4-10 INCLUDED IN THIS PAY ITEM IS THE SIDEWALK REMOVAL UNDERNEATH THE BRICK PAVERS AND ANY DAMAGED BRICK PAVERS.
- 4. 522-I FOR THE SIDEWALK UNDERNEATH THE BRICK PAVER INSTALLATION.
- 5. 64I-2-70 THE CONTRACTOR SHALL DELIVER ALL REMOVED TRAFFIC SIGNAL EQUIPMENT TO THE BROWARD COUNTY TRAFFIC ENGINEERING DIVISION LOCATED AT: 2300 W COMMERCIAL BLVD, FT. LAUDERDALE, FL 33309. (954) 847-2626. THE CONTRACTOR SHALL CONTACT BCTED SEVEN (7) FULL WORKING DAYS PRIOR TO DELIVERY.
- 6. 649-21-3, 649-21-6 A GIVEN MAST ARM/POLE ASSEMBLY LOCATION SHALL BE FIELD VERIFIED AND IDENTIFIED AS FREE OF CONFLICTS AND/OR OBJECTS BY THE CONTRACTOR PRIOR TO PROCUREMENT OF THE ASSOCIATED TROMBONE MAST ARM/POLE ASSEMBLY. MAST ARMS SHALL BE INSTALLED PERPENDICULAR TO APPROACH.
- 7. 650-1-14, 650-1-18 A REFLECTIVE BORDER SHALL BE INCLUDED IN ALL BACKPLATES FOR THE PROPOSED SIGNALS.
- 8. ALL CONTRACT PAY ITEMS ARE ESTIMATED QUANTITIES. COMPENSATION WILL ONLY BE FOR TASKS. FIELD MEASURED PAY ITEMS, IN PLACE ANDS ACCEPTED.

COMMUNICATIONS NOTES:

- I. THE AGENCY RESPONSIBLE FOR MAINTENANCE OF THE TRAFFIC SIGNALS AND RELATED EQUIPMENT IS BROWARD COUNTY TRAFFIC ENGINEERING DIVISION (BCTED). IF FIBER OPTIC PULL BOXES ALREADY EXIST AT AN INTERSECTION, NO ADDITIONAL FIBER OPTIC PULL BOXES WILL NEED TO BE INSTALLED.
- 2. IF THERE ARE FIBER OPTIC CABLE/S WITHIN YOUR PROJECT LIMITS OR WITHIN 1500 FEET OF YOUR PROJECT LIMITS CONTACT THE COMMUNICATIONS MANAGER AT TECOMMUNICATIONS@BROWARD.ORG OR 954-847-2745.
- 3. IF THERE ARE CELLULAR COMMUNICATIONS WITHIN YOUR PROJECT LIMITS, CONTACT THE COMMUNICATIONS MANAGER AT TECOMMUNICATIONS@BROWARD.ORG OR 954-847-2745.

5. FIBER OPTIC CABLE NOTIFICATION CONTACT PERSON




	R	EVISIONS		DRMP, INC.		STATE OF FL	ORIDA	
DATE	DESCRIPTION	DATE	DESCRIPTION	6853 SW 18th Street, Ste. 310, Boca Raton, FL 33433	DEP	ARTMENT OF TRA		
				Phone: (561) 451-8124 Fax: (561) 451-8142 Certificate Of Authorization No. 2648	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
				CHRISTINE DALICKAS, P.E. LICENSE NUMBER 62423	AIA	BROWARD	436219-3-72-01 436219-3-72-02	

S

TEMPORARY TRAFFIC CONTROL PLAN:


- I. THE CONTRACTOR SHALL NOT PERFORM ANY LANE CLOSURES BETWEEN THE HOURS OF 11:00 AM TO 8:30 PM DURING THE WEEK.
- 2. THE WORK ZONE SPEED LIMIT SHALL BE EQUAL TO THE EXISTING SPEED LIMITS (30 MPH) ALONG THE ROADWAY IN WHICH THE CONTRACTOR IS PERFORMING HIS WORK.
- 3. TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH FDOT STANDARD PLANS 102-600, 102-613 AND 102-660.
- 4. PCMS SHALL BE ADDED DURING CONSTRUCTION AND SHALL STATE THE FOLLOWING:


TWO WEEKS PRIOR TO CONSTRUCTION: DURING CONSTRUCTION:



WORK AHEAD PCMS MESSAGE 2 PROCEED WITH CAUTION


PEDESTRIAN DETOUR ROUTE FOR WORK AT THE INTERSECTION OF SR AIA (FORT LAUDERDALE BEACH BOULEVARD) AT TERRAMAR STREET





	F	REVISIONS		DRMP, INC.				
DATE	DESCRIPTION	DATE	DESCRIPTION	6853 SW 18th Street, Ste. 310, Boca Raton, FL 33433	DEP	STATE OF FL PARTMENT OF TRA		TE
				PHONE: (561) 451-8124 FAX: (561) 451-8142 Certificate Of Authorization No. 2648	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	
				CHRISTINE DALICKAS, P.E. LICENSE NUMBER 62423	A/A	BROWARD	436219-3-72-01 436219-3-72-02	
						cdalic	kas	12/2/2019 11:32:12






SHEET NO.


4

II:32:12 AM T:\7-0104_038_SR_AIA_at_Terramar_Street\43621937201\signals\GNNTSG01.DGN



T:\/7-0I04_038_SR_AIA_at_Terramar_Street\4362I93720I\signals\plansg0I.dgn

11:32:14 AM




TOP OF FOUNDATION ELEVATION

							SIGNAL DATA																SIGN DATA								
11		SHEET	LOCATION	TOP OF FOUNDATION	RDWY ARM	CROWN	SIGNAL	BACK PLATES	PED. SIGNAL		1	D	ISTAI	VCE F	ROM	POLE				TOTAL ARM	ARM										HT AN
NO).	NO.	BY STA.	ELEVATION	NO.	ELEV.	V/H	Y/N	Y/N	1	*	2	*	3	3 * 4		* CAMERA		4 *	LENGTH	M.H.	90/270	A	HI	W/	В	H2	W2	С	H3	W3
/		5	209+59.92	6.93	1	6.9/	Н	Y	N	32.6	3	43.3'	3					37.9		**	**		18.3	' 2	8.5						
					2																										
ź	2	5	210+60.17	6.99	1	7.20	Н	Y	N	18.8'	3	33.6'	5	24.8						**	**		8.1' 2 7								
					2																										
					/										_																
					2										_																<u> </u>
					/										_																
					2										_										_						<u> </u>
					/										_										_	-					<u> </u>
					2										_							_									
					/										_																<u> </u>
					2										_											-					<u> </u>
					/										_										_	-					
					2										_																<u> </u>
					/										_											-					<u> </u>
					2										_											-					<u> </u>
					/										_																
					2										_																<u> </u>
					/										_											-					<u> </u>
					2										_										_	-					
					/										_										_						
					2										_										_						
					/										_										_						
					2										_																
					/										_										_					_	
					2										_															_	
					/										_												_				
					2																										
*	÷* S	SEE SH	EETS 9 THRU II FO	OR ARM MOU	NTING	HEIGHT ,	AND TO	TAL AF	RM LEN	GTH.																					
				R	EVIS	SIONS										D	RMP.	INC.					STA	TE OF	FLORI	DA .					
DATE			DESCRIPTION			DATE			DESCH	RIPTION				6853 S	W 18m	1 Street.	Ste. 3	510. Boca	RATON	s, FL 334	133	DEP.	STATE OF FLORIDA PARTMENT OF TRANSPORTATION								
														F	HONE: (561) 451-	8124	Fax: (56	1) 451	1-8142	ROAD NO. COUNTY				FINANCIAL PROJECT ID						
															UERT	CHRIST	NE DA	IORIZATION LICKAS, P. MBER 62423	.E.	040		A/A	BRC	WARD		436219 436219	9-3-72	2-01	2-01 T A		

* DENOTES NUMBER OF SECTIONS IN SIGNAL HEAD ASSEMBLY

BROWARD 436219-3-72-02

12/2/2019 11:32



MAST ARM TABULATION SHEET SHEET NO:

6

61615-

UNDER RUI

SEALED

AND

SIGNED


THIS SHEET IS THE ELECTRONIC FILE DIGITALLY

OFFICIAL RECORD OF

ΗE

11:32:14 AM

T:\7-0/04_038_SR_AIA_at_Terramar_Street\4362/93720I\signals\MSSGSG0I.DGN



FOR INFORMATION PURPOSES ONLY NOT FOR CONSTRUCTION


*	DENOTES	NUMBER	OF	SECTIONS	IN	SIGNAL	HEAD	ASSEMBLY	

** SEE SHEET 8 FOR ARM MOUNTING HEIGHT AND TOTAL ARM LENGTH.

							SIGNAL DATA														SIGN DATA									
ID NO.	SHEI		LOCATION BY STA.	TOP OF FOUNDATION	RDWY ARM	CROWN ELEV.	SIGNAL V/H	BACK PLATES	PED. SIGNAL				STAN	ICE F	ROM	POLE	1		TOTAL ARM	ARM M.H.	∠ BETWEEN DUAL ARMS			1	1			POLE /		! <i>T</i>
10.	NO		DI STA.	ELEVATION	NO.	ELEV.	1/1	Y/N	Y/N	1	*	2	*	3	*	4	4 * CAMERA *	LENGTH	M.I.	90/270	A	HI	W/	В	H2	W2	С	H3		
1	5	20	09+59.92	6.93	/	6.9/	Н	Y	N	32.6	3	43.3'	3				37.9		**	**		18.3'	2	8.5						
					2		_																							\vdash
2	5	2	10+60.17	6.99	/	7.20	Н	Y	N	18.8'	3	33.6'	5				23.9	'	**	**		8.1'	2	7	23'	3	3			
					2																									<u> </u>
					1		_																							<u> </u>
					2		_											_												1
					/																									
					2													_												
					/																					-				
					2																									
					2																					-				+
																														\vdash
					2																					+				
					2																									
					/																									
					2																									
					1																									
					2																									
					/																									
					2																									
					1																									
					2		_																							\vdash
					/		_																							\vdash
					2		_														_									\vdash
					/		_											_												
					2																									
**	SEE	SHEETS S	9 THRU II FC				AND TO	TAL AF	RM LENG	GTH.																				
DATE			DESCRIPTION	R	EVI	SIONS DATE			DESCR	IPTION							RMP, INC.							FLORI						
									DESCR								Ste. 310, Восл 8124 — Fax: (56					RTMEN								_
														I T		ficate Of Christi	AUTHORIZATION NE DALICKAS, P	No. 26 .E.		F	OAD NO.		WARD		FINANCIA 436219	9-3-72	2-01			U.
																LICENS	E NUMBER 6242	23				טאם			436219	-3-72	2-02			

12/2/2019 11:32

cdalickas



ULTIMATE LOADING

SHEET NO:

7

9

UNDER RU

SEALED

AND

SIGNED

THIS SHEET IS THE ELECTRONIC FILE DIGITALLY

OFFICIAL RECORD OF


ΗE

SIGN NA				SIGN NUMBER	STAT	ION(S)																														
PAI WIDTH	NEL	B0i WIDTH	RDER		none																															
HEIGHT	8 -6 2'-0"	RADII	3"																							8	r'-6"									
LEGEND	White	COLOR																						-												
COLOR		ANCIE	V			117																2.5	?″∓	= N	600	SR udero	•	1 /	N5(50	∓ 2	; <u>,</u> 5″		Ŧ	2,5'	1
SYMBOL	.(5)	ANGLE	X	Ŷ	WID	HT													\mathcal{O}						000	Эп	. A				± 3	, <u> </u>				п
																			\sim			15.5		լե	<u>t La</u>	udero	<u>lale</u>	BC h	<u> </u>		\pm	;"C 5"			15.5	
																								- ⊢	•					╼╢		.•				
																								3"	-		96″			3"						
SIGN NUMBER		CLEARANCE Edge Of Lan		DLUMN SIZE	Al L	VERAGE ENGTH																		-						-						
			+																																	
							NO OF	LIGHT	FIYTUR	FS	FIYTUE	RE SPAC	ING	P	HOTOME	TRIC CL	IRVE			WATT		OLTAGE	1	1												
	1	 N	6	0	0] T		1	T	1	1			<u>/'</u> T	T								I						1		<u> </u>			<u> </u>		
COPY SPACE	. 3		4.4	4.6	3.5	81.8	17.2																								-	+				
COPY	-	N	5	0	0	_	L		 			1																			<u> </u>	$\frac{1}{1}$		<u> </u>		
SPACE	82,2		4.3	4.6	3.5	3	16.8									-								1	+					-		+	-+	\rightarrow	-+	
СОРУ		s	R		A	1	A .	Ì	L								<u> </u>						Ì				1				<u> </u>					
SPACE	29.	8.1	6.5	8	9.3	3.8	8.2	29.1	43.8																											
COPY		F	t		L	a	u	d	e	r	d	a	1	e		В	c	h		В	I	v	d		L						T					
SPACE	3	4.3	2.9	5.4	4.5	4.7	4.9	4.9	4.8	3.1	4.8	4.8	1.9	4.1	5.4	5.1	4.7	4.1	5.4	5.3	1.7	5.2	4.1	3	96											
COPY																																				
SPACE	Ξ																																			
COPY																																				
SPACE																																				
SIGN NA	MESI	GN B	QTY	SIGN	STAT	ION(S)] SIGI	INAME		QTY	SIGN NUMBER	STAT	ION(S)	1					
PA	VEL	BOI	RDER		none									7		L									PANEL		DRDER				1					
WIDTH HEIGHT	7'-0"	WIDTH RADII	1.5"										L	1	'-0"		- 1							WID HEI		WIDT RADI					1					
LEGEND		COLOR										= -												LEG		COLO										
COLOR	Green											"0-, Z	Г	'erra	mar	St]‡	5". 5".F						COL	OR											
SYMBOL	.(S)	ANGLE	X	Y	WID	HT						ù L	. Ľ					8"-						SYI	IBOL(S)	ANGLE	X	Y	WID	HT	1					
														-	"																					
													9"	6.	5.9"	9	•/"														1					
SIGN NUMBER	NUMBER	CLEARANCE Edge Of Lan		DLUMN SIZE		VERAGE ENGTH																		SIG		R CLEARAN	CE CC	LUMN SIZE	A\	VERAGE ENGTH						
			_																								_									
			+																							_	-									
			-				10.25		- WT	r.cl					070.15	TO 10				WATT	<u> </u>	017105	1												IVT	<u> </u>
		<u> </u>	<u> </u>]		LIGHT	FIX TURI			RE SPAC		1	TOTOME	TRIC CL		1		WATT		OLTAGE	<u> </u>				<u> </u>	<u> </u>]		LIGHT F		<u>F</u>	IXTURE	SPACI
COPY SPACE	- 9	T 6.8	e 6	r 4.6	4.2	a 6.2	m 9.4	a 6.2	r 3.7	8	S 7.1	t 3.7	9.1	L 65.9											PY			_	-		+	\vdash	—	-+		
						1	1	1	1			1																	<u> </u>		+					
COPY SPACE				_																					PY				-		+	+	-+	-+		
COPY	- 																								PY						+			—		
SPACE																									ACE						1					
COPY																							1		PY						T					
SPACE	Ξ																								ACE											
COPY																									PY						\Box					
SPACE	-																							SF	ACE											
COPY																								411	PY						\square					
SPACE																								J	ACE											
DATE				DECO	RIPTIO		RE	VISI	ONS DATE	BY				SCRIPT						D	RMP, I	INC.			_			STA TE	OF F	LORID	<i>I</i> A					
DATE				UESU	i 101	TV							UE.		1011				W 18тн ^Р НОПЕ: (54								PARTA				ORTAT			1		
																		ľ	Certif	icate Of	Астно	RIZATION	No. 26		R	DAD NO.		COUNT				<u>AL PROJEC</u> 9-3-72		1	(GU
																						ICKAS, I BER 624				A/A	L	BROWA	ARD	4	136219	9-3-72	2-02	1		
	1	i								1															1		1		cdali					12/2/201		//:32

12/2/2019

CING PHOTOMETRIC CURVE WATT VOLTAGE SHEET NO: IDE SIGN WORKSHEET 8 II:32:15 AM T:\7-0104_038_SR_AIA_at_Terramar_Street\43621937201\stgnals\GSWKSP01.DGN


204 616 RUI R UND B 4 З **DN** 0 SIGNE Ľ TAL DIGI FILE S Ë HE IS HS S H 9 0 R ٩L - Ü 9 Ψ




12-0007.024


12/2/2019 11:49:28 AM

T:\7-0I04_038_SR_AIA_at_Terramar_Street\32_Struct\32=06-Misc-Struct\Mast_Arm\50-ft_MA\MiscStrMastarm0I.DGN





T:V7-0I04_038_SR_AIA_at_Terramar_Street32_Struct32-06-Misc-StructMast_Arm\50-ft_MA\MiscStrMastarm03.DGN



VERIFIED UTILITY LOCATE

	UTILITY DESCRIPTION		MATERIALS	B/	L and/or C/L		EXISTING	ТОР	
Vvh #	(Owner, type)	SIZE	MATERIALS	STATION	OFFSET	LT/RT	GROUND ELEVATION	ELEVATION	
TH1-1	BROWARD COUNTY TRAFFIC, TRAFFIC CONTROL	1" & 2"	PVC	209+62.06	58.44	RT.	6.80'	4.85'	TEST HOLE REV
TH1-2	BROWARD COUNTY TRAFFIC, TRAFFIC CONTROL	1" & 2"	PVC	209+54.86	58.25	RT.	6.83'	4.43'	TEST HOLE REV
TH1-3	EXPLORATORY TEST HOLE	N/A	N/A	209+57.88	61.41	RT.	6.91	N/A	TEST HOLE PER
TH2-1	EXPLORATORY TEST HOLE	N/A	N/A	210+60.91	61.79	RT.	6.89'	N/A	TEST HOLE PER
TH2-2	EXPLORATORY TEST HOLE	N/A	N/A	210+55.34	60.21	RT.	6.97	N/A	TEST HOLE PER

OWNERSHIP IS BASED UPON OBSERVING VISIBLE ABOVE GROUND UTILITY FEATURES AND 1. PROFESSIONAL JUDGEMENT. NO RECORDS RESEARCH WAS PERFORMED BY BOWMAN CONSULTING GROUP.

SURVEYOR'S NOTES:

- HORIZONTAL INFORMATION IS RELATIVE TO THE STATE PLANE COORDINATES, FLORIDA EAST ZONE, NORTH AMERICAN DATUM (NAD) OF 1983/1990 ADJUSTMENT.
- VERTICAL INFORMATION IS RELATIVE TO THE NORTH AMERICAN VERTICAL DATUM 2. (NAVD) OF 1988.
- PROJECT UNITS: U.S. SURVEY FEET З.
- GEOPAK ELECTRONIC DATABASE: JOB030.GPK 4.
- BASELINE OF SURVEY AND ASSOCIATED GEOPAK FILE PROVIDED 5.
- BY THE DEPARTMENT THIS SPECIFIC PURPOSE SURVEY IS TO DETERMINE THE HORIZONTAL AND VERTICAL LOCATION OF 6. THE VACUUM TEST HOLES AS MARKED ON THE SURFACE BY THE SUBSURFACE UTILITY ENGINEERING DEPARTMENT OF BOWMAN CONSULTING GROUP. THE SIGNING SURVEYOR IS CERTIFYING ONLY TO THE LOCATION OF THE TEST HOLES AS MARKED ON THE SURFACE.
- LEGEND: AND B/L BASELINE ΒT BURIED TELEPHONE C/L CENTERLINE DBC DIRECT BURIED CABLE DIP DUCTILE IRON PIPE ELECTRO. ELECTROMAGNETIC FDOT FLORIDA DEPARTMENT OF TRANSPORTATION FΜ FORCE MAIN GROUND PENETRATING RADAR GPR HDPE HIGH DENSITY POLYETHYLENE LT. LEFT N/A NOT APPLICABLE PCONC POURED CONCRETE PSM PROFESSIONAL SURVEYOR AND MAPPER PVC POLYVINYL CHLORIDE RT. RIGHT S.U.E. SUBSURFACE UTILITY ENGINEERING S.R. STATE ROAD ΤH TEST HOLE UNK UNKNOWN VERIFIED VERTICAL ELEVATION Vvh and HORIZONTAL LOCATION W/ WITH
- LIMITS: SR A1A @ TERRAMAR STREET

SURVEYOR'S CERTIFICATION I HEREBY CERTIFY THIS SPECIFIC PURPOSE SURVEY WAS MADE FOR THE PURPOSE OF SURVEYING, OF PROFESSIONAL SURVEYORS AND MAPPERS IN CHAPTER 5J-17 FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 472.027 FLORIDA STATUTES. THIS MAP CONSISTING OF SHEET UTV-1 IS A TRUE, ACCURATE AND COMPLETE DEPICTION OF THE RESULTS OF A FIELD SURVEY PERFORMED UNDER MY DIRECTION AND COMPLETED ON JULY 11, 2019.

SURVEYOR: ADAM C. DAO PSM NUMBER: 6899

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED. THE SIGNATURE MUST BE VERIFIED ON THE ELECTRONIC DOCUMENTS.


THE ABOVE NAMED PROFESSIONAL SURVEYOR & MAPPER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 5J-17.062, F.A.C.

IND	DEX OF SURVEY PLANS
SHEET NUMBER	SHEET DESCRIPTION
UTV-1	VERIFIED UTILITY LOCAT


	R	REVISIONS		ADAM C. DAO, PSM		STATE OF FLO	ORIDA	
DATE	DESCRIPTION	DATE	DESCRIPTION	SURVEYOR LICENSE NUMBER 6899 BOWMAN CONSULTING GROUP, LTD., INC.	DEPA	RTMENT OF TRA	NSPORTATION	
				301 SE OCEAN BLVD. SUITE 301	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	VERIF
				STUART, FLORIDA 34994 CERTIFICATE OF AUTHORIZATION LB8030	S.R. A1A	BROWARD	436219-3-72-01	
						CHEED	<i>#</i>	CDATEC CTIME



VEALED A 2" TRAFFIC CONTROL CONDUIT BELOW THE 1" CONDUIT, COVER OF 2" = 1.97
VEALED A 2" TRAFFIC CONTROL CONDUIT BELOW THE 1" CONDUIT, COVER OF 2" = 2.42'
RFORMED ON PROPOSED MAST ARM LOCATION, NO UTILITY FOUND
RFORMED ON PROPOSED MAST ARM LOCATION, NO UTILITY FOUND
RFORMED ON AT&T LOCATED MARKS TO CONFIRM, NO UTILITIES FOUND



\$FILE\$



				PROJ	ECT CONTROL	POINTS			
POINT NAME	(Y) NORTHING	(X) EASTING	SCALE FACTOR	LATITUDE	LONGITUDE	BASELINE STATION	OFFSET	(Z) NAVD-88	DESCRIPTION
DBLC6	653,260.009	950,366.819	1.00004042	26°07'41.12574"	80°06'11.97243"	198+86.89	68.37' RT	7.39'	FOUND BRASS DISC IN CONCRETE "A1A-86-12-C6"
A1	654,502.121	950,313.759	1.00004039	26°07'53.43066"	80°06'12.46065"	211+25.68	19.21'LT	7.06	SET NAIL & WASHER STAMPED "BEC 0129"
A2	654,380.960	950,387.863	1.00004044	26°07'52.22568"	80°06'11.65678"	210+05.74	56.86' RT	6.77'	SET NAIL & WASHER STAMPED "BEC 0129"
A3	654,228.652	950,378.366	1.00004043	26°07'50.71795"	80°06'11.77250"	208+53.30	49.85' RT	6.73'	SET NAIL & WASHER STAMPED "BEC 0129"
	051,220,052	330,370.300	1.00001015	20 07 5017 1755	00 00 11,7,230	200133.30	15105 111	0.75	SET WILL & WISHER STRINED BEC 0125

SURVEYOR'S NOTES:

1. THE PROJECT BASELINE OF SURVEY FOR S.R. A1A SHOWN HEREON WAS PROVIDED BY THE DEPARTMENT IN ELECTRONIC FORMAT (GPK FILE) RIGHT OF WAY PROJECT FOR S.R. A1A, FPID # 430601-1-52-01.

2. STATION AND OFFSET DATA TO SECONDARY CONTROL POINTS SHOWN HEREON ARE REFERENCED TO SAID BASELINE OF SURVEY FOR STATE ROAD A1A.

3. BEARINGS AND COORDINATES ARE RELATIVE TO THE STATE PLANE COORDINATES, FLORIDA EAST ZONE, NORTH AMERICAN DATUM (NAD) OF 1983 (1990 ADJUSTMENT). A BEARING OF S 13°17'33" E HAS BEEN ESTABLISHED BETWEEN SECONDARY CONTROL POINTS A1 AND A3.

4. COORDINATE VALUES SHOWN HEREON WERE DEVELOPED BY BISCAYNE ENGINEERING VIA GPS REAL TIME KINEMATIC SURVEY METHODS WITH REDUNDANT MEASUREMENTS UTILIZING THE FLORIDA PERMANENT REFERENCE NETWORK (FPRN), CONNECTED TO CONTINUOUSLY OPERATING REFERENCE STATION FTLD. NAD 83 (2011 ADJUSTMENT) COORDINATES WERE TRANSFORMED USING THE DEPARTMENT'S "SHIFT-C" PROGRAM TO CONVERT TO NAD 83 (1990 ADJUSTMENT) COORDINATE VALUES. 5. VERTICAL VALUES SHOWN HEREON ARE IN NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988 AND ARE BASED ON A LEVEL RUN PERFORMED BY BISCAYNE ENGINEERING USING BENCHMARKS PROVIDED BY THE DEPARTMENT ON A PROJECT NETWORK CONTROL FOR STATE ROAD A1A PREPARED BY KEITH & ASSOCIATES, DATED DECEMBER 16, 2013, FPID # 430601-1-52-01:

DBLC6: FOUND BRASS DISC IN CONCRETE STAMPED "A1A-86-12-C6", ELEVATION = 7.387"

6 PROJECT UNITS ARE U.S. SURVEY FEFT

7. FOR ADDITIONAL INFORMATION ABOUT THE METHODOLOGIES EMPLOYED IN THE ESTABLISHMENT OF THE PROJECT NETWORK CONTROL AND SOURCE OF BASELINE OF SURVEY DEPICTED HEREON REFER TO THE SURVEYOR'S REPORT PREPARED BY BISCAYNE ENGINEERING COMPANY, INC. FOR THIS PROJECT, REFERENCE FPID# 436219-3-72-01 DATED 03-29-2019

8. THIS MAP IS NOT COMPLETE WITHOUT THE ACCOMPANYING SURVEYOR'S REPORT PREPARED BY BISCAYNE ENGINEERING AS MENTIONED IN ITEM 7 ABOVE.

FIELD BOOK REFERENCES: 4320043 GEOPAK COGO DATABASE: JOBA1A.GPK

REFERENCE DATA:

1. RIGHT OF WAY PROJECT ELECTRONIC FILES FOR S.R. A1A, BROWARD COUNTY. 2. PROJECT NETWORK CONTROL SHEET, REFERENCE FPID# 430601-1-52-01, PREPARED BY KEITH AND ASSOCIATES, INC., DATED 12-16-2013


ABBREVIATIONS:

- BASELINE NL -NAIL PNC -PROJECT NETWORK CONTROL POT -POINT ON TANGENT
- S.R. -STATE ROAD STA.-STATION

SYMBOLS:

PRIMARY CONTROL POINT, AS DESCRIBED

⊙ - SECONDARY CONTROL POINT, AS DESCRIBED



LIMITS: S.R. A1A AT TERRAMAR STREET INTERSECTION

SURVEYOR'S CERTIFICATION:

I HEREBY CERTIFY THAT THIS SPECIFIC PURPOSE SURVEY WAS MADE FOR THE PURPOSE OF SURVEYING, REFERENCING, DESCRIBING, AND MAPPING THE PRIMARY NETWORK CONTROL OR BASELINE FOR THE TRANSPORTATION FACILITY DEPICTED HEREON AND THAT SAID SURVEY WAS DONE UNDER THE DIRECTION, SUPERVISION, AND RESPONSIBLE CHARGE OF LUIS A. GAZTAMBIDE, PSM 6816, BISCAYNE ENGINEERING COMPANY. (SURVEY DATE 03-20-2019) IN ACCORDANCE WITH CHAPTER 5J-17 FLORIDA ADMINISTRATIVE CODE PURSUANT TO SECTION 472.027 FLORIDA STATUTES. THIS MAP CONSISTING OF SHEET CTL-1 IS A TRUE, ACCURATE, AND COMPLETE DEPICTION OF THE RESULTS OF THE SURVEY DESCRIBED ABOVE.

THIS DOCUMENT HAS BEEN DIGITALLY SIGNED AND SEALED BY:

BISCAYNE ENGINEERING COMPANY, INC. 529 WEST FLAGLER STREET, MIAMI, FL. 33130 CERTIFICATE OF AUTHORIZATION: LB0129 SURVEYOR OF RECORD: LUIS A. GAZTAMBIDE, PSM 6816

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED. THE SIGNATURE MUST BE VERIFIED ON THE ELECTRONIC DOCUMENTS.

THE ABOVE NAMED PROFESSIONAL SURVEYOR & MAPPER SHALL BE RESPONSIBLE FOR THE FOLLOWING SHEETS IN ACCORDANCE WITH RULE 5J-17.062, F.A.C

INDEX OF	SURVEY	PLANS	
CTL-1		PROJECT	CONTROL

	REVIS	SIONS		LUIS A. GAZTAMBIDE		STATE OF FI	LORIDA	
DATE	DESCRIPTION	DATE	DESCRIPTION	PSM NO. 6816, STATE OF FLORIDA BISCAYNE ENGINEERING COMPANY, INC.	DEPA	ARTMENT OF TRAN		
				529 W. FLAGLER STREET,	ROAD NO.	COUNTY	FINANCIAL PROJECT ID	 ブ
				MIAMI, FL 33130 CERTIFICATE OF AUTHORIZATION NO. 0129	S.R. A1A	BROWARD	436219-3-72-01	
-						\$USERs	5	\$DATE\$

	NOT TO SCALE
END & OF SU POT S	RVEY S.R. A1A <u>TA. 212+00.00</u> NOT FOUND N 654,576.123

E 950,334.175

POINTS


PROJECT CONTROL

SHEET NO.

CTL-1

\$TIME\$

\$FILE\$



GITALLY	LEGEN	D:
	ASPHALT	FINE SAND
	LIMEROCK	SILTY SAND
D THE SEAL DOCUMENT ARE AND SEALED BE VERIFIED	LIMESTONE WITH	
ES. S, INC.		
. NO. 42045		
0	⊊ GROUND WATER COMPLETION	LEVEL AT BORING
_	B.T. BORING TERMIN	ATED
_	N: STANDARD PENE (AUTOMATIC HAM	TRATION RESISTANCE MER)
5	W.C.: WATER CONTENT	-
_	O.C.: ORGANIC CONTEN	Т
_	>IO: PERCENT PASSI	NG #10 SIEVE
_	>40: PERCENT PASSI	NG #40 SIEVE
10	>200: PERCENT PASSI	NG #200 SIEVE
_	HAMMER WEIGHT = 140	LB
_	DROP HEIGHT = 30 I	N
_		
DEPTH, FT.	THE TEST BORINGS WER USING A CME-55 TRUCK I	
20	GRANUL	AR MATERIALS:
_	DENSITY	SPT N-VALUE (<u>BLOWS/12_INCHES)</u>
_	VERY LOOSE	(<u>BLOW 3712 INCITE 37</u>
	LOOSE	3-8
	MEDIUM DENSE	8-24
25 	DENSE VERY DENSE	24-40 >40
_	SILTS A	ND CLAYS:
_		SPT N-VALUE
	<u>CONSISTENCY</u> VERY SOFT	(<u>BLOWS/12_INCHES)</u> <1
30	SOFT	/-3
	FIRM	3-6
	STIFF	6-12
_	VERY STIFF	12-24
40	HARD	>24
		REF. DWG. NO.
EPORT OF CORE	E BORINGS	
FORT LAUDERD	ALE BEACH BOULE	ARD AT
ΤΕΡΡΛΜΛΡ		CT 1

GT - 1

2 PM Z:\HR19-1493R Terramar Strret- FDOT D4- TWO 30\Borings\sggeo01.dgn

TERRAMAR STREET

SECTION NO.: 86050 FM NO..: 436219-3-72-01 COUNTY: Broward S.R. No.: SR A1A@TERRAMAR STREET Agreement #: 20191031-1

EXHIBIT C

BROWARD COUNTY ACKNOWLEDGEMENT LETTER (attached)

[The remainder of this page intentionally left blank.]



PUBLIC WORKS DEPARTMENT **TRAFFIC ENGINEERING DIVISION** 2300 W. Commercial Boulevard • Fort Lauderdale, Florida 33309 • 954-847-2600

September 19, 2019

Mr. Mark Plass, P.E. District Traffic Operations Engineer Florida Department of Transportation, District Four 3400 West Commercial Boulevard Fort Lauderdale, FL 33309

Subject:FPID No. 436219-3-72-01 SR A1A at Terramar Street – Signal File No. 2338 Mast-Arm Painting Maintenance by City of Fort Lauderdale

Dear Mark,

Broward County has no objection to the City of Fort Lauderdale painting and/or maintaining the paint finish on the traffic signal trombone mast-arms and related structures at the intersection of SR-A1A at Terramar Street as part of FPID No. 436219-3-72-01. The County does not object to the City of Fort Lauderdale and the Department entering into a maintenance agreement to perform and/or maintain the mast-arm painting in accordance with the District's mast-arm painting procedures and any other applicable paint-over-galvanized steel structure standards and specifications. County staff would appreciate at least seven (7) calendar days notification of any scheduled paint finish maintenance work to avoid any conflicts with any signal equipment maintenance to be performed by our agency.

If you have any questions, please feel free to contact me at (954) 847-2600.

Sincerely,

unden D. Siloo

Andrew G. Sebo, P.E., PTOE Interim Director, Broward County Traffic Engineering Division

cc: Anthony Hui, P.E., Deputy Director, Broward County Public Works Department Yves d'Anjou, P.E., Acting Assistant Director, Broward County Traffic Engineering Division SR A1A at Terramar Street Intersection File (2338)

EXHIBIT D

MAINTENANCE PLAN REQUIREMENTS

The **AGENCY** shall submit to the **DEPARTMENT** a maintenance plan detailing the means and methods for accomplishing repairs to the color coated painted trombone mast arm assemblies (includes upright pole and arm) in accordance with all **DEPARTMENT** Standards, Procedures and Specifications. This plan must be submitted and approved by the **DEPARTMENT** prior to commencing any maintenance or repair activities. The plan should at minimum detail how the **AGENCY** will address the following:

- Providing for continuous traffic control and necessary traffic control devices as required for the safe movement of traffic of vehicular and pedestrian traffic past the location of the structure being repaired for the duration of the repair in accordance with **DEPARTMENT** Standards, Procedures and Specifications.
- 2. Protection of adjacent surrounding property, real estate, vehicles, pedestrians, attachments to the light poles, or other assets during the preparation and recoating of surfaces.
- 3. Containment of debris or materials used in or resulting from the repair.

After the maintenance plan is approved, the **AGENCY** shall submit a work plan to the **DEPARTMENT** for approval prior to each repair to be performed detailing:

- 1. The proposed date of the repair
- 2. The location of the repair
- 3. The nature of the repair
- 4. The materials to be used for the repair
- 5. The methods to be used for the repair