

SECTION No.: 860005000
S.R. No.: 838
PERMIT No(s): 2018-L-491-014
COUNTY: BROWARD

**DISTRICT FOUR (4) AMENDMENT NUMBER FIVE (5) TO STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION LANDSCAPE INCLUSIVE
MEMORANDUM OF AGREEMENT**

THIS AMENDMENT Number Five (5) to the Agreement dated December 12, 2007, made and entered into this _____ day of _____ 20____ by and between the State of Florida Department of Transportation hereinafter called the DEPARTMENT and the **CITY OF FORT LAUDERDALE**, a municipal subdivision of the State of Florida, hereinafter called the AGENCY.

W I T N E S S E T H

WHEREAS, the parties entered into the Landscape Inclusive Maintenance of Agreement dated, December 12, 2007 for the purpose of maintaining the landscape improvements by the AGENCY on various roads including State Road 838 (Sunrise Boulevard); and,

WHEREAS, the DEPARTMENT and the AGENCY have agreed to add additional landscape to be installed on State Road 838 (Sunrise Boulevard) in accordance with the above referenced Agreement; and,

WHEREAS, the parties hereto mutually recognize the need for entering into an Amendment designating and setting forth the responsibilities of each party, and

NOW THEREFORE, for and in consideration of mutual benefits that flow each to the other, the parties covenant and agree as follows:

1. Pursuant to page 1, paragraph 1 of the Landscape Inclusive Maintenance Memorandum of Agreement Amendment Number Two (2) for State Road 838 (Sunrise Boulevard) dated January 3, 2014, the DEPARTMENT will allow the AGENCY to have constructed additional landscape improvements or to modify an improvement located as indicated in **Exhibit "A"**, State Road 838 (Sunrise Boulevard) from M.P. 7.537 to M.P. 7.653, in accordance with the plans attached as **Exhibit "B"**.
2. The AGENCY shall agree to maintain the additional landscape improvements in the Inclusive Agreement described above according the **Exhibit "C"** Maintenance Plan, of the original agreement and add the following provision:

II. Specific Project Site Maintenance Requirements and Recommendations:

All sodding shall be kept free of sunken, bare, or dead spots. Trees shall only be pruned to structurally manage tree architecture with the objective of reducing the failure risk by improving structure and removing dead branches, providing more clearance by raising or reducing the crown, and thinning of the crown to increase light and air penetration. Dead or dying plant materials shall be replaced with the Florida Number 1 materials of the same species and specification as the approved plan. A 3-inch layer of sterilized organic mulch derived from invasive tree species shall be provided no closer than 6" to the base of trees and shall be replenished annually. In other area, a special system of proprietary resin-aggregate pervious tree pit medium of Addapave is provided for trees in sidewalk planter cutouts. The surface shall be restored as needed with identical materials and kept at a maximum slope of 2% in any direction, free of debris and obstruction to allow for safe pedestrian circulation. Invasive exotics shall be removed and eradicated from all landscape areas. Regular inspection to assess the condition of plant materials and landscape areas is recommended to take place as part of regular maintenance operations. Live Oak trees installed in the Right-of-way at this site are best trimmed during the early spring to optimize growth and minimize susceptibility to pests and pathogens associated with wounding when pruned during their dormancy period. Palms and trees may be fertilized during the growing season 2-3 times a year. Lawn fertilization shall take place 3 times during each growing season. Fertilizers shall be kept off impervious surfaces & minimum 15' away from well points and surface water bodies. Structural soil areas shall be maintained free of sunken areas and shall be replenished with structural soils meeting the original specification as needed.

3. Nothing herein shall constitute a waiver of sovereign immunity by the AGENCY.

Except as modified by this Amendment, all terms and conditions of the original Agreement and all Amendments thereto shall remain in full force and effect.

LIST OF EXHIBITS

- Exhibit A - Landscape Improvements Limits and Maintenance Boundaries and Location Map
- Exhibit B - Landscape Improvement Plans

In Witness whereof, the parties hereto have executed with this Amendment effective the 17th day of February year written and approved.

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

By: [Signature]
Transportation Development Director

Attest: [Signature] (SEAL)
Executive Secretary

CITY OF FORT LAUDERDALE, through its
CITY COMMISSIONERS

By: [Signature]
Dean J. Trantalis, Mayor
13 day of January, 2020

[Signature]
Christopher J. Lagerbloom, City Manager

Legal Review

Date

[Signature] 2/13/2020
Office of the General Counsel

Approved as to form by Office of City Attorney

[Signature]
Kimberly Cunningham Mosley,
Assistant City Attorney

ATTEST:

[Signature]
Jeffrey A. Modarelli, City Clerk

(SEAL)

SECTION No.: 860005000
S.R. No.: 838
PERMIT No(s): 2018-L-491-014
COUNTY: BROWARD

EXHIBIT A


LANDSCAPE IMPROVEMENTS PROJECT LIMITS

MAINTENANCE BOUNDARIES LIMITS AND LOCATION MAP

- I. PERMIT LANDSCAPE PROJECT LIMITS:
Section 8602000
State Road 838 (Sunrise Boulevard) from M.P. 7.537 to M.P. 7.653
- II. INCLUSIVE LANDSCAPE MAINTENANCE AGREEMENT LIMITS:
- Section 86110000
State Road 838 (Sunrise Boulevard)
M.P. 5.789 (east of N.W. 24th Avenue) to M.P. 8.161 (State Road 5/US 1)
Entire right of way
- Section 86020000
State Road 838 (Sunrise Boulevard) / State Road 5 (US 1/Federal Highway) M.P. 1.060
(State Road 838/Sunrise Boulevard) to M.P. 1.911 (N.E. 18th Avenue)
Entire right of way
- Section 86005000
State Road 838 (Sunrise Boulevard)
M.P. 0.000 (N.E. 18th Avenue) to M.P. 1.191 (State Road A1A)
Entire right of way
- III. LANDSCAPE IMPROVEMENTS MAINTENANCE BOUNDARY LIMITS MAP:

**All limits of the original agreement and amendments shall apply*

Please See Attached



PROJECT: PROGRESSO COMMONS
 SWC OF SUNRISE BLVD (SR 838) AND ANDREWS AVE

PROJECT NO: F160046 DATE: 3/7/19
 PREPARED BY: DAM SCALE: 1" = 70'

CITY OF FORT LAUDERDALE
 LANDSCAPE IMPROVEMENT
 MAINTENANCE BOUNDARY MAP
 PERMIT NO. 2018-L-491-014

THOMAS
 ENGINEERING GROUP



6300 NW 31ST AVENUE, FORT LAUDERDALE, FL 33309

SECTION No.:	860005000
S.R. No.:	838
PERMIT No(s).:	2018-L-491-014
COUNTY:	BROWARD



EXHIBIT B

LANDSCAPE IMPROVEMENT PLANS

The AGENCY agrees to install the landscape improvements in accordance with the plans and specifications attached hereto and incorporated herein.

Please see attached plans prepared by: Thomas Engineering Group
Ryan J. King Ebrahimian, RLA.

Date: December 6, 2018





SHEET INDEX

DISPOSITION PLAN	L-01
DISPOSITION CHARTS & NOTES	L-02
LANDSCAPE PLAN	L-03
DETAILS, NOTES AND SCHEDULES	L-04
STRUCTURAL SOIL & FOOT CLEARANCE DETAILS	L-05
GENERAL NOTES	L-06
IRRIGATION PLAN	L-07
IRRIGATION SCHEDULES	L-08
IRRIGATION DETAILS	L-09

NOTE: NO EXISTING TREES WITHIN THE FOOT RIGHT OF WAY ARE PROPOSED FOR RELOCATION; SEE SHEET L-2 DISPOSITION CHARTS & NOTES FOR MORE INFORMATION REGARDING EXISTING TREES FOR THIS SITE

LOCATION MAP



Digitally signed by Ryan J. King
 Chairman
 DN: cn=US, o=IdentTrust ACES
 Unaffiliated Individual, cn=Ryan J. King
 097342.1920030010011-A0109
 7C0000015D9A0E01A0000134C0
 Date: 2018.12.06 10:29:41 -05'00'

ALL TREES TO REMAIN SHALL BE STRUCTURALLY PRUNED & TRIMMED UNDER THE SUPERVISION OF AN ISA CERTIFIED ARBORIST

ALL TRIMMING UNDERTAKEN ON A TREE PROTECTED BY THE PROVISIONS OF THE LAND DEVELOPMENT CODE SHALL BE PRUNED IN ACCORDANCE WITH THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) A-300 PRUNING STANDARDS

ALL TREES TO REMAIN MUST BE PROTECTED BY TREE PROTECTION BARRICADES MEETING THE MINIMUM STANDARDS. PROTECTIVE BARRICADES SHALL REMAIN IN PLACE UNTIL LAND ALTERATION AND CONSTRUCTION ACTIVITIES ARE COMPLETED

ALL TREES SCHEDULED TO BE REMOVED OR THAT HAVE BEEN PREVIOUSLY REMOVED & HAVE REMAINING STUMPS, SHALL BE CUT DOWN, STUMP GROUND & SHALL HAVE ALL ROOTS REMOVED

ALL INVASIVE EXOTIC PLANT MATERIALS SHALL BE REMOVED & ERADICATED FROM THE SITE

UNLESS OTHERWISE NOTED, ALL SHRUBS, GROUNDCOVER, ACCENT PLANTS, & SOD NOT DEPICTED ON THIS PLAN ARE TO BE REMOVED FROM THE SITE

- NOTES**
- CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION ALL EXISTING SITE INFORMATION AND UTILITIES. ALL DISCREPANCIES SHALL BE IDENTIFIED TO THE ENGINEER IN WRITING.
 - ALL EXISTING UTILITIES SHALL BE RELOCATED BY CONTRACTOR IN ACCORDANCE WITH CITY AND LOCAL UTILITY COMPANY REQUIREMENTS. ALL RELOCATION DETAILS TO BE PROVIDED BY CONTRACTOR IN ACCORDANCE WITH ALL APPLICABLE REGULATIONS.
 - ALL HYDRANTS SHALL FALL WITHIN 5' OF THE CURB.
 - MINIMUM CLEARANCE AROUND THE HYDRANT CIRCUMFERENCE SHALL BE 4' UP TO 4" SHALL BE THE MINIMUM.
 - ALL FIRE HYDRANTS SHALL BE PROTECTED BY 18" DIAMETER CONCRETE WATER SHIELDS ON SITE BEFORE CONSTRUCTION OF PAVEMENT.
 - CLEAN OUTS SHALL BE INSTALLED IN AVOIDANCE OF THE 18" DIAMETER MARKED SLOPE.

FOOT LANDSCAPE PERMIT NUMBER: 2018-L-491-014

THOMAS

ANDREWS PROJECT DEVELOPMENT, LLC

1001 N. W. 11th St.
 Suite 100
 Fort Lauderdale, FL 33304
 Phone: (954) 551-1111
 Fax: (954) 551-1112
 Email: info@thomascad.com

PROJECT: ANDREWS PROJECT DEVELOPMENT, LLC

SHEET NO: L-01

DISPOSITION PLAN

FORT LAUDERDALE, FLORIDA

TREE NO.	BOTANICAL NAME	COMMON NAME	Gray Wood/Clear Trunk (If applicable)	HT	SPR	DBH	CONDITION	CLASS	COMMENTS	DISPOSITION	NON-SPECIMEN DBH TO BE REPLACED (IN.)
1	Bursera almaruba	Gumbo Limbo		23	20	7	60%	A	OFFSITE	REMAIN	
2	Sabal palmetto	Cabbage Palm	6		8	8			OFFSITE	REMAIN	
3	Sabal palmetto	Cabbage Palm	14		8	10			OFFSITE	REMAIN	
4	Sabal palmetto	Cabbage Palm	14		8	10			OFFSITE	REMAIN	
5	Sabal palmetto	Cabbage Palm	10		8	10			OFFSITE	REMAIN	
6	Sabal palmetto	Cabbage Palm	8		8	10			OFFSITE	REMAIN	
7	Sabal palmetto	Cabbage Palm	10		8	10				REMAIN	
8	Sabal palmetto	Cabbage Palm	10		8	10				Relocate	
9	Schefflera scolimophylla	Umbrella Tree		16	12	10			Invasive exotic	remove	
10	Quercus laurifolia	Laurel Oak		30	32	18	80%	B		remove	7.68
11	Quercus laurifolia	Laurel Oak		28	22	12	60%	B		remove	5.76
12	Sabal palmetto	Cabbage Palm	12		10	10				REMAIN	
13	Pinus elliotti	Slash Pine		50	34	22			OFFSITE	REMAIN	
14	Quercus laurifolia	Laurel Oak		34	30	16	60%	A		remove	7.68
15	Araucaria heterophylla	Norfolk Island Pine		62	13	20			Invasive exotic	remove	
16	Pinus elliotti	Slash Pine		50	30	18	60%	A	Affected area	remove	10.8
17	Pinus elliotti	Slash Pine		48	30	18	60%	A	Affected area	remove	10.8
18	Pinus elliotti	Slash Pine		46	24	18	60%	A	Affected area	remove	10.8
19	Pinus elliotti	Slash Pine		46	24	18	60%	A	Affected area	remove	10.8
20	Pinus elliotti	Slash Pine		48	30	18	60%	A	Affected area	remove	10.8
21	Pinus elliotti	Slash Pine		45	30	20	60%	A	Affected area	remove	12
22	Sabal palmetto	Cabbage Palm	6		8	8			Remove shrubs from trunk	Relocate	
23	Pinus elliotti	Slash Pine		45	32	20	60%	A	Affected area	remove	12
24	Pinus elliotti	Slash Pine		46	40	18	60%	A	Affected area	remove	10.8
25	Pinus elliotti	Slash Pine		45	38	20	60%	A	Affected area	remove	12
26	Pinus elliotti	Slash Pine		46	36	18	60%	A	Affected area	remove	10.8
27	Lysiloma letistilquum	Wild Tamarind		20	22	6	50%	A	Affected area	remove	3
28	Lysiloma letistilquum	Wild Tamarind		20	22	10	50%	A	Affected area	remove	5
29	Sabal palmetto	Cabbage Palm	10		8	10				Relocate	
30	Ficus retusa	Fig Tree		25	28	22	40%	A	Damaged trunk & branches	remove	8.8
31	Royce Polciniana	Delonix regia		36	50	38	40%	B	Affected area; trunk damage	remove	11.52
32	Sabal palmetto	Cabbage Palm	12		10	10			Affected area	Relocate	
33	Sabal palmetto	Cabbage Palm	10		10	10			Affected area	Relocate	
34	Sabal palmetto	Cabbage Palm	8		8	8			Affected area	Relocate	
35	Sabal palmetto	Cabbage Palm	10		10	10			Affected area	Relocate	
36	Sabal palmetto	Cabbage Palm	13		10	10			Affected area	Relocate	
37	Sabal palmetto	Cabbage Palm	10		10	10			Affected area	Relocate	
38	Sabal palmetto	Cabbage Palm	15		10	10			Affected area	Relocate	
39	Sabal palmetto	Scrub Palm	n/a	7					Scrub; in affected area	remove	
40	Mangifera indica	Mango		32	40	38	30%	C	Double; in affected area	remove	6.84
41	Sabal palmetto	Cabbage Palm	14		10	10			Affected area	Relocate	
42	Sabal palmetto	Cabbage Palm	15		10	10			Affected area	Relocate	
43	Sabal palmetto	Scrub Palm	n/a	8					Scrub	remove	
44	Bucida buceras	Black Olive		16	22	14	40%	C	In R/W Improvements	remove	3.36
45	Bucida buceras	Black Olive		24	20	10	25%	C	In R/W Improvements	remove	1.5
46	Bucida buceras	Black Olive		25	25	12	30%	C	In R/W Improvements	remove	2.16
47	Bucida buceras	Black Olive		34	32	16	40%	C	In R/W Improvements	remove	3.84

TOTAL PALMS REMOVED, TO BE REPLACED @ 1:1	4 PALMS
TOTAL QUALIFIED TREES REMOVED:	26 TREES
TOTAL DBH OF NON-SPECIMENS TO BE REPLACED (IN.)	224.18
TOTAL TRUNK-FEET PALMS TO BE RELOCATED:	153 TRUNK-FT.
TOTAL PALMS TO REMAIN ON SITE	3 EX. PALMS
TOTAL QUALIFIED TREES TO REMAIN ON SITE	0 EX. TREES

1. Contractor is responsible for determining all utility locations and installing facilities so as to not conflict. All damage to existing utilities or improvements caused by Contractor shall be repaired at no additional cost to the Owner.

2. Contractor to notify "Sunshine State One Call of Florida, Inc." at 1-800-437-4770 Two Full Business Days prior to digging for underground utility locations.

3. Contractor shall be responsible for providing final grading of all associated planting areas.


4. No plant material will be accepted showing evidence of cable, chain marks, equipment scars, or otherwise damaged

5. Root-prune all trees to be Relocated a minimum of (10) weeks prior to planting. Pans require no root-pruning & may be transplanted immediately or as construction schedule dictates.

• Tree protection barricades shall be provided by Landscape Contractor around existing trees that may be impacted by the proposed construction. Prior to any construction a tree protection barricade inspection shall be conducted by the landscape architect, owner or governing municipality. Refer to landscape detail for tree preservation barricade fencing.





Digitally signed by Ryan J
King Ebrahman
DN: c=US, o=IdenTrust
ACES Unaffiliated
Individual, cn=Ryan J King
Ebrahman,
0.9.2342.19200300.100.1.1-
A01097C0000015D9A8101
A0000134CB
Date: 2018.12.06 10:30:51
05'00'



NOTES

1. CONTRACTOR IS RESPONSIBLE FOR FILLING VERTICALLY AND LATERALLY WITH APPROVED MATERIALS AND TYPES. ALL DISCREPANCIES SHALL BE CORRECTED TO THE EXHAUSTION OF THE VERTS.
2. EXISTING LATERAL VERTS SHALL BE RECOVERED BY CONTRACTOR OR BY AN ACCREDITED CITY AND LOCAL UTILITY COMPANY REGARDLESS OF WHETHER DEMOLITION DELAYS TO BE REMOVED BY CONTRACTOR OR BY ACCREDITED WITH ALL APPLICABLE REGULATIONS.
3. ALL HYDRANT DISCHARGES SHALL FALL WITHIN 5' OF THE CURB.
4. MINIMUM 7' CLEARANCE AROUND THE HYDRANT IS REQUIRED (MINIMUM 10' IF 8" SIZE CAP SHALL FACE THE ROADWAY).
5. ALL FIRE HYDRANTS SHOULD HAVE BLUE REFLECTIVE MARKING AND WATER SHALL BE ON HAND BEFORE CONSTRUCTION BEGINS.
6. CLEAN CUTS INSTALLED IN ASPHALT MUST BE INSTALLED IN A CITY BOX MARKED BEFORE.



PROGRESSO COMMONS


**ANDREWS PROJECT
DEVELOPMENT, I.L.C.**

FOOT LAUNDRY, C.
FLORIDA

DISPOSITION CHARTS
& NOTES

L-02

TYPICAL ROOT BARRIER APPLICATION DETAIL




The barrier is installed by excavating a trench around the tree trunk to a depth of 12 inches. The trench is then filled with the root barrier material. The barrier is installed vertically, extending from the ground surface down to the root zone. The diagram includes labels for the root barrier, tree trunk, and surrounding soil.


PLANT NAME	COMMON NAME	HEIGHT	SPREAD	ROOTS	REMARKS
1.01	ADONIS	12'	12'	12'	12'
1.02	ADONIS	12'	12'	12'	12'
1.03	ADONIS	12'	12'	12'	12'
1.04	ADONIS	12'	12'	12'	12'
1.05	ADONIS	12'	12'	12'	12'
1.06	ADONIS	12'	12'	12'	12'
1.07	ADONIS	12'	12'	12'	12'
1.08	ADONIS	12'	12'	12'	12'
1.09	ADONIS	12'	12'	12'	12'
1.10	ADONIS	12'	12'	12'	12'
1.11	ADONIS	12'	12'	12'	12'
1.12	ADONIS	12'	12'	12'	12'
1.13	ADONIS	12'	12'	12'	12'
1.14	ADONIS	12'	12'	12'	12'
1.15	ADONIS	12'	12'	12'	12'
1.16	ADONIS	12'	12'	12'	12'
1.17	ADONIS	12'	12'	12'	12'
1.18	ADONIS	12'	12'	12'	12'
1.19	ADONIS	12'	12'	12'	12'
1.20	ADONIS	12'	12'	12'	12'
1.21	ADONIS	12'	12'	12'	12'
1.22	ADONIS	12'	12'	12'	12'
1.23	ADONIS	12'	12'	12'	12'
1.24	ADONIS	12'	12'	12'	12'
1.25	ADONIS	12'	12'	12'	12'
1.26	ADONIS	12'	12'	12'	12'
1.27	ADONIS	12'	12'	12'	12'
1.28	ADONIS	12'	12'	12'	12'
1.29	ADONIS	12'	12'	12'	12'
1.30	ADONIS	12'	12'	12'	12'
1.31	ADONIS	12'	12'	12'	12'
1.32	ADONIS	12'	12'	12'	12'
1.33	ADONIS	12'	12'	12'	12'
1.34	ADONIS	12'	12'	12'	12'
1.35	ADONIS	12'	12'	12'	12'
1.36	ADONIS	12'	12'	12'	12'
1.37	ADONIS	12'	12'	12'	12'
1.38	ADONIS	12'	12'	12'	12'
1.39	ADONIS	12'	12'	12'	12'
1.40	ADONIS	12'	12'	12'	12'
1.41	ADONIS	12'	12'	12'	12'
1.42	ADONIS	12'	12'	12'	12'
1.43	ADONIS	12'	12'	12'	12'
1.44	ADONIS	12'	12'	12'	12'
1.45	ADONIS	12'	12'	12'	12'
1.46	ADONIS	12'	12'	12'	12'
1.47	ADONIS	12'	12'	12'	12'
1.48	ADONIS	12'	12'	12'	12'
1.49	ADONIS	12'	12'	12'	12'
1.50	ADONIS	12'	12'	12'	12'
1.51	ADONIS	12'	12'	12'	12'
1.52	ADONIS	12'	12'	12'	12'
1.53	ADONIS	12'	12'	12'	12'
1.54	ADONIS	12'	12'	12'	12'
1.55	ADONIS	12'	12'	12'	12'
1.56	ADONIS	12'	12'	12'	12'
1.57	ADONIS	12'	12'	12'	12'
1.58	ADONIS	12'	12'	12'	12'
1.59	ADONIS	12'	12'	12'	12'
1.60	ADONIS	12'	12'	12'	12'
1.61	ADONIS	12'	12'	12'	12'
1.62	ADONIS	12'	12'	12'	12'
1.63	ADONIS	12'	12'	12'	12'
1.64	ADONIS	12'	12'	12'	12'
1.65	ADONIS	12'	12'	12'	12'
1.66	ADONIS	12'	12'	12'	12'
1.67	ADONIS	12'	12'	12'	12'
1.68	ADONIS	12'	12'	12'	12'
1.69	ADONIS	12'	12'	12'	12'
1.70	ADONIS	12'	12'	12'	12'
1.71	ADONIS	12'	12'	12'	12'
1.72	ADONIS	12'	12'	12'	12'
1.73	ADONIS	12'	12'	12'	12'
1.74	ADONIS	12'	12'	12'	12'
1.75	ADONIS	12'	12'	12'	12'
1.76	ADONIS	12'	12'	12'	12'
1.77	ADONIS	12'	12'	12'	12'
1.78	ADONIS	12'	12'	12'	12'
1.79	ADONIS	12'	12'	12'	12'
1.80	ADONIS	12'	12'	12'	12'
1.81	ADONIS	12'	12'	12'	12'
1.82	ADONIS	12'	12'	12'	12'
1.83	ADONIS	12'	12'	12'	12'
1.84	ADONIS	12'	12'	12'	12'
1.85	ADONIS	12'	12'	12'	12'
1.86	ADONIS	12'	12'	12'	12'
1.87	ADONIS	12'	12'	12'	12'
1.88	ADONIS	12'	12'	12'	12'
1.89	ADONIS	12'	12'	12'	12'
1.90	ADONIS	12'	12'	12'	12'
1.91	ADONIS	12'	12'	12'	12'
1.92	ADONIS	12'	12'	12'	12'
1.93	ADONIS	12'	12'	12'	12'
1.94	ADONIS	12'	12'	12'	12'
1.95	ADONIS	12'	12'	12'	12'
1.96	ADONIS	12'	12'	12'	12'
1.97	ADONIS	12'	12'	12'	12'
1.98	ADONIS	12'	12'	12'	12'
1.99	ADONIS	12'	12'	12'	12'
2.00	ADONIS	12'	12'	12'	12'

PLANT SCHEDULE


TREE PROTECTION DETAIL




SHRUB / GROUND COVER SPACING / PLANTING DETAIL




SMALL TREE PLANTING DETAIL (2" cal and under)




LARGE TREE PLANTING DETAIL (2" cal and over)




SHRUB PLANTING DETAIL




MULTI-TRUNK AND SMALL TREE (2" cal and under) PLANTING DETAIL



SABAL PALM PLANTING DETAIL



LARGE PALM PLANTING DETAIL



FOOT LANDSCAPE PERMIT NUMBER: 2018-L-491-014

L-04



THOMAS

ANDREWS PROJECT DEVELOPMENT, LLC


PROGRESSO COMMONS

81



THOMAS


1 TYP. C.U. STRUCTURAL SOIL DETAIL (FT. LAUDERDALE STD. DETAIL)



**'ADDAPAVE TP' TREE PIT SHALL BE
MANUFACTURED BY CHAMELEON WAYS TO BE
APPLIED OVER COMPACTED WASHED STONE;
COLOR/FINISH: 'RHINE GOLD' 6-10 mm**

2 'ADDAPAVE TP' DETAIL

FDOT LANDSCAPE PERMIT NUMBER:
2018-L-491-014



THOMAS
LANDSCAPE ARCHITECTS, LLC
1000 10th St, Suite 100
San Francisco, CA 94103
Phone: (415) 398-1000
Email: info@thomaslandscape.com

THOMAS
LANDSCAPE ARCHITECTS, LLC
1000 10th St, Suite 100
San Francisco, CA 94103
Phone: (415) 398-1000
Email: info@thomaslandscape.com

ITEM NO.		MANUFACTURER, RACE, 1/2 OR DESCRIPTION	QTY	PRICE
1	2	Ham Bone 1/2" 21" 22# Bones	1	25.00
3	4	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
5	6	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
7	8	Pressure Regulating		
9	10	Ham Bone 15# 10# 5# 5# Sides 10#	80	30.00
11	12	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
13	14	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
15	16	Pressure Regulating		
17	18	Ham Bone 16# 10# 1/2" 1/2" 22# Sides	70	30.00
19	20	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
21	22	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
23	24	Pressure Regulating		
25	26	Ham Bone 16# 10# 16# 10# Sides 10#	10	30.00
27	28	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
29	30	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
31	32	Pressure Regulating		
33	34	Ham Bone 16# 10# 12# 12# Sides 10#	43	30.00
35	36	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
37	38	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
39	40	Pressure Regulating		
41	42	Ham Bone 16# 10# 15# 15# Sides 10#	15	30.00
43	44	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
45	46	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
47	48	Pressure Regulating		
49	50	Ham Bone 16# 10# 16# 16# Sides 10#	21	30.00
51	52	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		
53	54	Side and Butcher 10# 1/2" MP 1 female Throated Inks		
55	56	Pressure Regulating		
57	58	Ham Bone 16# 10# 16# 16# Sides 10#	73	40.00
59	60	Tail Sides 8" 6" 10# 4# Tenderloin with Cooled Head Wagon Seal		

[illegible]

NUMBER	MODEL	SIZE	TYPE	GPW	WPL	PSE	PSE/PROD	PSE/CP
1	Ham Bed PWB	1-1/2"	1st Supply	51.52	30.41	44.83		1.51 mph
2	Ham Bed PWB	1-1/2"	1st Supply	48.20	26.43	47.41		1.40 mph
3	Ham Bed PWB	1-1/2"	1st Supply	35.78	26.44	49.91		1.61 mph
4	Ham Bed PWB	1-1/2"	1st Supply	44.26	26.22	49.50		1.72 mph
5	Ham Bed PWB	1-1/2"	1st Supply	38.20	26.12	49.25		1.66 mph
6	Ham Bed PWB	1-1/2"	1st Supply	29.91	26.29	46.60		1.50 mph
7	Ham Bed PWB	1-1/2"	1st Supply	23.62	23.22	43.83		1.40 mph
8	Ham Bed PWB	1-1/2"	1st Supply	23.61	23.17	43.52		1.39 mph
9	Ham Bed PWB	1"	Builder	8.00	41.66	47.97		2.66 mph
10	Ham Bed PWB	1"	Builder	8.00	46.56	50.34		2.84 mph

NAME	MODEL	TYPE	PRICE	CH/MI	WHEELS	W/WT	GEAR
1	Mustang FORD	Fastback	1.83 m/h	1	60	2,454	
2	Mustang FORD	Fastback	1.05 m/h	1	60	2,454	
3	Mustang FORD	Fastback	1.01 m/h	1	34	1,720	
4	Mustang FORD	Fastback	1.12 m/h	1	60	2,454	
5	Mustang FORD	Fastback	1.06 m/h	1	42	1,944	
6	Mustang FORD	Fastback	1.46 m/h	1	55	1,577	
7	Mustang FORD	Fastback	1.07 m/h	1	57	2,412	
8	Mustang FORD	Fastback	1.26 m/h	1	67	1,677	
9	Mustang FORD	Mustache	1.66 m/h	1	78	0	
10	Mustang FORD	Mustache	1.66 m/h	1	0	0	
	TOTALS				384	15,114	

[illegible]

NOTE: NO IRRIGATION EQUIPMENT IN THE FOOT ROW IS TO BE CONNECTED TO THE IRRIGATION SYSTEM FOR THE WAWA PARCEL; ALL IRRIGATION PROPOSED IN THE FOOT ROW IS SOURCED FROM THE PROPOSED 1.5" WATER METER FOR THE OVERALL PROGRESSO COMMONS DEVELOPMENT

WAWA'S IRRIGATION SYSTEM SHALL BE COMPLETELY INDEPENDENT FROM THE OVERALL DEVELOPMENT IRRIGATION SYSTEM AS SHOWN

FDOT LANDSCAPE PERMIT NUMBER:
2018-L-491-014

THOMAS

[illegible]

811 KNOX COUNTY BOARD OF
ALTERNATE JUDGES
JUDICIAL DISTRICT NO. 1
JUDICIAL DISTRICT NO. 2
JUDICIAL DISTRICT NO. 3
JUDICIAL DISTRICT NO. 4
JUDICIAL DISTRICT NO. 5
JUDICIAL DISTRICT NO. 6
JUDICIAL DISTRICT NO. 7
JUDICIAL DISTRICT NO. 8
JUDICIAL DISTRICT NO. 9
JUDICIAL DISTRICT NO. 10
JUDICIAL DISTRICT NO. 11
JUDICIAL DISTRICT NO. 12
JUDICIAL DISTRICT NO. 13
JUDICIAL DISTRICT NO. 14
JUDICIAL DISTRICT NO. 15
JUDICIAL DISTRICT NO. 16
JUDICIAL DISTRICT NO. 17
JUDICIAL DISTRICT NO. 18
JUDICIAL DISTRICT NO. 19
JUDICIAL DISTRICT NO. 20
JUDICIAL DISTRICT NO. 21
JUDICIAL DISTRICT NO. 22
JUDICIAL DISTRICT NO. 23
JUDICIAL DISTRICT NO. 24
JUDICIAL DISTRICT NO. 25
JUDICIAL DISTRICT NO. 26
JUDICIAL DISTRICT NO. 27
JUDICIAL DISTRICT NO. 28
JUDICIAL DISTRICT NO. 29
JUDICIAL DISTRICT NO. 30
JUDICIAL DISTRICT NO. 31
JUDICIAL DISTRICT NO. 32
JUDICIAL DISTRICT NO. 33
JUDICIAL DISTRICT NO. 34
JUDICIAL DISTRICT NO. 35
JUDICIAL DISTRICT NO. 36
JUDICIAL DISTRICT NO. 37
JUDICIAL DISTRICT NO. 38
JUDICIAL DISTRICT NO. 39
JUDICIAL DISTRICT NO. 40
JUDICIAL DISTRICT NO. 41
JUDICIAL DISTRICT NO. 42
JUDICIAL DISTRICT NO. 43
JUDICIAL DISTRICT NO. 44
JUDICIAL DISTRICT NO. 45
JUDICIAL DISTRICT NO. 46
JUDICIAL DISTRICT NO. 47
JUDICIAL DISTRICT NO. 48
JUDICIAL DISTRICT NO. 49
JUDICIAL DISTRICT NO. 50
JUDICIAL DISTRICT NO. 51
JUDICIAL DISTRICT NO. 52
JUDICIAL DISTRICT NO. 53
JUDICIAL DISTRICT NO. 54
JUDICIAL DISTRICT NO. 55
JUDICIAL DISTRICT NO. 56
JUDICIAL DISTRICT NO. 57
JUDICIAL DISTRICT NO. 58
JUDICIAL DISTRICT NO. 59
JUDICIAL DISTRICT NO. 60
JUDICIAL DISTRICT NO. 61
JUDICIAL DISTRICT NO. 62
JUDICIAL DISTRICT NO. 63
JUDICIAL DISTRICT NO. 64
JUDICIAL DISTRICT NO. 65
JUDICIAL DISTRICT NO. 66
JUDICIAL DISTRICT NO. 67
JUDICIAL DISTRICT NO. 68
JUDICIAL DISTRICT NO. 69
JUDICIAL DISTRICT NO. 70
JUDICIAL DISTRICT NO. 71
JUDICIAL DISTRICT NO. 72
JUDICIAL DISTRICT NO. 73
JUDICIAL DISTRICT NO. 74
JUDICIAL DISTRICT NO. 75
JUDICIAL DISTRICT NO. 76
JUDICIAL DISTRICT NO. 77
JUDICIAL DISTRICT NO. 78
JUDICIAL DISTRICT NO. 79
JUDICIAL DISTRICT NO. 80
JUDICIAL DISTRICT NO. 81
JUDICIAL DISTRICT NO. 82
JUDICIAL DISTRICT NO. 83
JUDICIAL DISTRICT NO. 84
JUDICIAL DISTRICT NO. 85
JUDICIAL DISTRICT NO. 86
JUDICIAL DISTRICT NO. 87
JUDICIAL DISTRICT NO. 88
JUDICIAL DISTRICT NO. 89
JUDICIAL DISTRICT NO. 90
JUDICIAL DISTRICT NO. 91
JUDICIAL DISTRICT NO. 92
JUDICIAL DISTRICT NO. 93
JUDICIAL DISTRICT NO. 94
JUDICIAL DISTRICT NO. 95
JUDICIAL DISTRICT NO. 96
JUDICIAL DISTRICT NO. 97
JUDICIAL DISTRICT NO. 98
JUDICIAL DISTRICT NO. 99
JUDICIAL DISTRICT NO. 100

PROJECT No.	710000
ORIGIN BY	RJM
CHANGED BY	RJM
DATE	02/12/00
CAD by	1998 0000 12 00 00 00

**PROGRESSO
COMMONS**

**ANDREWS PROJECT
DEVELOPMENT, LLC**

FURTHER READING


THOMAS
 800 999 3157 04/01
 1001 LARSEN DRIVE, PA. 21206
 PH: 410-41-2020
 FX: 410-41-2020
www.thomascapacitors.com



20407 1/7/8

IRRIGATION SCHEDULE

L-07



FDOT LANDSCAPE PERMIT NUMBER:
2018-L-491-014
Date: 2018.12.06 10:33:35 -0500
0015D9A8E01A0000134C8
0 9 2147.19700300 100 1.1A01097C000
Digitally signed by Ryan J King
Elevation
Dr. C. S. Elevation
Individual on Ryan J King Elevation
0 9 2147.19700300 100 1.1A01097C000



THOMAS
COLLECTIVE INC.

10111 N. W. 11th Ave., Suite 100
Miami, FL 33150
Phone: 305.444.1111
Email: info@thomascollective.com

811
NATIONAL
UTILITY
LOCATING
SERVICE

1-800-4-A-ROOT
1-800-427-6268

PROGRESS CONDITIONS

ANDREWS PROJECT
DEVELOPMENT, LLC

10111 N. W. 11th Ave., Suite 100
Miami, FL 33150
Phone: 305.444.1111
Email: info@thomascollective.com

THOMAS
COLLECTIVE INC.

10111 N. W. 11th Ave., Suite 100
Miami, FL 33150
Phone: 305.444.1111
Email: info@thomascollective.com

IRIGATION DETAILS

10111 N. W. 11th Ave., Suite 100
Miami, FL 33150
Phone: 305.444.1111
Email: info@thomascollective.com

L-08

10111 N. W. 11th Ave., Suite 100
Miami, FL 33150
Phone: 305.444.1111
Email: info@thomascollective.com



COMMISSION AGENDA ITEM
DOCUMENT ROUTING FORM

P3L

11/6/2020

Today's Date: 12/23/2019

DOCUMENT TITLE: DISTRICT FOUR (4) AMENDMENT NUMBER FIVE (5) TO STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION LANDSCAPE INCLUSIVE MEMORANDUM OF AGREEMENT

COMM. MTG. DATE: 12/17/2019 **CAM #:** 19-0993 **ITEM #:** CP-1 **CAM attached:** ☒ YES ☐ NO

Routing Origin: CAO **Router Name/Ext:** K.Nembhard/5001 **Action Summary attached:** ☒ YES ☐ NO

CIP FUNDED: ☐ YES ☒ NO

Capital Investment / Community Improvement Projects defined as having a life of at least 10 years and a cost of at least \$50,000 and shall mean improvements to real property (land, buildings, or fixtures) that add value and/or extend useful life, including major repairs such as roof replacement, etc. Term "Real Property" include: land, real estate, realty, or real.

1) City Attorney's Office: Documents to be signed/routed? ☒ YES ☐ NO # of originals attached: 3

Is attached Granicus document Final? ☒ YES ☐ NO Approved as to Form: ☒ YES ☐ NO

Date to CCO: 12/23/2019

Kimberly Mosley
Attorney's Name

[Signature]
Initials

2) City Clerk's Office: # of originals: 3 Routed to: MJ Matthews/CMO/x5364 Date: 12/23/19

3) City Manager's Office: CMO LOG #: [Signature] Document received from: CCO

Assigned to: CHRIS LAGERBLOOM ☐ ROBERT HERNANDEZ ☐
CHRIS LAGERBLOOM as CRA Executive Director ☐

☐ APPROVED FOR C. LAGERBLOOM'S SIGNATURE ☐ N/A FOR C. LAGERBLOOM TO SIGN

PER ACM: R. HERNANDEZ (Initial/Date) ☐

PENDING APPROVAL (See comments below)

Comments/Questions: _____

Forward 3 originals to ☒ Mayor ☐ CCO Date: 12/30/19

4) Mayor/CRA Chairman: Please sign as indicated. Forward _____ originals to CCO for attestation/City seal (as applicable) Date: _____

5) City Clerk: Forward _____ originals to CAO for **FINAL APPROVAL** Date: _____

6) CAO forwards _____ originals to CCO

7) City Clerk: Scan original and forwards 3 originals to: L.Morton/3764 Name/Dept/Ext)

Attach _____ certified Reso # _____ ☒ YES ☐ NO

Original Route form to CAO/Dept.